01_week3_quiz

Shallow Neural Networks

测验, 10 个问题

第 1 个问题

1

point

1。第 1 个问题

Which of the following are true? (Check all that apply.)

$a^{[2]}$ denotes the activation vector of the $2nd$ layer.

X is a matrix in which each row is one training example.

X is a matrix in which each column is one training example.

$a^{[2](12)}$ denotes activation vector of the $12th$ layer on the $2nd$ training example.

$a_4^{[2]}$ is the activation output by the $4th$ neuron of the $2nd$ layer

$a_4^{[2]}$ is the activation output of the $2nd$ layer for the $4th$ training example

$a^{[2](12)}$ denotes the activation vector of the $2nd$ layer for the $12th$ training example.

第 2 个问题

1

point

2。第 2 个问题

The tanh activation usually works better than sigmoid activation function for hidden units because the mean of its output is closer to zero, and so it centers the data better for the next layer. True/False?

True

False

第 3 个问题

1

point

3。第 3 个问题

Which of these is a correct vectorized implementation of forward propagation for layer l, where $1 \leq l \leq L$?

- $Z^{[l]}=W^{[l]}A^{[l]}+b^{[l]}$

- A[l+1]=g[l+1](Z[l])

- Z[l]=W[l]A[l−1]+b[l]
- A[l]=g[l](Z[l])

- Z[l]=W[l−1]A[l]+b[l−1]
- A[l]=g[l](Z[l])

- Z[l]=W[l]A[l]+b[l]
- A[l+1]=g[l](Z[l])

第 4 个问题
1
point

4。第 4 个问题

You are building a binary classifier for recognizing cucumbers (y=1) vs. watermelons (y=0). Which one of these activation functions would you recommend using for the output layer?

ReLU

Leaky ReLU

sigmoid

tanh

第 5 个问题
1
point

5。第 5 个问题

Consider the following code:

```
1  A = np.random.randn(4,3)
2  B = np.sum(A, axis = 1, keepdims = True)
```

What will be B.shape? (If you're not sure, feel free to run this in python to find out).

(, 3)

(1, 3)

(4,)

(4, 1)

第 6 个问题
1
point

6。第 6 个问题

Suppose you have built a neural network. You decide to initialize the weights and biases to be zero. Which of the following statements is true?

Each neuron in the first hidden layer will perform the same computation. So even after multiple iterations of gradient descent each neuron in the layer will be computing the same thing as other neurons.

Each neuron in the first hidden layer will perform the same computation in the first iteration. But after one iteration of gradient descent they will learn to compute different things because we have "broken symmetry".

Each neuron in the first hidden layer will compute the same thing, but neurons in different layers will compute different things, thus we have accomplished "symmetry breaking" as described in lecture.

The first hidden layer's neurons will perform different computations from each other even in the first iteration; their parameters will thus keep evolving in their own way.

第 7 个问题
1
point

7。第 7 个问题

Logistic regression's weights w should be initialized randomly rather than to all zeros, because if you initialize to all zeros, then logistic regression will fail to learn a useful decision boundary because it will fail to "break symmetry", True/False?

True

False

第 8 个问题
1
point

8。第 8 个问题

You have built a network using the tanh activation for all the hidden units. You initialize the weights to relative large values, using np.random.randn(..,..)*1000. What will happen?

This will cause the inputs of the tanh to also be very large, causing the units to be "highly activated" and thus speed up learning compared to if the weights had to start from small values.

This will cause the inputs of the tanh to also be very large, thus causing gradients to be close to zero. The optimization algorithm will thus become slow.

It doesn't matter. So long as you initialize the weights randomly gradient descent is not affected by whether the weights are large or small.

This will cause the inputs of the tanh to also be very large, thus causing gradients to also become large. You therefore have to set α to be very small to prevent divergence; this will slow down learning.

therefore have to set α to be very small to prevent divergence; this will slow down learning.

9。第 9 个问题

Consider the following 1 hidden layer neural network:

Which of the following statements are True? (Check all that apply).

W[1] will have shape (2, 4)

b[1] will have shape (4, 1)

W[1] will have shape (4, 2)

b[1] will have shape (2, 1)

W[2] will have shape (1, 4)

b[2] will have shape (4, 1)

W[2] will have shape (4, 1)

b[2] will have shape (1, 1)

10。第 10 个问题

In the same network as the previous question, what are the dimensions of Z[1] and A[1]?

Z[1] and A[1] are (1,4)

Z[1] and A[1] are (4,m)

Z[1] and A[1] are (4,2)

Z[1]and A[1]are (4,1)

我了解不是我自己完成的作业将永远不会通过该课程且我的 Coursera 帐号会被取消激活。