

SOP-L-01 — Test Planning

Kode	SOP-L-01
Pemilik	L (QA Senior)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	ISTQB (test levels/types), ISO/IEC 29119, Risk-Based Testing, tools/test-plan-template.md
COBIT	BAI07 (Change Acceptance & Transitioning)

1. Tujuan

Menetapkan **cakupan, level, jenis, dan prioritas** pengujian sebuah fitur **berbasis risiko** sebelum eksekusi, supaya effort fokus ke yang paling bisa rusak — bukan test buta semua.

2. Ruang Lingkup

- **Berlaku:** tiap fitur/perubahan yang masuk test scope sebelum rilis.
- **Tidak berlaku:** perubahan dokumentasi murni (no code), spike eksperimen yang gak di-merge.

3. Definisi & Istilah

- **Risk-based testing** — $\text{prioritas test} = \text{probabilitas rusak} \times \text{dampak ke user}$.
- **Critical path** — alur user paling penting (auth, payment, create-data, RSVP).
- **Test level** — unit / integration / system / acceptance.
- **Test type** — functional / non-functional (perf, a11y, security) / regression.

4. Referensi

ISTQB (test levels/types/techniques), ISO/IEC 29119 (test process), mandate Tata (Data SACRED, F-2 boomer-proof, evidence-first).

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Susun test plan	L	L	@lelouch (acceptance), @kakashi (strategy)	tim
Review acceptance criteria	L	L	@lelouch	—
Konfirmasi strategi (E2E vs integration)	L	L	@kakashi	—

6. Prosedur

6.1 Input & framing

- 6.1.1 Baca **PRD + mockup + impl** — pahami expected behavior & domain edge case.
- 6.1.2 Identifikasi **acceptance criteria** dari PRD (kalau gak ada → balikin ke @lelouch).
- 6.1.3 Petakan **critical path** (alur yang kalau rusak = fatal).

6.2 Risk-based scoping

- 6.2.1 Skor tiap area: **probabilitas rusak × dampak** (High/Med/Low).
- 6.2.2 Tentuin **test level** (perlu E2E? cukup integration?) — sync @kakashi kalau fitur besar/multi-integrasi.
- 6.2.3 Tentuin **test type**: functional wajib; non-functional (a11y/perf) kalau visible; security kalau ada input/auth.
- 6.2.4 Tetapkan **prioritas** kalau time-constrained: critical path → auth/payment/data → cross-browser top 2 → responsive → sisa edge+a11y.

6.3 Output (exit)

- 6.3.1 Tulis test plan via **test-plan-template**: scope, kategori test, browser matrix, a11y check, acceptance link.
- 6.3.2 **Exit criteria**: test plan ada scope + 3-kategori slot + critical path 100% tercakup + acceptance ter-link → lanjut SOP-L-02 (desain test case).
- 6.3.3 **Test note (hasil + verdict) WAJIB diarsip ke L/ + dirujuk** (sesuai GOVERNANCE §4.7) — test plan & hasil eksekusi jadi artefak permanen, bukan cuma di kepala (kontrol L-C7).

7. Pengecualian

- **Hotfix S1 (produksi down)**: test plan boleh ringkas (smoke + area fix), full plan menyusul < 24 jam, tetap dicatat.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Test plan	test-plan/<feature>.md	Permanen
Risk scoring	test plan + log.md	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
Coverage critical path	# critical journey ter-plan ÷ total	100%
Plan-before-execute	# fitur ber-test-plan ÷ total fitur	100%
Risk hit rate	# bug ketemu di area High-risk ÷ total bug	↑ (validasi scoring)

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama