

SOP-L-02 — Test Case Design (3-kategori)

Kode	SOP-L-02
Pemilik	L (QA Senior)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	ISTQB test techniques, BVA, Equivalence Partitioning, tools/test-case-matrix.md
COBIT	BAI07 (Change Acceptance & Transitioning)

1. Tujuan

Mendesain kasus uji **360°** — tiap fitur dicover dari tiga sisi: **normal (happy)**, **alternatif**, **negatif** — pakai teknik BVA & equivalence partitioning, biar bug edge gak bocor.

2. Ruang Lingkup

- **Berlaku:** tiap fitur yang udah punya test plan (SOP-L-01).
- **Tidak berlaku:** perubahan kosmetik murni tanpa logika baru (cukup smoke + visual).

3. Definisi & Istilah

- **3-kategori:** **Normal** (happy path expected) · **Alternatif** (path valid tapi beda dari mainstream) · **Negatif** (invalid/error/abuse).
- **BVA** (Boundary Value Analysis) — test di batas: min, max, min-1, max+1.
- **Equivalence Partitioning (EP)** — bagi input jadi kelas setara, test 1 wakil per kelas.
- **ID convention:** `<MODULE>-N-NNN` (normal), `-A-NNN` (alternatif), `-G-NNN` (negatif/"gagal").

4. Referensi

ISTQB test design techniques, mandate Tata (test scenario master: normal/alternatif/negatif, Excel-style matrix advance, emotionless data).

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Desain test case 3-kategori	L	L	dev owner (domain)	tim
Validasi acceptance ter-cover	L	L	@lelouch	—

6. Prosedur

6.1 Identifikasi input & kelas

- 6.1.1 List semua **input + state** fitur.
- 6.1.2 Bagi tiap input jadi **kelas equivalence** (valid vs invalid) + tandai **boundary** (BVA).

6.2 Desain per kategori (wajib tiga-tiganya)

- 6.2.1 **Normal (~30%)** — happy path expected, best-case input, success outcome.
- 6.2.2 **Alternatif (~30%)** — path valid tapi beda: optional field, entry point lain, max valid input, unicode name, multiple login method.
- 6.2.3 **Negatif (~40%)** — empty, max-overflow (BVA), SQL injection, XSS, auth bypass, race condition, network failure, server error, locked/expired state.
- 6.2.4 **Exit kalau salah satu kategori kosong** → fitur belum siap test, lengkapi dulu (no happy-path-only).

6.3 Dokumentasi (exit)

- 6.3.1 Isi tiap case ke **test-case-matrix**: ID · kategori · module · pre-condition · steps · test data · expected · actual · status · severity · browser · tester · date · bug ID.
- 6.3.2 **Exit criteria**: tiga kategori terisi + ratio masuk akal (~30/30/40) + tiap acceptance criteria punya minimal 1 case + boundary ter-cover.

7. Pengecualian

- **Fitur tanpa input user** (mis. static display): negatif fokus ke state (empty/error/loading), bukan injection.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Test case matrix	tools/ output / <code>test-plan/<feature>.md</code>	Permanen
Coverage breakdown	matrix Sheet 3	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
3-kategori coverage	# fitur dengan N+A+G ÷ total fitur	100%
Acceptance coverage	# acceptance ber-case ÷ total acceptance	100%
Negatif ratio	# case negatif ÷ total case	≈ 40%

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama