

SOP-L-04 — Bug Reporting & Severity Triage

Kode	SOP-L-04
Pemilik	L (QA Senior)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	ISTQB defect management, tools/bug-report-template.md , tools/severity-matrix.md
COBIT	DSS02 (Managed Service Requests & Incidents)

1. Tujuan

Mengubah temuan cacat jadi **bug report yang actionable** — repro minimal & deterministik + severity akurat (S1–S4) — biar dev bisa langsung fix tanpa nebak.

2. Ruang Lingkup

- **Berlaku**: tiap test fail / bug ditemukan (manual, otomatis, atau laporan user).
- **Tidak berlaku**: request fitur baru (itu @lelouch, bukan bug).

3. Definisi & Istilah

- **Repro minimal** — langkah paling sedikit yang masih munculin bug.
- **Deterministik** — hasil sama tiap dijalankan (3× konsisten).
- **Severity S1–S4** — S1 blocker/down/data-loss/security · S2 major no-workaround · S3 minor ada-workaround · S4 cosmetic.
- **Severity vs Priority** — severity = parah-nya dampak; priority = cepat-nya harus difix (bisa beda).

4. Referensi

ISTQB defect lifecycle, severity matrix (tools), mandate Tata: **F-2 boomer-proof** (UI bug nyusahin user warung = critical), **dual-layer doc** (awam + engineer), no blame ping-pong.

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Repro & dokumentasi bug	L	L	dev owner	@nami (kalau block release)
Assign severity	L	L	dev owner (kalau debat)	—
Eskalasi bug block-release	L	L	@nami	Tata

6. Prosedur

6.1 Reproduksi

- 6.1.1 Catat **environment** reporter: browser, device, user role, app version/commit.
- 6.1.2 **Repro di dev** — exact same steps.
- 6.1.3 **Isolate** — hapus step satu-satu sampai tinggal yang minimal masih munculin bug.
- 6.1.4 **Determinism check** — jalanin 3× → hasil sama? Kalau enggak → flag intermittent + cari pemicu.

6.2 Assign severity

- 6.2.1 Tentuin **severity per matrix** (severity-matrix): dampak ke user + ada workaround?
- 6.2.2 **F-2 check**: bug UI yang bikin user awam nyangkut = naikan severity (boomer-proof = first-class).
- 6.2.3 **Data SACRED check**: bug yang berpotensi data loss/overwrite = otomatis **S1**.
- 6.2.4 **Decision point**: S1/S2? → flag **release-blocker**, ping dev owner + @nami langsung.

6.3 Dokumentasi & handoff (exit)

- 6.3.1 Tulis bug via **bug-report-template**: severity, environment, repro minimal, expected vs actual, evidence (screenshot/video/log/network), impact, suggested fix area.
- 6.3.2 **Dual-layer**: ringkasan awam (Tata-friendly, bahasa warung) + detail engineer.
- 6.3.3 Handoff ke dev owner (@killua/@saitama/@shikamaru), **fakta + impact, no ego**.
- 6.3.4 **Exit criteria**: repro deterministik (3×) + severity per matrix + evidence lengkap + owner ter-assign.

7. Pengecualian

- **Bug intermittent gak bisa repro deterministik**: tetap report dengan flag "intermittent" + frekuensi + kondisi suspect; jangan diem-in.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Bug report (BUG-NNNN)	bugs/<id>.md + log.md	Permanen
Evidence (screenshot/video/log)	evidence folder	Permanen
Severity decision	bug report	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
Repro determinism	# bug repro konsisten $3 \times \div$ total	100%
Severity akurasi	# severity di-revise dev $\div$ total bug	minimal
Bug actionable	# bug yang dev fix tanpa nanya balik $\div$ total	↑

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama. Contoh acuan: BUG-0042 empty-email validation