

SOP-L-05 — Release QA Gate

Kode	SOP-L-05
Pemilik	L (QA Senior)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	ISO/IEC 29119 (exit criteria), tools/regression-checklist.md, tools/severity-matrix.md
COBIT	BAI07 (Change Acceptance), MEA01 (Performance & Conformance Monitoring)

1. Tujuan

Menjamin **gak ada rilis yang punya cacat kritis (S1/S2) sampai ke user**. Gate ini kontrol internal QA-C1 — verdict PASS/FAIL gw yang nentuin output lanjut ke go-live.

2. Ruang Lingkup

- **Berlaku:** tiap rilis / go-live (fitur baru, fix, deploy ke produksi).
- **Tidak berlaku:** perubahan internal non-rilis (spike, branch eksperimen).

3. Definisi & Istilah

- **QA gate** — checkpoint mutu sebelum rilis; verdict **PASS** (lanjut) / **FAIL** (tahan).
- **Exit criteria** — syarat wajib terpenuhi biar PASS.
- **Co-gate** — gate QA (L) + release readiness (Levi) dua-duanya wajib PASS.
- **Visible (🟡)** — output yang user lihat → butuh go-live sign-off Tata.

4. Referensi

ISO/IEC 29119 (exit criteria), mandate Tata (Data SACRED, F-2, evidence-first, anti-hide). Verdict QA feed go-live Tata; **blocking S1/S2 = otoritas L mutlak**.

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Jalankan QA gate	L	L	@levi (readiness)	tim
Block release karena S1/S2	L	L (mengikat)	—	@nami, Tata
Perbaiki kalau FAIL	dev owner	L	L	—
Go-live (output visible)	R: @levi	Tata	L, @kakashi	tim

6. Prosedur

6.1 Pra-gate

- 6.1.1 Konfirmasi **test plan + test case 3-kategori** udah dieksekusi (SOP-L-01/02).
- 6.1.2 Konfirmasi **regression** area tersentuh udah jalan (SOP-L-03).

6.2 Pemeriksaan gate (checklist)

- 6.2.1 Jalankan **regression-checklist**: functional · cross-browser · a11y ≥ 90 · perf baseline · data integrity · regression · evidence.
- 6.2.2 Cek **status bug**: semua **S1/S2 closed**? (filter severity per **matrix**).
- 6.2.3 **Universal check**: evidence per item (screenshot/log/test result), no "should work", dual-layer doc siap.
- 6.2.4 Cek **co-gate Levi** (release readiness) — dua-duanya PASS?

6.3 Verdict (exit)

- 6.3.1 **Decision point**:
- **PASS** → semua S1/S2 closed + checklist hijau + bukti lengkap → forward ke Pre-Tata Gate (@kakashi) → **flag visible** 🟡 **butuh go-live sign-off Tata**.
- **FAIL** → ada **S1/S2 open** → **tahan rilis** + feedback konkret ke dev owner → loop sampai closed. **Ini keputusan gw, bukan rekomendasi**.
- 6.3.2 Tulis sign-off dual-layer (ringkasan awam + detail) di `log.md` + ACTIVITY.
- 6.3.3 **Test note (hasil + verdict) WAJIB diarsip ke 1/ + dirujuk** (sesuai GOVERNANCE §4.7) — tiap rilis ninggalin test note + verdict PASS/FAIL terarsip sebagai artefak audit (kontrol L-C7).

7. Pengecualian

- **Override gate** hanya oleh **Tata, eksplisit, tercatat** (rilis dengan known S1/S2 = keputusan bisnis Tata, bukan QA). Gw catat sebagai risiko + dampak.
- **Hotfix S1 produksi down**: gate dipersempit ke smoke + area fix; full gate menyusul < 24 jam.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Sign-off gate + checklist	<code>log.md</code> + ACTIVITY	Permanen
Daftar S1/S2 + status closed	<code>log.md</code>	Permanen
Override Tata (kalau ada)	<code>log.md</code> (risiko + dampak)	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
Bug S1/S2 lolos rilis	# S1/S2 yang lolos gate	0
Escaped defect ke prod	# bug lolos produksi ÷ total rilis	≈ 0
Gate evidence completeness	# item gate ber-bukti ÷ total item	100%

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama