

SOP-LL-04 — Functional Spec (Gherkin)

Kode	SOP-LL-04
Pemilik	Lelouch (PM & IT Business Analyst)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	Gherkin (Given-When-Then), Agile/User Story (INVEST), tools/gherkin-spec-template.md, tools/user-story-template.md, BABOK KA5
COBIT	BAI02 (Managed Requirements Definition)

1. Tujuan

Mengubah PRD yang udah lock jadi **spesifikasi fungsional buildable**: user story + acceptance criteria **Gherkin (Given-When-Then)** yang testable, atomic, dan langsung bisa dikonsumsi @killua/@saitama (build) & @I (test) **tanpa balik nanya**.

2. Ruang Lingkup

- **Berlaku**: fitur yang PRD-nya udah lock & butuh detail behavior + acceptance criteria.
- **Tidak berlaku**: story trivial yang AC-nya obvious (cukup di backlog SOP-LL-06).

3. Definisi & Istilah

- **User story** — "As a [role], I want [goal], so that [benefit]".
- **INVEST** — Independent · Negotiable · Valuable · Estimable · Small · Testable.
- **Gherkin / Given-When-Then** — Given (kondisi awal) → When (aksi) → Then (hasil yang diharapkan).
- **Acceptance Criteria (AC)** — syarat story dianggap selesai & benar; basis test L.
- **Atomic** — 1 AC = 1 perilaku (gak nampung banyak "dan").

4. Referensi

Gherkin/Cucumber, INVEST, mandate Tata (auto-everything EXPLICIT, Data SACRED di data requirement, F-1/F-2).

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Tulis story + AC Gherkin	Lelouch	Lelouch	@kakashi (feasibility), @I (testability)	tim
Data requirement	Lelouch	Lelouch	@saitama, @shikamaru	tim
Validasi testable	@I	Lelouch	—	tim

6. Prosedur

6.1 Story (BABOK KA5)

- 6.1.1 Tulis **user story** per kapabilitas: "As a [role], I want [goal], so that [benefit]".
- 6.1.2 Cek **INVEST** tiap story. Gak lolos (mis. story kebesaran) → **split** sampai Small + Testable.

6.2 Acceptance criteria (Gherkin)

- 6.2.1 Tulis **AC Given-When-Then** per story — **atomic** (1 perilaku/AC). (kontrol LL-C5)
- 6.2.2 Cover **main scenario + alternate flow + exception flow** (link use case / BPMN SOP-LL-05).
- 6.2.3 **Auto-behavior?** → mandate Tata: WAJIB AC eksplisit yang menyebut **notif + audit log**, NO silent. *Contoh Proyek-Contoh: auto-RSVP "hadir" & auto-release reserve 1 jam → AC harus eksplisit ada notif + log.*

6.3 Data & non-functional

- 6.3.1 **Data requirement** — entity + field + type + constraint. Cek **F-1**: soft delete, audit col, no overwrite (Data SACRED).
- 6.3.2 **NFR** — performance, security (link assessment @senku kalau relevan), a11y.
- 6.3.3 **Mini-Tata filter** terisi di spec (kontrol LL-C4).

6.4 Validasi & handoff

- 6.4.1 **Self-QC**: tiap AC testable? atomic? edge & error path ada?
- 6.4.2 Handoff: @I (AC → test scenario), @saitama/@shikamaru (data req → schema), @bulma (flow → UX).
- 6.4.3 **Exit criteria**: semua story INVEST-pass; AC Gherkin atomic & testable; main+alt+exception covered; auto-behavior eksplisit; data req ber-F-1 check.

7. Pengecualian

- **Spike / unknown behavior**: kalau behavior belum jelas (butuh research), buka POC @senku dulu — jangan paksa AC karangan. AC nyusul setelah POC.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Functional spec (story + AC)	prd/<feature>-spec.md	Permanen
Data requirement	spec \$data	Permanen
Handoff ke L/BE/DBA	log.md + mention	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
AC testable & atomic	# AC lolos cek L ÷ total AC	↑ (target ~100%)
Spec balik-nanya	# spec yang di-konsumsi tanpa re-clarify ÷ total	↑
Auto-behavior eksplisit	# auto-behavior ber-AC notif+log ÷ total auto	100%

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama. Contoh acuan: Functional Spec template + auto-behavior Proyek-Contoh (auto-RSVP, auto-release)