

SOP-LL-05 — BPMN Process Modeling

Kode	SOP-LL-05
Pemilik	Lelouch (PM & IT Business Analyst)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	BPMN 2.0, tools/bpmn-guide.md , tools/gap-analysis-template.md , BABOK KA4/KA5
COBIT	BAI02 (Managed Requirements Definition)

1. Tujuan

Memetakan **alur proses** sebuah fitur — **as-is** (saat ini) → **to-be** (yang diinginkan) — pakai notasi **BPMN 2.0**, supaya gap teridentifikasi, edge case ketahuan, dan flow di-validate stakeholder sebelum di-spec.

2. Ruang Lingkup

- **Berlaku**: fitur yang **ngubah alur proses** (multi-step, ada decision/branch, lintas actor) — mis. RSVP, reserve→beli→konfirmasi kado, checkout.
- **Tidak berlaku**: fitur statis 1-langkah tanpa branching (cukup user story).

3. Definisi & Istilah

- **BPMN 2.0** — Business Process Model and Notation: notasi standar (event ○, task □, gateway ◇, flow →).
- **As-is / To-be** — proses saat ini vs proses yang diinginkan.
- **Gateway** — titik percabangan keputusan (exclusive XOR / parallel AND).
- **Pool / Lane** — pengelompokan aktivitas per actor/sistem.
- **Gap** — delta antara as-is & to-be (yang harus dibangun).

4. Referensi

BPMN 2.0 spec (OMG), BABOK KA4 (current/future state) + KA5 (modeling), mandate Tata (auto-behavior explicit di flow).

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Modeling as-is/to-be	Lelouch	Lelouch	@senku (existing system), @bulma (UX flow)	tim
Gap analysis	Lelouch	Lelouch	@kakashi (feasibility gap)	tim
Validasi flow	Lelouch	Tata (kalau scope)	stakeholder	tim

6. Prosedur

6.1 As-is (BABOK KA4)

- 6.1.1 Petakan **alur saat ini** (kalau ada existing system / workaround manual user). Pakai BPMN: actor (lane), task, gateway, event.
- 6.1.2 Kalau greenfield (belum ada proses) → skip as-is, langsung to-be.

6.2 To-be (BABOK KA5)

- 6.2.1 Petakan **alur yang diinginkan** — lengkap dengan **gateway** (branch decision), **exception path** (error/timeout), **actor lane**.
- 6.2.2 **Auto-behavior?** → gambar eksplisit sebagai task ber-notif + log (mandate Tata, no silent).
Contoh Proyek-Contoh: auto-release reservasi kado setelah 1 jam = task otomatis dengan event notif ke guest.

6.3 Gap analysis

- 6.3.1 Bandingin as-is vs to-be → list **gap** + severity + effort (pakai **gap-analysis-template**).
- 6.3.2 **Actor coverage check** — primary / secondary / tertiary actor ke-cover semua? *Contoh: gap analysis v3 nangkep parents-of-couple & wedding planner under-served.*
- 6.3.3 Consult **@kakashi** untuk feasibility gap besar.

6.4 Validasi & handoff

- 6.4.1 **Present back** flow ke stakeholder, konfirmasi.
- 6.4.2 Handoff → SOP-LL-04 (flow jadi basis use case + AC) + @bulma (UX flow).
- 6.4.3 **Exit criteria:** as-is (kalau ada) + to-be tergambar; gateway & exception lengkap; auto-behavior eksplisit; gap ter-list + severity; flow di-validate.

7. Pengecualian

- **Proses regulated (accounting/payment):** wajib flag **F-1 compliance** + escalate ke Tata kalau nyentuh uang/saldo (no payment gateway = constraint Proyek-Contoh).

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
BPMN diagram (ASCII/link)	prd/<feature>-bpmn.md atau spec §7	Permanen
Gap analysis	log.md / gap doc	Permanen
Validasi stakeholder	log.md	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
Exception coverage	$\# \text{ flow punya exception path} \div \text{total flow}$	↑ (target ~100%)
Actor coverage	$\# \text{ actor ter-cover} \div \text{total actor relevan}$	100%
Gap ke-identify pre-build	$\# \text{ gap ketemu sebelum build} \div \text{total gap (incl. post)}$	↑

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama. Contoh acuan: Gap Analysis v3 (actor coverage primary/secondary/tertiary, 2026-05-27)