

Tool: MoSCoW + RICE Prioritization

Apa: dua alat prioritas — **MoSCoW** (in/out scope MVP) & **RICE** (ranking kuantitatif banyak fitur).
Kapan dipake: backlog >1 kandidat, cut scope MVP, fitur rebut resource (SOP-LL-03). **Framework:** MoSCoW (DSDM), RICE (Intercom). **Kenapa:** prioritas **by skor**, bukan **feeling/HiPPO**. Tradeoff terdokumentasi (kontrol LL-C3).

1. MoSCoW — buat scope MVP (in/out)

Kelas	Arti	Aturan
Must	Tanpa ini, gak bisa launch	Kalau "semua Must" → lu belum prioritas. Batasi!
Should	Penting, tapi bisa nyusul rilis berikutnya	
Could	Nice-to-have kalau ada waktu	
Won't (now)	Eksplisit gak sekarang (bukan "lupa", tapi sengaja)	cegah scope creep

2. RICE — buat ranking kuantitatif

$RICE = (Reach \times Impact \times Confidence) \div Effort$

Reach : estimasi user kena per kuartal
Impact : 0.25 minimal · 0.5 low · 1 medium · 2 high · 3 massive
Confidence : 50% low · 80% med · 100% high
Effort : person-month (CONSULT @kakashi)

Fitur	Reach	Impact	Conf	Effort	RICE	Rank
A	...	...	...	...	$(R \times I \times C) / E$	

Skor tinggi = prioritas. Tapi **sanity check**: ada bias? sponsor-heavy (HiPPO)? recency?

CONTOH TERISI (Proyek-Contoh — urutan probe 8 modul, Web App E-Commerce)

Konteks: harus nentuin urutan gali requirement 8 modul. Pakai logika MoSCoW (mana foundation = Must duluan) + complexity sebagai proxy effort.

#	Modul	Kelas	Rationale urutan
C1	User Account	Must	Foundation — siapa yang transaksi, gak ada ini app gak berarti
C2	Product Catalog	Must	Foundation — apa yang dijual (info inti app)
C3	Cart	Must	Core engagement — user butuh nampung pilihan sebelum bayar
C4	Wishlist	Should	Enhance, gak blocking
C5	Product Gallery	Should	Enhance pengalaman, free/premium gate
C6	Review	Should	Engagement, ada auto-behavior (perlu hati-hati)
C7	Order History	Could	Value-add, no payment gateway (ringan)
C8	Checkout + Payment ★	Could (probe LAST)	USP tapi paling kompleks (reserve→bayar→konfirmasi + auto-release + payment-webhook POC) — butuh konteks 7 modul lain dulu

Tradeoff articulate: probe foundation (siapa+apa+keranjang) duluan karena tanpa itu engagement & USP gak ada konteks. USP checkout+payment di-**last** bukan karena gak penting — justru paling kompleks, jadi butuh semua konteks lain ke-lock dulu biar edge case-nya ketebak (auto-release, payment-webhook reliability).

*Hasil: 8/8 modul LOCKED satu-satu (4 pertanyaan detail/modul via AskUserQuestion). Urutan by rationale eksplisit, bukan random. Itu prioritas Lelouch — **selalu ada reason**.*