

Tool: User Story Template + INVEST Check

Apa: format standar nulis requirement dari sudut user + checklist kualitas **INVEST**. **Kapan dipake:** tiap backlog item (SOP-LL-06) atau saat nyusun functional spec (SOP-LL-04). **Framework:** Agile, INVEST. **Kenapa:** story yang konsisten + INVEST = bisa di-estimate, di-test, di-ship per-potong. Anti story raksasa yang gak ketebak.

FORMAT STORY

US-NN: As a [role], I want [goal], so that [benefit].

INVEST CHECK (tiap story wajib lolos)

Huruf	Arti	Cek
I ndependent	Bisa dikerjain sendiri, gak nyangkut story lain	dependency minimal?
N egotiable	Bukan kontrak kaku — detail bisa didiskusiin	ruang nego ada?
V aluable	Ada value buat user/bisnis	"so that" jelas?
E stimable	Tim bisa estimate effort	scope ketebak?
S mall	Muat 1 sprint, idealnya beberapa hari	perlu split?
T estable	Ada AC yang bisa diuji	Given-When-Then bisa ditulis?

*Gak lolos **S** → split. Gak lolos **T** → tambah AC ([link gherkin-spec-template](#)).*

CONTOH TERISI (Proyek-Contoh — Gift Registry / wishlist kado

★ USP)

US-01: As a tamu undangan, I want lihat wishlist kado pasangan,
so that gw bisa kasih kado yang beneran mereka mau (gak dobel/random).
INVEST: I ☒ (standalone) · N ☒ · V ☒ (solve "bingung kado") · E ☒ · S ☒ · T ☒
→ AC ada di gherkin-spec (reserve flow)

US-02: As a tamu, I want reserve 1 item kado,
so that gak ada tamu lain beli barang yang sama.

INVEST: S  (atomic) · T  (reserve state testable)

⚠ Auto-behavior: reservasi auto-release 1 jam kalau gak di-konfirmasi beli
→ mandate Tata: WAJIB notif + audit log, NO silent (AC eksplisit di spec)

US-03: As a couple, I want hide/unhide ucapan tertentu,
so that gw kontrol apa yang tampil di wall.

INVEST: I  · V  · S  · T 

US-04 (T00 BIG – di-split): As a couple, I want kelola seluruh undangan.

✗ gagal S (kebesaran) → split jadi: kelola About, kelola Event, kelola RSVP, kelola Gallery, ..

*Contoh US-04 nunjukin INVEST kepake: story "kelola seluruh undangan" gagal **Small** → di-split jadi story per-komponen (sejalan sama 8 clickable component yang udah di-lock di elicitation).*