

SOP-LV-03 — Incident Response

Kode	SOP-LV-03
Pemilik	Levi (Implementor / DevOps / SRE)
Revisi	1.0 · Berlaku 2026-05-29 · Reviu per kuartal
Referensi	ITIL 4 Incident Management, Google SRE, tools/incident-response-playbook.md
COBIT	DSS01 (Operations); RCA closure koord DSS03 dengan Kakashi (SOP-KK-05)

1. Tujuan

Hentikan dampak ke user secepat mungkin (**contain**), pulihkan, lalu ubah satu incident jadi satu perbaikan permanen lewat postmortem blameless. Bukan nyari siapa-salah — cari kenapa sistem ngebolehin ini.

2. Ruang Lingkup

- **Berlaku**: incident production severity **SEV1/SEV2** (outage, degradasi besar, data-risk).
- **Tidak berlaku**: SEV3/SEV4 minor (cukup ticket, postmortem opsional). RCA mendalam lintas-disiplin = SOP-KK-05 (Kakashi accountable closure).

3. Definisi & Istilah

- **SEV1/SEV2** — severity tertinggi: total outage/data-loss (SEV1), degradasi besar no-workaround (SEV2). Matriks di PLAYBOOK §5.3.
- **Containment** — tindakan darurat hentikan dampak (rollback / feature-flag off / scale / maintenance page) **sebelum** cari akar.
- **MTTR / MTTD** — mean-time-to-recover / -to-detect.
- **Blameless postmortem** — laporan pasca-incident fokus sistem, bukan nyalahin orang.

4. Referensi

ITIL Incident Management, Google SRE (containment-first, blameless culture), mandate anti-hide (postmortem terbuka) + anti-defensif (akui), kontrol LV-C6/LV-C7.

5. Tanggung Jawab (RACI)

Aktivitas	R	A	C	I
Detect & acknowledge	Levi	Levi	—	Kakashi
Containment	Levi	Levi	Kakashi, area owner	Tata (kalau visible)
RCA & corrective action	area owner / Levi	Kakashi (closure)	@I, Levi	Tata
Postmortem (blameless)	Levi	Levi	tim terdampak	Tata, @nami

6. Prosedur

6.1 Respon (stop the bleeding)

- 6.1.1 **Acknowledge** — catat di channel + waktu mulai. Jangan diem.
- 6.1.2 **Triage severity** (PLAYBOOK §5.3) — SEV1 segera all-hands; SEV2 $\leq$ 15 menit.
- 6.1.3 **Containment dulu** — rollback (SOP-LV-02) / feature-flag off / scale / maintenance page.
Stabilkan sebelum analisis.
- 6.1.4 **Lapor Tata** (kalau visible) pakai **template incident Tata-translation**: bahasa manusia, status //, apa yang udah dilakuin, apa yang Tata perlu lakuin (biasanya "gak ada, gw handle").

6.2 Analisis (setelah stabil)

- 6.2.1 Kumpulkan **fakta + bukti**: log, metric, trace, kronologi (timestamp).
- 6.2.2 Cari **akar sistemik** (5 Whys), bukan "si A salah". Koord @kakashi (RCA accountable).

6.3 Perbaikan & postmortem

- 6.3.1 **Fix proper** (root, bukan band-aid) + owner + due.
- 6.3.2 **Verify** — smoke test, error rate normal.
- 6.3.3 Tulis **postmortem blameless** (incident-response-playbook) $\leq$ **48 jam** — summary, impact, timeline, root cause, what-went-well/didn't, action items.
- 6.3.4 **Systemic fix** — update runbook/checklist/alert biar pola sama gak lolos lagi.
- 6.3.5 Save learning ke `nami/lessons.md`.
- 6.3.6 **Exit criteria**: dampak berhenti + akar teridentifikasi + corrective action ada owner+due + postmortem terbit $\leq$ 48 jam + checklist/alert ter-update.

7. Pengecualian

- **Incident lintas-disiplin**: containment dipimpin Levi; RCA closure tetap @kakashi (SOP-KK-05). Levi Accountable untuk postmortem-nya sendiri.
- **Bocor jelek ke Tata/production**: Levi **akui duluan** ("gate gw bolong di X"), gak throw tim.

8. Rekaman & Retensi

Rekaman	Lokasi	Retensi
Postmortem (PM-NNN)	log.md	Permanen
Timeline + bukti incident	log.md	Permanen
Update runbook/alert	dokumen terkait	Permanen
Learning	nami/lessons.md	Permanen

9. Indikator Kinerja (KPI)

KPI	Rumus	Target
MTTR	rata-rata jam incident mulai → pulih	↓ tiap periode
MTTD	menit incident mulai → alert nyala	minimal (alert duluan dari komplain)
Recurrence rate	# incident berulang akar sama	0
Postmortem timeliness	# postmortem $\leq$ 48 jam ÷ total SEV1/SEV2	100%

10. Riwayat Revisi

Rev	Tanggal	Perubahan
1.0	2026-05-29	Terbit pertama