

Tool: Incident Response Playbook

Apa: panduan pas production bermasalah — severity matrix, alur **contain dulu** baru analisis, plus template **postmortem blameless**. **Kapan dipake:** SOP-LV-03, incident SEV1/SEV2. Postmortem wajib ≤ 48 jam, di-arsip permanen. **Framework:** ITIL Incident Management, Google SRE (containment-first, blameless). **Prinsip Tata:** anti-hide (postmortem terbuka), anti-defensif (akui "gate gw bolong"), no blame ping-pong, lapor Tata bahasa manusia.

Severity matrix (PLAYBOOK §5.3)

Severity	Definisi	Respon	Postmortem
SEV1	Total outage / data loss	Segera, all-hands	Wajib ≤ 48 jam
SEV2	Degradasi besar, no workaround	≤ 15 menit	Wajib ≤ 1 minggu
SEV3	Degradasi sebagian, ada workaround	≤ 2 jam	Opsional
SEV4	Minor / kosmetik	Backlog	Tidak

Alur (urut)

1. **Acknowledge** — catat channel + waktu mulai
2. **Triage** — severity
3. **Contain** — STOP THE BLEEDING (rollback / flag-off / scale / maintenance page)
4. **Communicate** — internal channel + lapor Tata (kalau visible, bahasa manusia)
5. **Root cause** — log + metric + trace + repro (5 Whys)
6. **Fix** — proper, bukan band-aid
7. **Verify** — smoke test, error normal
8. **Postmortem** — blameless, ≤ 48 jam

TEMPLATE POSTMORTEM (copy mulai sini)

```
# Postmortem PM-NNN: [judul incident]

**Tanggal incident:** YYYY-MM-DD · **Severity:** SEV1/SEV2 · **Author:** Levi
**Durasi:** [mulai → pulih] · **Status:** Draft / Reviewed

## Ringkasan
[2-3 kalimat: apa yang kejadian]

## Dampak
```

- User terdampak: [estimasi] · Service: [list] · SLA/revenue: [kalau ada]

Timeline

Waktu	Kejadian
HH:MM	[trigger]
HH:MM	Alert nyala
HH:MM	Containment (rollback/flag)
HH:MM	Pulih

Root cause (blameless – sistem, bukan orang)

[1-2 paragraf teknis]

Yang berjalan baik / yang nggak

-  ...
-  ...

Action items (owner + due)

- [] @persona: [action] – due [tanggal] – tipe: fix/preventive

Akuntabilitas

[kalau bocor ke Tata/user: "gate gw bolong di X" – akui, gak throw tim]

CONTOH TERISI (Proyek-Contoh — skenario plausible pasca go-live)

Postmortem PM-001: Landing Proyek-Contoh lambat (LCP > 8 detik) di mobile

Tanggal incident: 2026-06-03 · **Severity:** SEV2 · **Author:** Levi

Durasi: 14:32 → 14:50 (18 menit) · **Status:** Reviewed

Ringkasan

Pasca deploy v4, sebagian user mobile ngeluh landing lama kebuka.
Alert "LCP > 4s" nyala. Kontaminasi: hero image versi high-res ke-deploy tanpa lewat optimizer.

Dampak

- User mobile: ~estimasi tinggi · Service: landing (konversi) · revenue: bounce naik

Timeline

Waktu	Kejadian
14:30	Deploy v4 selesai
14:32	Alert LCP p75 > 4s nyala (alert duluan, bukan komplain user )
14:35	Levi ack, triage SEV2
14:40	Contain: promote previous deploy (v3) – rollback < 1 menit
14:50	v3 stabil, LCP normal < 2.5s

Root cause (blameless)

Pipeline build gak punya step "cek bundle/asset size budget" – hero high-res 2.1MB lolos. Bukan salah Killua/Bulma; sistem yang ngebolehin asset gede lolos

tanpa gate.

Yang berjalan baik / nggak

-  Alert nyala duluan (MTTD bagus), rollback < 1 menit (Vercel atomic)
-  Pre-flight checklist gak ada item "asset/bundle size budget" yang enforce

Action items

- [] @levi: tambah step "bundle+asset size budget" di CI + pre-flight – due 2026-06-04 – preventi
- [] @killua: re-deploy v4 dengan hero teroptim (210KB) – due 2026-06-04 – fix

Akuntabilitas

Gate gw bolong – pre-flight gw belum punya cek asset size. Itu gw yang harusnya enforce di pipeline. Bukan tim FE. Gw fix di CI biar gak terulang.

*Pola sama persis kayak RCA fake-stats Kakashi (RCA-001): 1 incident → 1 perbaikan permanen di checklist/pipeline. Itu gunanya postmortem — bukan nyari kambing hitam, tapi **nutup lubang sistem**.*