

Diet & Nutrition-Oriented Interventions

Foundational Therapeutic Food Plans



ELIZABETH BOHAM, MD, RD



MICHAEL STONE, MD

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE

Disclosures

Elizabeth Boham, MD, RD, disclosed no relevant financial relationships with any ineligible companies.

Michael Stone, MD, is a consultant for Tailored Script and Calroy Health.

Unless otherwise noted, all stock photos in this presentation are used with permission by 123RF.com.

Learning Objectives

At the conclusion of this segment, successful participants will be able to:

1. List the main benefits of the Phytonutrient Spectrum.
2. List the main features of the Core Food Plan.
3. Explain the rationale for transitioning many patients from their current dietary pattern to the Core Food Plan with the Phytonutrient Spectrum.

IFM Clinical Skills and Performance Objectives

THIS SEGMENT WILL ENABLE PARTICIPANTS TO DEVELOP & APPLY THESE SKILLS IN THEIR PRACTICE:

1. Initiate the Core Food Plan with the Phytonutrient Spectrum.

Clinical Focus

- IFM's functional nutrition resources and assets.




The Suite of IFM Therapeutic Food Plans

Phyto – Core – Cardio – Elimination – Detox – Mito



Nutrition Interventions



Long Description: The Suite of I F M Therapeutic Food Plans

- Functional Nutrition fundamentals
- Food is
 - Energy
 - Information
 - Connection
 - Medicine
- Foundational interventions
 - Phytonutrient spectrum foods
 - Phytonutrient spectrum checklist
 - Core Food Plan (including vegan and vegetarian)
- Therapeutic interventions
 - Cardiometabolic food plan
 - Elimination Diet
 - Detox food plan
 - Mito Food Plan
- All leading to a personalized nutrition plan



The Clinical Path to the Foundational Food Plans

Medical History

Chief Complaints
Conditions
Timeline and ATMs
Medication Review

ABCDs of Nutrition Evaluation

Anthropometrics
Biomarkers and Labs
Clinical Indications From NPE
Diet and Lifestyle Review
Matrix Review



Clinical Focus

- Phytonutrient Spectrum






Phytonutrient *Spectrum*



Comprehensive Guide

What Is the Phytonutrient Spectrum?

- Natural compounds called phytonutrients, or phytochemicals, are components of plants that are powerful defenders of health.
- Studies show that people who eat more plant foods have:
 - ↓ Risk of Chronic Diseases
 - ↑ Brain Health
 - ↓ Inflammation



What Is the Phytonutrient Spectrum?


Phytonutrients Provide:

To the Plant:

- Protection from pests and environmental stressors
- Imparting color and distinctive tastes and smells

To the Human Body:

- Supporting the immune system
- Feeding a healthy microbiome
- Lowering inflammation
- Improving heart and blood vessel health
- Supporting brain health
- Supporting detoxification pathways
- Promoting healthy estrogen metabolism



What Is the Phytonutrient Spectrum

Phytonutrients are found in fruits and vegetables but also whole grains, legumes, herbs, spices, nuts, seeds, and teas.

- To promote good health, aim for a variety of colorful fruits and vegetables each day.
- Eating at least one serving of each color per day is an excellent goal to strive for!
- To prevent chronic disease, aim for nine servings of fruits and vegetables per day.
- While darker-colored plants are generally higher in phytonutrients, white and tan plants also have several beneficial components.



Phytonutrient Spectrum: Red



Phytonutrient	Potential Physiological Benefits
• Anthocyanins • Astaxanthin • Carotenoids • Ellagic acid • Ellagitannins • Fisetin • Flavones • Flavan-3-ols • Flavanones • Luteolin • Lycopene • Proanthocyanidins • Quercetin	• Reduced inflammation • Reduced total and LDL cholesterol • Reduced blood pressure • Lower risk of CVD • Improved memory and cognitive function • Reduced risk of lung, head, neck, prostate, and breast cancers • Increased beneficial gut bacteria • Increased protection of the skin from sun damage

Phytonutrient Spectrum: Orange



Phytonutrient	Potential Physiological Benefits
• Alpha-carotene • Beta-carotene • Beta-cryptoxanthin • Bioflavonoids • Carotenoids • Curcuminoids • Naringenin	• Decreased risk of type 2 diabetes • Lower risk of coronary heart disease (CHD) • Reduced risk of breast, cervical, head, neck, and bladder cancers • Lower risk of osteoporosis and bone fractures • Reduced risk of asthma • Healthy sperm count

Phytonutrient Spectrum: Yellow



Phytonutrient	Potential Physiological Benefits
• Bioflavonoids • Bromelain • Gingerol • Lutein • Nobiletin • Prebiotic fibers • Rutin • Zeaxanthin	• Lowered risk of asthma • Reduced risk of metabolic syndrome and type 2 diabetes • Decreased risk of stroke • Healthy vision • Lower risk of breast, head, neck, bladder, and prostate cancers • Protection against cell damage

- See: "References: Toolkit Item – Phytonutrient Spectrum Comprehensive Guide and Bibliography"
- Minich DM. A review of the science of colorful, plant-based food and practical strategies for "eating the rainbow" [published correction appears in *J Nutr Metab*. 2020;2020:5631762. doi:10.1155/2020/5631762]. *J Nutr Metab*. 2019;2019:2125070. doi:10.1155/2019/2125070

Phytonutrient Spectrum: Green



Phytonutrient	Potential Physiological Benefits
• Catechins • Chlorogenic acid • Chlorophyll • Epigallocatechin gallate • Folates • Glucosinolates • Isoflavones • Isothiocyanates • Oleocanthal • Oleuropein • Phytosterols • Silymarin • Sulforaphane • Tannins • Tyrosol	• Reduced risk of lung, bladder, colon, ovarian, pancreatic, stomach, prostate, and kidney cancers • Lower risk of depression • Decreased risk of coronary heart disease (CHD) and stroke • Healthy brain function with aging • Protection against cell damage • Enhanced detoxification of harmful chemicals • Healthy estrogen detoxification

- See: "References: Toolkit Item – Phytonutrient Spectrum Comprehensive Guide and Bibliography"
- Minich DM. A review of the science of colorful, plant-based food and practical strategies for "eating the rainbow" [published correction appears in *J Nutr Metab*. 2020;2020:5631762. doi:10.1155/2020/5631762]. *J Nutr Metab*. 2019;2019:2125070. doi:10.1155/2019/2125070

Phytonutrient Spectrum: Blue/Purple/Black



Phytonutrient

- Anthocyanidins
- Hydroxystilbenes
- Procyanidins
- Pterostilbene
- Resveratrol

Potential Physiological Benefits

- Maintenance of healthy cognitive function
- Decreased blood pressure
- Reduced risk of cardiovascular disease
- Protection from liver damage caused by inflammation
- Reduced fasting blood sugar and hemoglobin A1c
- Less muscle soreness and faster recovery after exercise
- Healthy levels of immune cells that defend the body against harmful microbes
- Protection against DNA damage

- See: "References: Toolkit Item – Phytonutrient Spectrum Comprehensive Guide and Bibliography"
- Minich DM. A review of the science of colorful, plant-based food and practical strategies for "eating the rainbow" [published correction appears in *J Nutr Metab*. 2020;2020:5631762. doi:10.1155/2020/5631762]. *J Nutr Metab*. 2019;2019:2125070. doi:10.1155/2019/2125070


Phytonutrient Spectrum: White/Tan/Brown



Phytonutrient	Potential Physiological Benefits
• Allicin • Allyl sulfides • Cellulose (fiber) • Lignans • Lignins • Sesamin • Sesamol • Tannins • Terpenoids • Theobromine	• Decreased risk of breast, colon, esophageal, stomach, and pancreatic cancers • Decreased total and LDL cholesterol • Reduced risk of cardiovascular disease; supports heart health by protecting inner walls of blood vessels • Decreased risk of type 2 diabetes

Phytonutrient Spectrum

PATIENT EDUCATION RESOURCES



Dietary Choices

Phytonutrient Spectrum

Diversity of phytonutrient-rich fruits and vegetables is essential to establish a baseline healthy eating plan.

Educate patients on importance of eating fruits and vegetables of varied color each day.

Goal:
2-3 of each
color per day



Rainbow Smoothie*

Red:
Strawberries

Orange:
Mangoes

Yellow:
Ginger
Lemon Juice

Green:
Green Tea
Almond Milk
Spinach

Blue/Purple/Black:
Blueberries

White/Tan/Brown:
Hemp Milk
Chia Seeds
Cinnamon

- *Add ¼ to ½ cup ice to increase thickness if desired

1. Add prepared green tea, hemp or almond milk to blender. Then add the rest of the ingredients in the order listed ending with baby spinach. Blend at very low speed until ingredients are mixed then gradually increase speed to high and blend well for 1 minute. Serve immediately.
(If unable to serve immediately, please omit chia or other seeds as gelling will occur and it will be less palatable.)



THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

Phytonutrien
*Spectrum*Phytonutrient
Spectrum Foods

Red					
Foods				Benefits	
Apples	Cherries	Pomegranate	Sweet red peppers	Anti-bacterial	Brain health
Beets (beetroot), kidney, red	Cherry tomatoes (pink)	Potatoes	Blackberries	Anti-cancer	Cell protection
Beets	Goji berries	Potatoes	Raspberries	Anti-inflammatory	Heart health
Bell peppers	Grapes	Raspberries	Tomato	Blood vessel health	Prostate health
Blood oranges	Quince	Raspberries	Watermelon		
Cranberries	Onions	Strawberries			
	Plums				

Orange		
Foods		
Apricots	Nectarine	Squash (acorn, butternut, winter)
Bell peppers	Orange	
Cantaloupe	Pepeys	Sweet potato
Carrots	Persimmons	Tangerines
Mango	Pumpkin	

Yellow
Foods
Apple
Asian pears
Banana
Bell peppers

- Green
- Foods
- Apples
- Artichoke
- Asparagus
- Avocado
- Bamboo sprouts
- Bean sprouts
- Bitter melon
- Bok choy
- Broccoli

Green		
Foods		
Apples		
Artichoke		
Asparagus		Broccoli
Avocado		Brussels sprouts
Bamboo sprouts		Cabbage
Bean sprouts		Celery
Bitter melon		Choyote
Bok choy		Cucumbers
Broccoli		Edamame/Soy beans
		Fajitas
		Green beans
		Green peas
		Green tea
		Greens (arugula, chard/swiss chard, collard, kale, mustard spinach, turnip)
		Kiwifruit
		Limes

Phytonutrient Spectrum Checklist

Red Foods	Servings
Pomegranate	1
Apples	1
Appleauce	1
Cherries	1
Strawberries	1

Orange 		Servings						
Foods		WEEK 1						
Apriots	Centulope	SUN	MON	TUES	WED	THURS	FRI	SAT
Bell peppers	Carrots							
Butternut squash	Mango							
		WEEK 2						
		SUN	MON	TUES	WED	THURS	FRI	SAT

Yellow			Servings						
Foods			WEEK 1						
Bell peppers	Popcorn	Succotash	SUN	MON	TUES	WED	THURS	FRI	SAT
Corn	Seaghi's squash	Yellow squash							
Starfruit									
Foods			WEEK 2						
			SUN	MON	TUES	WED	THURS	FRI	SAT

Green		Serving	
			
Foods		WEEK 1	SUN
Asparagus	Cabbage		MON
Avocado	Carrot		TUES
Bean sprouts	Cherry		WED
Bel peppers	Kale		THURS
Broccoli	Lettuce		FRI
Brussels sprouts	Onion beans		SAT
	Green peas		
		WEEK 2	SUN
			MON
			TUES
			WED
			THURS
			FRI
			SAT

Aim to eat at least 1-2 servings of each color every day.

© 2023 The Institute for Functional Medicine

Version 6 (images courtesy of 123rf)

Phytonutrient Spectrum Checklist

Red

Foods
Apples
Applesauce
Cherries
Kidney beans

Pomegranate
Radishes
Strawberries

Sweet red bell peppers
Tomato

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

Orange

Foods
Apricots
Bell peppers
Butternut squash

Cantaloupe
Carrots
Mango

Nectarine
Orange
Sweet potato

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

Yellow

Foods
Bell peppers
Corn
Lemon

Popcorn
Spaghetti squash
Starfruit

Succotash
Yellow squash

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

Green

Foods
Asparagus
Avocado
Bean sprouts
Bell peppers
Broccoli
Brussels sprouts

Cabbage
Celery
Chard
Cucumbers
Green beans
Green peas

Greens (beet, dandelion,
collard, mustard, turnip)
Kale
Lettuce
Olives
Snow peas

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

Aim to eat at least 1-2 servings of each color every day.

Blue/Purple

Foods
Blackberries
Blueberries
Cabbage (purple)
Carrots (purple)



Dates
Eggplant
Grapes (purple)
Kale (purple)

Plums
Potatoes (purple)
Raisins
Rice (black or purple)

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

White/Tan

Foods
Bean dips
Garlic
Hummus
Legumes

Nuts
Onions
Refried beans
Seeds

Shallots
Tahini

Servings	SUN	MON	TUES	WED	THURS	FRI	SAT
WEEK 1	☐	☐	☐	☐	☐	☐	☐
WEEK 2	☐	☐	☐	☐	☐	☐	☐

Aim to eat at least 1-2 servings of each color every day.






THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

VERSION 5

Phytonutrient *Spectrum*



Rainbow Recipes



Accessible version of this resource in your toolkit.

Clinical Focus

- Core Food Plan




Core *Food Plan*



Comprehensive Guide


What Is the Core Food Plan?

- It is the first step toward healthier eating.
- It is designed to nourish and energize the body.
- It is based on current research on what and how people should eat to live long, healthy lives.




What Is the Core Food Plan?

- Takes elements from the Mediterranean diet and the hunter-gatherer (Paleo) approach.
- Encourages nutrient-dense whole foods.
- Major focus: Replacing processed foods with vegetables, fruits, nuts, seeds, legumes, whole grains, anti-inflammatory fats, and high-quality proteins.



What Is the Core Food Plan?


- This food plan can be easily tailored to your personal preferences and health needs.
- It is available as vegetarian and vegan options and can include foods from virtually any culture.




What Is the Core Food Plan?

The Core Food Plan is designed for those who are interested in:

- Core principles of healthy eating
- Preventing disease
- Understanding the connection between food choices and health
- Awareness of one's relationship with food



CORE FOOD PLAN FEATURES




How Do You Use the Core Food Plan?

Macronutrients & Food Plans

- Plans organized by macronutrient groupings
- Practitioner populates serving size based on caloric needs


Table 2a. Food Distribution for 25P/30F/45C Plan by Caloric Ranges—Standard

Calories	1000–1200	1200–1400	1400–1800	1800–2200	2200–2500
Lower Caloric Needs	Reduced	Mildly Reduced	Standard	Active	
Average Caloric Needs		Reduced	Mildly Reduced	Standard	Active
Proteins	5	5 to 6	6 to 7	7 to 8	8 to 9
Legumes	1	1	1 to 2	2 to 3	3
Dairy/Alternatives	0 to 2	2	2 to 3	3	3
Nuts & Seeds	2	2	2 to 3	3 to 5	5 to 6
Fats & Oils	2	2 to 3	3 to 4	4 to 5	5
Vegetables, non-starchy	7	7 to 8	8 to 10	10	10 to 11
Vegetables, starchy	1	1	1	1 to 2	2 to 3
Fruit	2	2	2	2 to 3	3
Grains	1	1 to 2	2	2	2 to 3



How to Personalize and Determine Caloric Range

- Caloric Target Based on Weight of Patient (BIA Available)
- Caloric Target Based on Weight of Patient (Resting Metabolic Rate (RMR) Method – no BIA available)
- Referral to Nutritionist Recommended



25P/30F/45C

Macronutrient Distribution

Table 2a. Food Distribution for 25P/30F/45C Plan by Caloric Ranges—Standard

Calories	1000–1200	1200–1400	1400–1800	1800–2200	2200–2600
Lower Caloric Needs	Reduced	Mildly Reduced	Standard	Active	Very Active
Average Caloric Needs		Reduced	Mildly Reduced	Standard	Active
Proteins	5	6 to 7	6 to 7	7 to 8	8 to 9
Legumes		1	1 to 2	2 to 3	3 to 4
Dairy/Alternatives	0 to 2	2	2 to 3	3	3 to 4
Nuts & Seeds	2	2	2 to 3	3 to 5	5 to 7
Fats & Oils	2	2 to 3	3 to 4	4 to 5	5 to 7
Vegetables, non-starchy	7	7 to 8	8 to 10	10	10 to 12
Vegetables, starchy	1		1	1 to 2	2 to 3
Fruit		2	2	2 to 3	3
Grains	1	1 to 2	2	2	2 to 3

Proteins

Main macros: protein

Lean, free-range, grass-fed, organically grown animal protein; non-GMO, organic plant protein; and wild-caught, low-mercury fish preferred

Servings/day: 7-8 oz.

1 serving as listed = 45-75 calories; macros = 7 g protein, 2-5 g fat, 0-5 g carbs

Average cooked meat serving is 3-4 oz (size of deck of cards).

Animal Proteins:

- ☐ Cheese (hard)–½ oz
- ☐ Cheese (hard, low-fat)–1 oz
- ☐ Cottage cheese (low-fat)–¼ c
- ☐ Feta cheese (low-fat)–1 oz
- ☐ Parmesan cheese–2 T
- ☐ Ricotta cheese (low-fat)–¼ c
- ☐ Egg–1 whole egg or 2 egg whites
- ☐ Fish/shellfish–1 oz
- ☐ Meat: beef, buffalo, elk, lamb, venison, other wild game–1 oz
- ☐ Poultry (skinless): chicken, Cornish hen, duck, pheasant, turkey, etc.–1 oz

Plant Proteins:

- ☐ Mung bean/edamame pasta–½ oz
- ☐ Natto–1 oz
- ☐ Nutritional yeast–2 T
- ☐ Spirulina–2 T
- ☐ Tempeh–1 oz
- ☐ Tofu–3 oz

Protein Powder:

- ☐ Check label for # grams per scoop: 1 protein serving = 7 g; egg, hemp, pea, rice, soy, or whey powder

Legumes

Main macros: protein, carbs

Organic, non-GMO preferred

Servings/day: 2-3

1 serving = 85-125 calories; macros = 8-10 g protein, 3 g fat, 7.5-15 g carbs

- ☐ Bean soups–¼ c
- ☐ Black soybeans (cooked)–½ c
- ☐ Dried beans, lentils, peas (cooked)–½ c
- ☐ Edamame (cooked)–½ c
- ☐ Flour, legume–¼ c
- ☐ Green peas (cooked)–½ c
- ☐ Hummus or other bean dips–½ c

- ☐ Legume pasta (chickpea, lentil)–1 oz
- ☐ Refried beans, vegetarian–½ c
- ☐ Soy nuts–¼ c
- ☐ Veggie burger (non-GMO)–1 patty

Whole Grains (100%)

Main macros: carbs

Unsweetened, sprouted, and organic preferred

Servings/day: 2

All grain servings are for cooked amounts unless otherwise specified. Check package label to best match serving size to calories and macros.

1 serving = 80-100 calories; macros = 3 g protein, 1 g fat, 15 g carbs

Gluten-Free:

- ☐ Amaranth–½ c
- ☐ Buckwheat/kasha–½ c
- ☐ Grits: corn, soy–½ c
- ☐ Millet–½ c
- ☐ Oats (rolled, steel-cut)*–½ c
- ☐ Quinoa–½ c
- ☐ Rice: basmati, black, brown, purple, red, wild–½ c
- ☐ Sorghum–½ c
- ☐ Teff–½ c

*If certified gluten-free.

Gluten-Containing:

- ☐ Barley–½ c
- ☐ Bulgur–½ c
- ☐ Couscous–½ c
- ☐ Crispbread crackers–2-5
- ☐ Wheat: Kamut–½ c, Spelt–½ c
- ☐ Wheat cereal, hot or cold–½ c
- ☐ Whole wheat–½ c

Minimally Processed:

- ☐ Bread–1 slice
- ☐ Brown rice cake–1 or 2 (varies)
- ☐ Crackers (nut, seed, rice)–10
- ☐ Flour (such as for thickening or breading)–2-3 T
- ☐ Pasta–½ c
- ☐ Pita–½
- ☐ Popcorn (plain)–3 c
- ☐ Tortilla–1, 6 inches

Core Food Plan Modifications – Vegetarian & Vegan



Core Food Plan (Vegetarian)

Imperial System

Food Plan Usage:

Implementation of this food plan is subject to the discretion of your healthcare practitioner. Consult them for guidance.

Nutrition information per food category is based on average values for the variety of foods within each category. If the practitioner adds other foods to the plan, they are responsible for ensuring the serving sizes align with the calories and macronutrients for the category.

Abbreviations:	m acros = macronutrients oz = ounce lb = pound	sm = small med = medium lg = large	tsp = teaspoon T = tablespoon c = cup	gal = gallon pkg = package
-----------------------	---	---	--	---

Proteins

Main macros: protein

Free-range, grass-fed, organically grown animal protein; non-GMO, organic plant protein; and wild-caught, low-mercury fish preferred

Servings/day _____

1 serving as listed = 45-75 calories,
7 grams (g) protein, 2-5 g fat,
0-5 g carbohydrates (carbs)

Plant Proteins:

- ☐ Mung bean/edamame pasta–½ oz
- ☐ Natto–1 oz
- ☐ Nutritional yeast–2 T
- ☐ Spirulina–2 T
- ☐ Tempeh–1 oz
- ☐ Tofu–3 oz

Animal Proteins:

VL Lacto-vegetarian

- ☐ Cheese (hard)–½ oz
- ☐ Cheese (hard, low-fat)–1 oz
- ☐ Cottage cheese (low-fat)–¼ c
- ☐ Feta cheese (low-fat)–1 oz
- ☐ Parmesan cheese–2 T
- ☐ Ricotta cheese (low-fat)–¼ c
- ☐ Whey protein powder–7 g

VO Ovo-vegetarian

- ☐ Egg–1; or 2 egg whites
- ☐ Egg protein powder–7 g

P Pescatarian

- ☐ Fish/shellfish–1 oz

Protein Powder:

- ☐ Check label for # grams per scoop: 1 protein serving = 7 g; hemp, pea, rice, soy

© The Institute for Functional Medicine

Version 13; updated 2025

- ☐ Chayote squash
- ☐ Cucumbers
- ☐ Daikon radishes
- ☐ Eggplant
- ☐ Fennel
- ☐ Fermented vegetables: kimchi, pickles, sauerkraut, etc.
- ☐ Fresh juiced vegetables–½ c
- ☐ Green beans
- ☐ Hearts of palm
- ☐ Jicama

- ☐ Lower-carb squash: crookneck delicata, spaghetti, yellow, zucchini
- ☐ Tomatillo–½ c
- ☐ Tomato
- ☐ Tomato juice–½ c
- ☐ Tomato paste (unsweetened)–2 T
- ☐ Tomato sauce (unsweetened)–½ c
- ☐ Turnips

Microgreens

- ☐ Radicchio
- ☐ Spinach
- ☐ Watercress



THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

Core Food Plan (Vegan)

Imperial
System

Food Plan Usage:

Implementation of this food plan is subject to the discretion of your healthcare practitioner. Consult them for guidance.

Nutrition information per food category is based on average values for the variety of foods within each category. If the practitioner adds other foods to the plan, they are responsible for ensuring the serving sizes align with the calories and macronutrients for the category.

Abbreviations: **macros** = macronutrients
oz = ounce
lb = pound

sm = small
med = medium
lg = large

tsp = teaspoon
T = tablespoon
c = cup

gal = gallon
pkg = package

Proteins

Main macros: protein

Servings/day

1 serving as listed = 45-75 calories,
7 grams (g) protein, 2-5 g fat,
0-5 g carbohydrates (carbs)

Plant Proteins:

- ☐ Mung bean/edamame pasta—
½ oz
- ☐ Natto—1 oz
- ☐ Nutritional yeast—2 T
- ☐ Spirulina—2 T
- ☐ Tempeh—1 oz
- ☐ Tofu—3 oz

Protein Powder:

- ☐ Check label for # grams per
scoop: 1 protein serving =
7 g; egg, hemp, pea, rice, soy

☐	
☐	
☐	
☐	
☐	
☐	
☐	

Legumes

Main macros: protein, carbs

Organic, non-GMO preferred

Servings/day

1 serving = 85-125 calories; macros = 8-10 g
protein, 3 g fat, 7.5-15 g carbs

- ☐ Bean soups—¾ c
- ☐ Black soybeans (cooked)—½ c
- ☐ Dried beans, lentils, peas
(cooked)—½ c
- ☐ Edamame (cooked)—½ c
- ☐ Flour, legume—¼ c
- ☐ Green peas (cooked)—½ c
- ☐ Hummus or other bean dips—
½ c

- ☐ Legume pasta (chickpea, lentil)—
1 oz
- ☐ Refried beans, vegetarian—½ c
- ☐ Soy nuts—¼ c
- ☐ Veggie burger (non-GMO)—
1 patty

☐	
☐	
☐	
☐	
☐	
☐	
☐	

© The Institute for Functional Medicine

Version 13; updated 2025

Vegetables Starchy

Main macros: carbs

Organic, non-GMO preferred

Servings/day

1 serving = 80 calories; macros = 3 g protein,
1 g fat, 15 g carbs

- ☐ Breadfruit—½ c
- ☐ Cassava root—½ c
- ☐ Corn (non-GMO)—½ c
- ☐ Corn on the cob (non-GMO)—1
ear
- ☐ Higher-carb squash: acorn,
buttercup, butternut, carnival,
hubbard, etc.—1 c
- ☐ Jackfruit—½ c

- ☐ Parsnip—½ c
- ☐ Plantain—½ c or ½ whole
- ☐ Potato: purple, red, yellow,
etc.—½ med
- ☐ Potatoes, mashed—½ c
- ☐ Pumpkin, pureed—¾ c
- ☐ Sweet potato—½ c
- ☐ Taro root—½ c
- ☐ Yam—½ c

☐	
☐	
☐	
☐	
☐	
☐	
☐	

© The Institute for Functional Medicine

Version 13; updated 2025

Proteins

Proteins

Main macros: protein

Lean, free-range, grass-fed, organically grown animal protein; non-GMO, organic plant protein; and wild-caught, low-mercury fish preferred

Servings/day: 7-8 oz.

1 serving as listed = 45-75 calories; macros = 7 g protein, 2-5 g fat, 0-5 g carbs

Average cooked meat serving is 3-4 oz (size of deck of cards).

Animal Proteins:

- ☐ Cheese (hard)–½ oz
- ☐ Cheese (hard, low-fat)–1 oz
- ☐ Cottage cheese (low-fat)–¼ c
- ☐ Feta cheese (low-fat)–1 oz
- ☐ Parmesan cheese–2 T
- ☐ Ricotta cheese (low-fat)–¼ c
- ☐ Egg–1 whole egg or 2 egg whites
- ☐ Fish/shellfish–1 oz
- ☐ Meat: beef, buffalo, elk, lamb, venison, other wild game–1 oz
- ☐ Poultry (skinless): chicken, Cornish hen, duck, pheasant, turkey, etc.–1 oz

Plant Proteins:

- ☐ Mung bean/edamame pasta–½ oz
- ☐ Natto–1 oz
- ☐ Nutritional yeast–2 T
- ☐ Spirulina–2 T
- ☐ Tempeh–1 oz
- ☐ Tofu–3 oz

Protein Powder:

- ☐ Check label for # grams per scoop: 1 protein serving = 7 g; egg, hemp, pea, rice, soy, or whey powder

☐	
☐	
☐	
☐	
☐	
☐	

Legumes

Legumes

Main macros: protein, carbs

Organic, non-GMO preferred

Servings/day: 2-3

1 serving = 85-125 calories; macros = 8-10 g protein, 3 g fat, 7.5-15 g carbs

- ☐ Bean soups— $\frac{3}{4}$ c
- ☐ Black soybeans (cooked)— $\frac{1}{2}$ c
- ☐ Dried beans, lentils, peas (cooked)— $\frac{1}{2}$ c
- ☐ Edamame (cooked)— $\frac{1}{2}$ c
- ☐ Flour, legume— $\frac{1}{4}$ c
- ☐ Green peas (cooked)— $\frac{1}{2}$ c
- ☐ Hummus or other bean dips— $\frac{1}{3}$ c

- ☐ Legume pasta (chickpea, lentil)—1 oz
- ☐ Refried beans, vegetarian— $\frac{1}{2}$ c
- ☐ Soy nuts— $\frac{1}{4}$ c
- ☐ Veggie burger (non-GMO)—1 patty

☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	

Dairy & Alternatives

Dairy & Alternatives

Main macros: protein and/or carbs

Unsweetened, organic preferred

Servings/day: 3

1 dairy serving = 90-160 calories; macros = 8 g protein, 0-8 g fat, 12 g carbs

1 dairy alternative serving = 35-115 calories; macros = 1-9 g protein, 0-5 g fat, 1-15 g carbs (nutrition values vary; check package)

Dairy:

- ☐ Milk: camel—8 oz
- ☐ Milk: cow, goat, etc.—8 oz
- ☐ Yogurt, Greek (plain)—6 oz
- ☐ Kefir (plain)—6-8 oz

Dairy Alternatives:

- ☐ Milk: soy, almond, coconut*, flaxseed, hazelnut, hemp, oat—8 oz
- ☐ Yogurt: coconut or soy (cultured)—4-6 oz
- ☐ Kefir: coconut milk (plain)—4 oz
- ☐ Kefir: soy (plain)—6-8 oz

☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	

*Includes coconut milk with less than 5 g fat per 1 c (8 oz). See "Fats & Oils" section for higher-fat coconut milk.

Nuts & Seeds

Nuts & Seeds

Main macros: fat

Unsweetened, unsalted, organic preferred

Servings/day: 3-5

1 serving = 45 calories; macros = 1-3 g protein, 5 g fat, 1-3 g carbs

- ☐ Almonds-6
- ☐ Brazil nuts-2
- ☐ Cashews-6
- ☐ Chia seeds-1 T
- ☐ Coconut, dried-2 T
- ☐ Flaxseed (ground)-1½ T
- ☐ Hazelnuts (filberts)-5
- ☐ Hempseeds-1 T
- ☐ Macadamias-3
- ☐ Nut and seed butters-½ T

- ☐ Peanuts-10
- ☐ Pecan halves-4
- ☐ Pine nuts-1 T
- ☐ Pistachios-16
- ☐ Pumpkin seeds-1 T
- ☐ Sesame seeds-1 T
- ☐ Sunflower seeds-1 T
- ☐ Walnut halves-4

☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	

Fats & Oils

Fats & Oils

Main macros: fat

Minimally refined, cold-pressed, organic, non-GMO preferred

Servings/day: 4-5

1 serving = 45 calories; macros = 0-2 g protein, 5 g fat, 0-2 g carbs

- ☐ Avocado—2 T
- ☐ Butter—1 tsp, 2 tsp whipped
- ☐ Coconut, fresh—3 T
- ☐ Coconut milk, light (canned)— $\frac{1}{3}$ c
- ☐ Coconut milk, regular (canned)— $1\frac{1}{2}$ T
- ☐ Ghee/clarified butter—1 tsp
- ☐ Half and half—2 T
- ☐ Mayonnaise (unsweetened)—1 tsp

- ☐ Oils, cooking: avocado, butter, canola, coconut (virgin), grapeseed, olive (extra-virgin), rice bran, safflower (high-oleic), sunflower (high-oleic), sesame—1 tsp
- ☐ Oils, salad: almond, avocado, flaxseed, grapeseed, hempseed, olive (extra-virgin), pumpkin seed, sesame, walnut—1 tsp
- ☐ Olives: black, green, kalamata—8

- ☐ Salad dressing, unsweetened—1 T
- ☐ Sour cream, regular—2 T
- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____

Vegetables – *Non-starchy*

Vegetables Non-Starchy

Main macros: carbs

Organic, non-GMO preferred

Servings/day: 10

1 serving (½ c cooked or 1 c raw vegetables or 3 c raw leafy greens) = 25 calories; macros = 2 g protein, 0 g fat, 5 g carbs

- ☐ Artichoke
- ☐ Asparagus
- ☐ Bamboo shoots
- ☐ Beets
- ☐ Bok choy
- ☐ Broccoflower
- ☐ Broccoli
- ☐ Broccolini
- ☐ Brussels sprouts
- ☐ Cabbage (green, purple, Chinese/Napa, savoy)
- ☐ Carrots
- ☐ Cauliflower
- ☐ Celeriac root
- ☐ Celery
- ☐ Chayote squash
- ☐ Cucumbers
- ☐ Daikon radishes
- ☐ Eggplant
- ☐ Fennel
- ☐ Fermented vegetables: kimchi, pickles, sauerkraut, etc.
- ☐ Fresh juiced vegetables–½ c
- ☐ Green beans
- ☐ Hearts of palm
- ☐ Jicama
- ☐ Kohlrabi
- ☐ Leeks
- ☐ Mushrooms
- ☐ Okra
- ☐ Onions
- ☐ Peppers, all
- ☐ Radishes
- ☐ Rhubarb
- ☐ Rutabaga
- ☐ Salsa–¼ c
- ☐ Scallions/green onions
- ☐ Sea vegetables
- ☐ Shallots
- ☐ Snap peas/snow peas
- ☐ Sprouts, all
- ☐ Lower-carb squash: crookneck, delicata, spaghetti, yellow, zucchini
- ☐ Tomatillo–½ c
- ☐ Tomato
- ☐ Tomato juice–½ c
- ☐ Tomato paste (unsweetened)–2 T
- ☐ Tomato sauce (unsweetened)–½ c
- ☐ Turnips

- ☐ Vegetable juice, fresh and low-sodium–½ c
- ☐ Water chestnuts

Leafy Greens:

- ☐ Arugula
- ☐ Chard/Swiss chard
- ☐ Chicory
- ☐ Endive
- ☐ Escarole
- ☐ Greens: beet, collard, dandelion, kale, mustard, turnip, etc.
- ☐ Lettuce (all kinds)
- ☐ Microgreens
- ☐ Radicchio
- ☐ Spinach
- ☐ Watercress

- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____

Vegetables – *Starchy*

Vegetables *Starchy*

Main macros: carbs

Organic, non-GMO preferred

Servings/day: 1-2

1 serving = 80 calories; macros = 3 g protein,
1 g fat, 15 g carbs

- ☐ Breadfruit— $\frac{1}{3}$ c
- ☐ Cassava root— $\frac{1}{3}$ c
- ☐ Corn (non-GMO)— $\frac{1}{2}$ c
- ☐ Corn on the cob (non-GMO)—1 ear
- ☐ Higher-carb squash: acorn, buttercup, butternut, carnival, hubbard, etc.—1 c
- ☐ Jackfruit— $\frac{1}{2}$ c

- ☐ Parsnip— $\frac{1}{2}$ c
- ☐ Plantain— $\frac{1}{3}$ c or $\frac{1}{2}$ whole
- ☐ Potato: purple, red, yellow, etc.— $\frac{1}{2}$ med
- ☐ Potatoes, mashed— $\frac{1}{2}$ c
- ☐ Pumpkin, pureed— $\frac{3}{4}$ c
- ☐ Sweet potato— $\frac{1}{2}$ c
- ☐ Taro root— $\frac{1}{3}$ c
- ☐ Yam— $\frac{1}{2}$ c

☐	
☐	
☐	
☐	
☐	
☐	
☐	
☐	

Fruits

Fruits

Main macros: carbs

Organic, non-GMO preferred; unsweetened, no sugar added

Servings/day: 2-3

1 serving = 60 calories; macros = 0-2 g protein, 0 g fat, 15 g carbs

- ☐ Apple-1 sm
- ☐ Applesauce-½ c
- ☐ Apricots-4
- ☐ Asian pear-½ med
- ☐ Banana-½ med
- ☐ Blackberries-1 c
- ☐ Blueberries-¾ c
- ☐ Cherimoya-½ c
- ☐ Cherries-12
- ☐ Cranberries-¾ c
- ☐ Dates (dried)-3 sm or 1 lrg
- ☐ Dragonfruit (pitaya)-½ c
- ☐ Dried fruit-⅛ c
- ☐ Figs-3
- ☐ Fresh juiced fruits-½ c
- ☐ Goji berries (dried)-⅛ c

- ☐ Grapefruit-½ large
- ☐ Grapes-15
- ☐ Guava-½ c
- ☐ Kiwifruit-½ c sliced or 1 med
- ☐ Kumquats-5
- ☐ Lychee (litchi)-½ c
- ☐ Mandarins (including clementines, tangerines)-2 sm or 1 lrg
- ☐ Mango-½ sm
- ☐ Melon, all-1 c
- ☐ Nectarine-1 med
- ☐ Orange-1 med
- ☐ Papaya-1 c
- ☐ Passionfruit-3
- ☐ Peach-1 med

- ☐ Pear-1 sm or ½ lrg
- ☐ Persimmon-½
- ☐ Pineapple-¾ c
- ☐ Plums-2 sm
- ☐ Pomegranate seeds-½ c
- ☐ Prickly pear fruit-1 c
- ☐ Prunes-3 med
- ☐ Raisins-⅛ c
- ☐ Raspberries-1 c
- ☐ Starfruit-2 med
- ☐ Strawberries-1¼ c

- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____

Whole Grains

Whole Grains (100%)

Main macros: carbs

Unsweetened, sprouted, and organic preferred

Servings/day: 2

All grain servings are for cooked amounts unless otherwise specified. Check package label to best match serving size to calories and macros.

1 serving = 80-100 calories; macros = 3 g protein, 1 g fat, 15 g carbs

Gluten-Free:

- ☐ Amaranth— $\frac{1}{3}$ c
- ☐ Buckwheat/kasha— $\frac{1}{2}$ c
- ☐ Grits: corn, soy— $\frac{1}{2}$ c
- ☐ Millet— $\frac{1}{3}$ c
- ☐ Oats (rolled, steel-cut)[^]— $\frac{1}{2}$ c
- ☐ Quinoa— $\frac{1}{3}$ c
- ☐ Rice: basmati, black, brown, purple, red, wild— $\frac{1}{3}$ c
- ☐ Sorghum— $\frac{1}{3}$ c
- ☐ Teff— $\frac{1}{3}$ c

[^]If certified gluten-free.

Gluten-Containing:

- ☐ Barley— $\frac{1}{3}$ c
- ☐ Bulgur— $\frac{1}{2}$ c
- ☐ Couscous— $\frac{1}{3}$ c
- ☐ Crispbread crackers—2-5
- ☐ Wheat:
 - Kamut— $\frac{1}{2}$ c
 - Spelt— $\frac{1}{2}$ c
- ☐ Wheat cereal, hot or cold— $\frac{1}{2}$ c
- ☐ Whole wheat— $\frac{1}{2}$ c

Minimally Processed:

- ☐ Bread—1 slice
- ☐ Brown rice cake—1 or 2 (varies)
- ☐ Crackers (nut, seed, rice)—10
- ☐ Flour (such as for thickening or breading)—2-3 T
- ☐ Pasta— $\frac{1}{3}$ c
- ☐ Pita— $\frac{1}{2}$
- ☐ Popcorn (plain)—3 c
- ☐ Tortilla—1, 6 inches

☐	
☐	
☐	

Beverages, Spices, & Condiments

Beverages, Spices & Condiments

Unsweetened, no sugar added added

- ☐ Filtered water
- ☐ Sparkling/mineral water
- ☐ Coconut water—½ c
- ☐ Coffee
- ☐ Tea: all types

- ☐ Herbs and spices, all
- ☐ Condiments: Lemon/lime juice, miso, mustard, tamari, vinegars, etc.—use sparingly, suggest 1 T or less per serving

- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____
- ☐ _____

These items are generally low-calorie. If serving sizes are included for an item, it is low-calorie if limited to the specified serving size.

Who Is the Core Food Plan Suitable For?


EVERYONE



ALL AGES

Recommended “Core” First Step for Most Patients

A More Nutrient-Dense Diet



Modifications for Dietary Preferences and Needs

Common Dietary Preferences	• Vegetarian • Vegan • Pescatarian
Common Exclusions for Allergies or Sensitivities	• Gluten (or wheat) • Grains • Dairy products • Eggs • Nuts • Shellfish
Other Lifestyle Factors and Health Goals to Consider	• Weight loss • Weight gain • Enhanced athletic performance • Pregnancy and/or breastfeeding • Targeted health outcomes (controlling blood pressure, blood sugars, lipids)

Diet & Nutrition-Oriented Interventions: Part 2

Foundational Therapeutic Food Plans

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE

Clinical Focus

- Compare and contrast therapeutic food plans:
- Core + Phytonutrient
- Mediterranean



The Mediterranean Diet



References

MEDITERRANEAN DIET AND DIABETES MELLITUS

(GISSI)-Prevenzione Trial:

- Macchia A, Levantesi G, Borrelli G, et al. A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico (GISSI)-Prevenzione scoring. *Am Heart J*. 2006;151(3):754.e7-754.e17. doi:10.1016/j.ahj.2005.10.023

SUN Study:

- Martínez-González MA, de la Fuente-Arrillaga C, Nunez-Cordoba JM, et al. Adherence to Mediterranean diet and risk of developing diabetes: prospective cohort study. *BMJ*. 2008;336(7657):1348-1351. doi:10.1136/bmj.39561.501007.BE

Health Professionals Follow-Up Study:

- de Koning L, Chiuve SE, Fung TT, Willett WC, Rimm EB, Hu FB. Diet-quality scores and the risk of type 2 diabetes in men. *Diabetes Care*. 2011;34(5):1150-1156. doi:10.2337/dc10-2352


EPIC Study:

- InterAct Consortium, Romaguera D, Guevara M, et al. Mediterranean diet and type 2 diabetes risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study: the InterAct project. *Diabetes Care*. 2011;34(9):1913-1918. doi:10.2337/dc11-0891

NHS II:

- Tobias DK, Hu FB, Chavarro J, Rosner B, Mozaffarian D, Zhang C. Healthful dietary patterns and type 2 diabetes mellitus risk among women with a history of gestational diabetes mellitus. *Arch Intern Med*. 2012;172(20):1566-1572. doi:10.1001/archinternmed.2012.3747

Mediterranean-Style Diet



- High olive oil, vegetables, legumes, whole grains, fruit, nuts, spices, herbs
- Moderate fish and poultry
- Low red meat and dairy
- Low to moderate alcohol (e.g., red wine)

Similarities Between Core + Phyto and Mediterranean

IFM Core Food Plan is the most similar to the Mediterranean diet in these areas:

- Encouraging intake of whole, fresh foods
- Discouraging intake of processed foods
- Encouraging moderate intake of lean protein sources, oily fish, and legumes
- Limiting intake of dairy products and encouraging fermented dairy products
- Encouraging moderate intake of nuts
- Encouraging intake of EVOO



Similarities Between Core + Phyto and Mediterranean

IFM Core Food Plan is the most similar to the Mediterranean diet in these areas:

- Encouraging high intake of a variety of vegetables and moderate intake of fruits
- Encouraging herbs and spices not only for flavor but also for phytonutrients
- Discouraging intake of refined grains
- Strictly limiting sweets and encouraging fruit as a dessert
- Encouraging high fiber intake



References

CORE + PHYTO & MEDITERRANEAN

- Abdelhamid A, Jennings A, Hayhoe RPG, Awuzudike VE, Welch AA. High variability of food and nutrient intake exists across the Mediterranean dietary pattern—a systematic review. *Food Sci Nutr*. 2020;8(9):4907-4918. doi:10.1002/fsn3.1784
- Cao S, Liu L, Zhu Q, et al. Adherence to the vegetable-fruit-soy dietary pattern, a reference from Mediterranean diet, protects against postmenopausal breast cancer among Chinese women. *Front Nutr*. 2022;9:800996. doi:10.3389/fnut.2022.800996
- Davis C, Bryan J, Hodgson J, Murphy K. Definition of the Mediterranean diet; a literature review. *Nutrients*. 2015;7(11):9139-9153. doi:10.3390/nu7115459 (*Includes helpful table*)
- Finicelli M, Di Salle A, Galderisi U, Peluso G. The Mediterranean diet: an update of the clinical trials. *Nutrients*. 2022;14(14):2956. doi:10.3390/nu14142956
- Guasch-Ferré M, Willett WC. The Mediterranean diet and health: a comprehensive overview. *J Intern Med*. 2021;290(3):549-566. doi:10.1111/joim.13333
- Naureen Z, Bonetti G, Medori MC, et al. Foods of the Mediterranean diet: garlic and Mediterranean legumes. *J Prev Med Hyg*. 2022;63(2 Suppl 3):E12-E20. doi:10.15167/2421-4248/jpmh2022.63.2S3.2741
- Rishor-Olney CR, Hinson MR. *Mediterranean Diet*. StatPearls Publishing; 2023. Published March 27, 2023. Accessed June 8, 2025. <https://www.ncbi.nlm.nih.gov/books/NBK557733/>
- Singh RB, Fedacko J, Fatima G, Magomedova A, Watanabe S, Elkilany G. Why and how the Indo-Mediterranean diet may be superior to other diets: the role of antioxidants in the diet. *Nutrients*. 2022;14(4):898. doi:10.3390/nu14040898
- Sofi F, Macchi C, Abbate R, Gensini GF, Casini A. Mediterranean diet and health status: an updated meta-analysis and a proposal for a literature-based adherence score. *Public Health Nutr*. 2014;17(12):2769-2782. doi:10.1017/S1368980013003169
- Trichopoulou A, Martínez-González MA, Tong TY, et al. Definitions and potential health benefits of the Mediterranean diet: views from experts around the world. *BMC Med*. 2014;12:112. doi:10.1186/1741-7015-12-112
- Villani A, Sultana J, Doecke J, Mantzioris E. Differences in the interpretation of a modernized Mediterranean diet prescribed in intervention studies for the management of type 2 diabetes: how closely does this align with a traditional Mediterranean diet? *Eur J Nutr*. 2019;58(4):1369-1380. doi:10.1007/s00394-018-1757-3

Considerations & Contraindications

Indications for Referral



Considerations & Contraindications

Indications for Referral



- **Nutrition Insecurity or Nutrient Deficiencies:** Assess nutritional status and work with qualified practitioners.
- **Populations With Specific Nutritional Needs:** Including children, pregnancy, lactation, or other populations with varying calorie needs, post-bariatric surgery patients, individuals with anatomic restrictions of nutrient absorption, and individuals on "restricted" diets: Paleo, Carnivore, Pesca/Vegetarian, Vegan. Work with a qualified nutrition professional.
- **History of or Current Eating Disorder; Dysfunctional Relationship With Food (ex: Orthorexia):** If assessed and indicated, care team should consist of qualified mental health practitioner(s), PCP, and a qualified nutrition professional.

References

RESTRICTIVE/ELIMINATION DIET RED FLAGS

- Atia O, Shosberger A, Focht G, et al. Development and validation of the IBD-REFER criteria: early referral for suspected inflammatory bowel diseases in adults and children. *Crohns Colitis* 360. 2020;2(2):otaa027. doi:10.1093/crocol/otaa027
- Barbi E, Gerarduzzi T, Longo G, Ventura A. Fatal allergy as a possible consequence of long-term elimination diet. *Allergy*. 2004;59(6):668-669. doi:10.1111/j.1398-9995.2004.00398.x
- Nachshon L, Goldberg MR, Elizur A, Appel MY, Levy MB, Katz Y. Food allergy to previously tolerated foods: course and patient characteristics. *Ann Allergy Asthma Immunol*. 2018;121(1):77-81.e1. doi:10.1016/j.anai.2018.04.012
- Papapostolou N, Xepapadaki P, Gregoriou S, Makris M. Atopic dermatitis and food allergy: a complex interplay what we know and what we would like to learn. *J Clin Med*. 2022;11(14):4232. doi:10.3390/jcm11144232
- Chey WD, Hashash JG, Manning L, Chang L. AGA clinical practice update on the role of diet in irritable bowel syndrome: expert review. *Gastroenterology*. 2022;162(6):1737-1745.e5. doi:10.1053/j.gastro.2021.12.248
- Rangel Paniz G, Lebow J, Sim L, Lacy BE, Farraye FA, Werlang ME. Eating disorders: diagnosis and management considerations for the IBD practice. *Inflamm Bowel Dis*. 2022;28(6):936-946. doi:10.1093/ibd/izab138

References

RESTRICTIVE/ELIMINATION DIET RED FLAGS

- Al Rushood M, Al-Qabandi W, Al-Fadhli A, Atyani S, Al-Abdulghafour A, Hussain A. Children with delayed-type cow's milk protein allergy may be at a significant risk of developing immediate allergic reactions upon re-introduction. *J Asthma Allergy*. 2023;16:261-267. doi:10.2147/JAA.S400633
- AAAAI/ACAAI JTF Atopic Dermatitis Guideline Panel, Chu DK, Schneider L, et al. Atopic dermatitis (eczema) guidelines: 2023 American Academy of Allergy, Asthma and Immunology/American College of Allergy, Asthma and Immunology Joint Task Force on Practice Parameters GRADE- and Institute of Medicine-based recommendations. *Ann Allergy Asthma Immunol*. 2024;132(3):274-312. doi:10.1016/j.anai.2023.11.009
- Alzahrani A. Allergic reaction following reintroduction of cow's milk in a 2-month-old infant on an elimination diet for atopic dermatitis. *Saudi J Health Sci*. 2024;13(1):99-102. doi:10.4103/sjhs.sjhs_183_23
- Mulé A, Prattico C, Al Ali A, Mulé P, Ben-Shoshan M. Diagnostic and management strategies of food protein-induced enterocolitis syndrome: current perspectives. *Pediatric Health Med Ther*. 2023;14:337-345. doi:10.2147/PHMT.S404779
- Sultan N, Foyster M, Tonkovic M, et al. Presence and characteristics of disordered eating and orthorexia in irritable bowel syndrome. *Neurogastroenterol Motil*. 2024;36(7):e14797. doi:10.1111/nmo.14797
- Di Giorgio FM, Modica SP, Saladino M, et al. Food beliefs and the risk of orthorexia in patients with inflammatory bowel disease. *Nutrients*. 2024;16(8):1193. doi:10.3390/nu16081193

Clinical Focus

- Conclusion, summary, and key takeaways.




The Suite of IFM Therapeutic Food Plans

Phyto – Core – Cardio – Elimination – Detox – Mito



Nutrition Interventions




Long Description: The Suite of I F M Therapeutic Food Plans


- Functional Nutrition fundamentals
- Food is
 - Energy
 - Information
 - Connection
 - Medicine
- Foundational interventions
 - Phytonutrient spectrum foods
 - Phytonutrient spectrum checklist
 - Core Food Plan (including vegan and vegetarian)
- Therapeutic interventions
 - Cardiometabolic food plan
 - Elimination Diet
 - Detox food plan
 - Mito Food Plan
- All leading to a personalized nutrition plan

Recommended “Core” First Step for Most Patients

A More Nutrient-Dense Diet





CORE FOOD PLAN FEATURES




Phytonutrient Spectrum

PATIENT EDUCATION RESOURCES



Diet & Nutrition-Oriented Interventions: Key Clinical Takeaways



The Phytonutrient Spectrum plays a powerful supportive role in maintaining health and preventing disease.



For most patients, the Core Food Plan is an ideal foundational first-step transition toward a more nutrient-dense diet.



The combination of the Core Food Plan and the Phytonutrient Spectrum may be effective for the prevention and treatment of a wide variety of diseases and dysfunctions.



The Core Food Plan + Phytonutrient Spectrum creates a strong nutritional foundation upon which to build for the support of more advanced clinical presentations.

Diet & Nutrition-Oriented Interventions

Foundational Therapeutic Food Plans

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE