

Therapeutic Interventions for Gut Dysfunction

Introduction to the 5R Approach



KELECHI A. UDUHIRI, MD

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE

Disclosures

Kelechi A. Uduhiri, MD disclosed no relevant financial relationships with any ineligible companies.

Unless otherwise noted, all stock photos in this presentation are used with permission by 123RF.com.

Learning Objectives

At the conclusion of this segment, successful participants will be able to:

1. Explain the clinical rationale for the 5R approach and list its five components.
2. Recall how the 5R components align with the DIGIN dysfunction(s) and corresponding lab analytes.
3. Explain the rationale for and list the usual sequence of the 5R interventions.

Clinical Focus

- Rationale for the 5R therapeutic approach.
- Components of 5R.
- Usual sequence of 5R.




Therapeutic Approach for Gut Dysfunction: The 5R Model

A CONCEPTUAL FRAMEWORK DESIGNED TO:

- Systematize a process to favorably modulate the foundational DIGIN gastrointestinal dysfunctions.
- Provide a reproducible clinical method to select and initiate precision-based personalized interventions.

The Components of the 5R Program



(Usual) Correlation of 5R Elements With DIGIN

Gut Inflammation



Remove

Maldigestion/Malabsorption



Replace

Gut Dysbiosis



Repopulate

Intestinal Permeability



Repair


ENS Dysfunction



Rebalance


Real World Correlation of 5R With DIGIN

All five of the DIGIN dysfunctions will benefit from Remove interventions.



Real World Correlation of 5R With DIGIN

All five of the DIGIN dysfunctions will benefit from Rebalance interventions.



Real World Correlation of 5R With DIGIN

**All five of the
DIGIN
dysfunctions
may need all
five of the 5R
interventions.**



Remove



Replace



Repopulate



Repair



Rebalance

Usual Sequence of the 5R Program

It is usually the case that Remove & Rebalance interventions may be empirically initiated while waiting for the results of stool testing and other evaluative and/or therapeutic interventions.

5R Program	First Steps	Next Steps
<u>R</u> emove	X	
<u>R</u> epair		X
<u>R</u> epopulate		X
<u>R</u> ebalance	X	
<u>R</u> emove		X

Usual Sequence of the 5R Program

It is usually the case that Remove & Rebalance interventions may be empirically initiated while waiting for the results of stool testing and other evaluative and/or therapeutic interventions.

5R Program	First Steps	Next Steps
<u>R</u> emove	X	
<u>R</u> epair		X
<u>R</u> epopulate		X
<u>R</u> ebalance	X	
<u>R</u> emove		X

Therapeutic Interventions for Gut Dysfunction

Introduction to the 5R Approach

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE