

Modifiable Lifestyle Factors

Tools to Assist Evaluation and Behavior Changes



ROBERT LUBY, MD

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE

Disclosures

Robert Luby, MD, disclosed no relevant financial relationships with any ineligible companies.

Unless otherwise noted, all stock photos in this presentation are used with permission by 123RF.com.

Learning Objectives

At the conclusion of this segment, successful participants will be able to:

1. Cite and explain how to use point-of-care clinical tools to evaluate a patient's lifestyle patterns and to educate them about the importance of lifestyle behavior changes.
2. Cite and explain how to use point-of-care clinical tools to help a patient initiate lifestyle behavior changes and to track adherence and progress.

IFM Clinical Skills and Performance Objectives

THIS SEGMENT WILL ENABLE PARTICIPANTS TO DEVELOP & APPLY THESE SKILLS IN THEIR PRACTICE:

1. Implement point-of-care clinical tools to educate, evaluate, and assist patients in the domain of therapeutic lifestyle behavioral changes.
2. Implement key questions with the patient to rapidly develop SMART goals for lifestyle behavior changes.

Clinical Focus

- Foundational point-of-care tools for modifiable lifestyle factors:
 - Lifestyle Questionnaire
 - Lifelong Lifestyle Timeline
 - 24-Hour Lifestyle Timeline
 - Functional Medicine Lifestyle Planner



Clinical Focus

- Foundational point-of-care tools for modifiable lifestyle factors:
 - Lifestyle Questionnaire



Lifestyle Questionnaire

CLINICAL APPLICATION

- Elicits past and current lifestyle behavior patterns.
- Identifies areas of concern and opportunities.
- Four lifestyle domains + substance use:
 - Sleep
 - Physical activity
 - Stressors
 - Relationships
 - Smoking, alcohol, and recreational use of other substances
- Four pages: Best suited for completion at home or with CCT member.

Lifestyle Questionnaire Page 1



Lifestyle Questionnaire

Patient Name

Date

Sleep

How many hours of sleep do you get each night on average:

Do you have problems falling asleep?

☐ Yes

☐ No

Do you have problems staying asleep?

☐ Yes

☐ No

Do you have problems with insomnia?

☐ Yes

☐ No

Do you snore?

☐ Yes

☐ No

Do you feel rested upon awakening?

☐ Yes

☐ No

Do you use sleeping aids?

☐ Yes

☐ No

If yes, explain:

Physical Activity

List your current physical activity, including type, number of times per week, and duration in minutes:

Cardiovascular/Aerobic (e.g., brisk walk):

Strength/Resistance:

Flexibility/Stretching:

Balance:

Sports/Leisure (e.g., golf):

Other (e.g., yard work):

Lifestyle Questionnaire Page 2

Do you feel motivated to be physically active?

- ☐ Yes
- ☐ A little
- ☐ No

Are there any problems that limit your physical activity?

- ☐ Yes
- ☐ No

If yes, explain:

Do you feel unusually fatigued or sore after being physically active?

- ☐ Yes
- ☐ No

If yes, explain:

Smoking

Do you smoke currently?

- ☐ Yes
- ☐ No

If yes, packs per day:

Number of years:

If you smoked previously, packs per day:

Number of years:

What type?

- ☐ Cigarettes
- ☐ Smokeless
- ☐ Pipe
- ☐ Cigar
- ☐ E-Cig/Vape

Have you attempted to quit?

- ☐ Yes
- ☐ No

If yes, explain what methods:

Are you regularly exposed to second-hand smoke?

- ☐ Yes
- ☐ No

Alcohol

How many alcoholic beverages do you drink in a week? (1 drink = 5 ounces wine, 12 ounces beer, 1.5 ounces spirits)

- ☐ 1 to 3
- ☐ 4 to 6
- ☐ 7 to 10
- ☐ More than 10
- ☐ None

Lifestyle Questionnaire Page 3

Previous alcohol intake?

☐ Yes

☐ Mild

☐ Moderate

☐ High

☐ None

Have you ever had a problem with alcohol?

☐ Yes

☐ No

If yes, describe including when:

Have you ever thought about getting help to control or stop your drinking?

☐ Yes

☐ No

Other Substances

Are you currently using any recreational drugs?

☐ Yes

☐ No

If yes, explain:

Have you ever used IV or inhaled recreational drugs?

☐ Yes

☐ No

Stress

Do you feel you have an excessive amount of stress in your life?

☐ Yes

☐ No

Do you feel you can easily handle the stress in your life?

☐ Yes

☐ No

How much stress do each of the following cause on a daily basis (Rate on scale of 1-10, 10 being highest)

Work:

Family:

Social:

Finances:

Health:

Other:

Do you use relaxation techniques?

☐ Yes

☐ No

If yes, describe:

Which techniques do you use? (Check all that apply)

☐ Meditation

☐ Breathing

☐ Tai Chi

☐ Yoga

☐ Prayer

Other:

© 2022 The Institute for Functional Medicine

Version 1

Lifestyle Questionnaire Page 4

Have you ever sought counseling?

☐ Yes
☐ No

Are you currently in therapy?

☐ Yes
☐ No

If yes, describe:

Have you ever been abused, a victim of crime, or experienced a significant trauma?

☐ Yes
☐ No

What are your hobbies or leisure activities?

Relationships

Relationship status:

☐ Single
☐ Married
☐ Divorced
☐ Widow/er
☐ Long-Term Partner

With whom do you live? (Include children, parents, partners, relatives, friends, pets):

Current Occupation:

Past Occupations:

Do you have resources for emotional support?

☐ Yes
☐ No

If yes, select all that apply:

☐ Spouse/Partner
☐ Family
☐ Friends
☐ Religious/Spiritual
☐ Pets

Other:

Do you have a religious or spiritual practice?

☐ Yes
☐ No

If yes, describe:

© 2022 The Institute for Functional Medicine

Version 1

Clinical Focus

- Foundational point-of-care tools for modifiable lifestyle factors:
 - Lifelong Lifestyle Timeline



Lifelong Lifestyle Timeline

CLINICAL APPLICATION

- Depicts lifestyle behavior patterns over the lifespan of the patient.
- Facilitates identification of past barriers and patient strengths.
- Prompts the clinician to ask questions.
 - What were the past patient circumstances affecting engagement?
- Provides insights for the clinician to identify potential barriers to success.
 - How can the patient-clinician dyad reduce barriers and draw upon the patient's strengths to successfully re-engage behavior changes?

Lifelong Lifestyle Timeline



Lifelong Lifestyle Timeline

Birth	Sleep		Current Age
	Exercise		
	Nutrition		
	Stress		
	Relationships		
Current Concerns:			
Name:		Date:	

© 2022 The Institute for Functional Medicine

Version 1

Clinical Focus

- Foundational point-of-care tools for modifiable lifestyle factors
 - 24-Hour Lifestyle Timeline



24-Hour Lifestyle Timeline

CLINICAL APPLICATION

- Your goal is to elicit the following:
 - What is a typical day like for the patient in terms of time commitments?
 - What and when do they engage in each of the lifestyle behaviors?
 - Where are the feasible windows of opportunity for improvement?

24-Hour Lifestyle Timeline: Exercise – Sleep – Stress – Relationships



24 Hour Lifestyle Timeline

Date:

 Exercise 12 a.m. to 3 a.m.	 Sleep 12 a.m. to 3 a.m.	 Stress/Relaxation 12 a.m. to 3 a.m.	 Relationships/Connection 12 a.m. to 3 a.m.
3 a.m. to 6 a.m.	3 a.m. to 6 a.m.	3 a.m. to 6 a.m.	3 a.m. to 6 a.m.
6 a.m. to 9 a.m.	6 a.m. to 9 a.m.	6 a.m. to 9 a.m.	6 a.m. to 9 a.m.
9 a.m. to 12 p.m.	9 a.m. to 12 p.m.	9 a.m. to 12 p.m.	9 a.m. to 12 p.m.
12 p.m. to 3 p.m.	12 p.m. to 3 p.m.	12 p.m. to 3 p.m.	12 p.m. to 3 p.m.
3 p.m. to 6 p.m.	3 p.m. to 6 p.m.	3 p.m. to 6 p.m.	3 p.m. to 6 p.m.
6 p.m. to 9 p.m.	6 p.m. to 9 p.m.	6 p.m. to 9 p.m.	6 p.m. to 9 p.m.
9 p.m. to 12 p.m.	9 p.m. to 12 p.m.	9 p.m. to 12 p.m.	9 p.m. to 12 p.m.

© 2022 The Institute for Functional Medicine

Version 1

24-Hour Lifestyle Timeline: Nutrition



24 Hour Lifestyle Timeline

Date:

Fill in the following timelines with your day's routine, including time spent asleep, working, preparing and eating food, commuting, activity time, appointments, chores, etc. Fill out the first two pages on a weekday or work day, and the last two pages on a weekend day or a day you do not work.

Nutrition

12 a.m. to 3 a.m.

3 a.m. to 6 a.m.

6 a.m. to 9 a.m.

9 a.m. to 2 p.m.

12 p.m. to 3 p.m.

3 p.m. to 6 p.m.

6 p.m. to 9 p.m.

9 p.m.-12 p.m.



© 2022 The Institute for Functional Medicine

Version 1

Clinical Focus

- Foundational point-of-care tools for modifiable lifestyle factors:
 - Functional Medicine Lifestyle Planner



Clinical Pearls

Lifestyle Behavior Changes as Therapeutic Recommendations

- Lifestyle behavior changes, as interventions, are similar to:
 - A therapeutic medication (What?)
 - With a dose (How?)
 - With specified frequency and timing (When?)
- Recommendations for lifestyle behavior changes will be more effective if developed in the context of Whole Health principles:
 - What matters to this patient?
 - What are this patient's goals, preferences, and circumstances?
 - What behavior changes would be feasible for this patient?

Lifestyle Planner

Summary of Clinical Approach

To rapidly facilitate lifestyle behavior changes in the first visit with a patient, the next step is to ask the patient these key questions:

WHAT are you going to do differently?

HOW are you going to do it?

When are you going to do it?

What? – How? – When?

Specific questions for each lifestyle goal

- With regard to:
 - Sleep?
 - Physical activity?
 - Nutrition?
 - Stressors?
 - Relationships with others?
- What will you do differently?
- How will you do it?
- When will you do it?

Lifestyle Planner:

Sleep and Rest

Movement and Exercise

Accessible version in your toolkit.



Functional Medicine Lifestyle Planner

*When making lifestyle changes, it's important to make a specific plan. This helps ensure that you stay on track as well as be prepared for any obstacles. In addition to thinking about what steps you will take to improve your wellbeing, consider both **how** and **when** you will accomplish these goals. For the best results, keep this planner somewhere you will see it often.*

Sleep and Rest

What are you going to do?

How are you going to do it?

When are you going to do it?

Movement and Exercise

What are you going to do?

How are you going to do it?

When are you going to do it?

© 2022 The Institute for Functional Medicine Version 1

Lifestyle Planner:

Food and Beverages

Relaxation and Stress

Relationships and Community

Accessible version in your toolkit.

<i>Food and Beverages</i>
<i>What</i> are you going to do?
<i>How</i> are you going to do it?
<i>When</i> are you going to do it?
<i>Relaxation and Stress</i>
<i>What</i> are you going to do?
<i>How</i> are you going to do it?
<i>When</i> are you going to do it?
<i>Relationships and Community</i>
<i>What</i> are you going to do?
<i>How</i> are you going to do it?
<i>When</i> are you going to do it?
© 2022 The Institute for Functional Medicine
Version 1

Clinical Focus

- Lifestyle behavior–specific point-of-care tools
 - Educate
 - Evaluate
 - Initiate
 - Track



IFM TOOLKIT

[Visit IFM Website](#)

Modifiable Lifestyle Factors

Sleep

Physical Activity


Nutrition

Stressors

Relationships

Four Categories of Lifestyle Toolkit Items

Educate – Evaluate – Initiate – Track



Modifiable Lifestyle Factors

Sleep

Physical Activity

Nutrition

Stressors

Relationships

Sleep: Toolkit Items



Sleep (Educate)

For the patient who would benefit from a heightened awareness of sleep as a root-cause mediator of their current health concerns.

Accessible version in your toolkit.



THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

Effects of Poor Sleep

Sleep is important for maintaining health. For optimal physical, mental, and emotional wellbeing, the **amount** and **quality** of sleep matters. It is recommended that adults get 7-9 hours of sleep a night.^{1,2} However, good quality sleep during those hours is also important, which means falling asleep within 30 minutes of going to bed, minimal waking during the night, and if waking occurs, falling back to sleep within 20 minutes.³ Poor sleep can have multiple health effects throughout the body:

Brain & Nervous System:

- Slows reaction times, which can increase risk of accidents and injuries^{4,5}
- Decreases concentration, attention, mental performance⁶⁻⁸
- Decreases cognitive function, may increase risk of dementia and Alzheimer's disease^{9,10}
- Impairs memory^{6,11}
- Increases irritability, moodiness, frustration¹²

Inflammation & Immunity:

- Increases inflammation²⁰
- Increases risk of upper respiratory infections^{21,22}
- Increases risk of developing autoimmune diseases^{23,24}
- Decreases vaccine efficacy^{25,26}

Cardiometabolic (Heart & Metabolism):

- Increases blood pressure^{27,28}
- Increases risk of high cholesterol^{29,30}
- Increases risk of insulin resistance (prediabetes)^{31,32}

Gut Health & Digestion:

- Alters gut bacteria^{33,34}
- Increases risk of digestive disorders: GERD (gastroesophageal reflux disease), irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), constipation, etc.^{35,36}

Adrenal Glands:

- Releases cortisol (a stress hormone)¹³
- Alters circadian rhythm (the body's internal 24-hour clock), disrupting the sleep-wake cycles¹⁴

Musculoskeletal:

- Lowers pain threshold^{15,16}
- Increases fatigue¹⁷
- Contributes to decreased muscle mass and increased fat mass^{18,19}

Reproduction:

- Can cause hormone fluctuations in estrogen, progesterone, testosterone²⁷⁻³⁰

Sleep (Evaluate)

- 1) Evaluates sleep quality.
- 2) Identifies current mediators of poor sleep quality (and promising targets for intervention).

Accessible version in your toolkit.



Sleep Questionnaire

Patient Name _____ Date _____

Instructions

Sleep is important for healing, immunity, mood, cognition, and many other functions in your body. Please answer the following questions about your sleep as accurately and fully as possible. For "Yes" or "No" questions, please mark your answer and provide an explanation if one is requested. The information will help to determine whether you are getting the sleep you need and identify possible strategies to help you sleep better.

Sleep Problems

1. Do you have a sleep problem that a clinician has diagnosed? ☐ Yes ☐ No
If yes, what? _____

2. Do you feel that you have a sleep problem? ☐ Yes ☐ No
If yes, how would you describe it? _____

Do you snore loudly or stop breathing while you sleep? ☐ Yes ☐ No

Have you completed a sleep study? ☐ Yes ☐ No

Do you use a CPAP machine? ☐ Yes ☐ No

Sleepiness

3. Do you feel well-rested in the morning? ☐ Yes ☐ No

4. Are there times during the day or evening that you feel sleepy? ☐ Yes ☐ No
If yes, what times are these? _____

5. What do you do to wake up when you feel sleepy? _____

6. Have you ever had an accident at work or at home because you were sleepy? ☐ Yes ☐ No
If yes, please explain: _____

7. Do you take naps? ☐ Yes ☐ No
If yes, for how many minutes? _____ What time of day? _____

8. Do you feel well-rested after a nap? ☐ Yes ☐ No

Insomnia

9. Can you usually fall asleep within 20 minutes of lying in bed? ☐ Yes ☐ No
If not, how long does it take? _____

10. If it takes longer than 20 minutes, what do you do while trying to fall asleep? (such as read, watch TV, look at your phone, get up, etc.) _____

11. Do you ever feel so wired at night that it is difficult to fall asleep? ☐ Yes ☐ No

12. Have you had a saliva cortisol test? ☐ Yes ☐ No
If yes, what was your nighttime level? _____

© 2022 The Institute for Functional Medicine Version 4

Sleep (Initiate)

Practical behaviors to recommend to minimize reliance on other types of sleeping aids.

Accessible versions in your toolkit.



Mindfulness for Insomnia and Sleep Disorders

Mindfulness practice supports sleep during the day

Awareness leads to where calm and optimal fitness and contribute focus is redirected improved health

Mindfulness Meditation
Mindfulness meditation including the elements of Mindfulness can and decision-making

Mindfulness meditation imagery to help mindfulness meditation



Image courtesy of 123RF

© 2022 The Institute for Functional Medicine

- Reduced insomnia
- Deeper sleep
- Fewer episodes
- Improved mood
- Greater daytime
- Less anxiety

How to Get Started
To practice mindfulness

- Select a quiet
- Pay attention around you,



Suggestions for Better Sleep

Achieving deep, refreshing sleep isn't always as simple as cozying up in bed and closing your eyes – it often depends on your daily lifestyle choices and habits. From how you unwind before bed to what you eat, small adjustments can make a big difference in your sleep. This guide walks you through suggestions that can help you achieve better sleep, so you can wake up feeling well-rested, energetic, and ready to start your day.

Step 1: Tune Up Your Sleep Hygiene

Sleep hygiene is a set of healthy habits and environmental conditions that can help you sleep soundly. If you are struggling with your sleep, tuning up your sleep hygiene is the place to start. Try the following sleep hygiene tune-ups for better sleep:

- **Go to bed and wake up at the same time daily.** A consistent waking time and bedtime each day supports your circadian rhythm, your body's internal 24-hour clock that regulates sleep and other body functions. A healthy circadian rhythm helps you stay alert and energetic during the day and eases you to sleep at night.¹ Ideally, your bedtime and wake time should be set to allow for 7-9 hours of sleep each night.²
- **Sleep in a dark bedroom.** Darkness promotes sleep by supporting a healthy circadian rhythm. Even dim artificial light exposure at night from sources like streetlights can interfere with melatonin, a hormone that regulates sleep.^{3,4} If you have lights outside your bedroom at night or work the night shift and sleep during the day, hang blackout curtains on your bedroom windows or wear an eye mask. Remove electronics that have bright lights from your bedroom. For example, replace a glowing digital alarm clock with a non-digital alarm clock.
- **Avoid spending time on electronic devices two hours before bed.**^{5,6} The bright light from electronic devices such as smartphones and tablets can increase alertness and reduce sleepiness, making it harder to drift off to sleep.⁷ Pick an activity that doesn't involve electronic devices before bed. For example, read a hardcover or paperback book.⁸⁻¹⁰ If you must use electronic devices like eReaders close to bedtime, put the device on "nighttime mode." Wearing blue light-blocking glasses while using electronic devices at night may reduce the negative impact of these devices on sleep.¹¹

Physical Activity: Toolkit Items



Physical Activity (Educate)

For the patient who would benefit from a heightened awareness of inactivity as a root-cause mediator of their current health concerns.



Effects of Physical Inactivity

Your body was designed to move. If you are not moving enough, you are at greater risk for chronic health concerns including osteoporosis, dementia, and harmful changes in the body from not getting enough physical activity.

Brain & Nervous System:

- Increased risk of depression²
- Reduced brain function, including difficulty with learning and memory³⁻⁴
- Increased risk of dementia^{7,8}

Elimination Pathways:

- Decreased ability of the body to get rid of toxins⁹
- Less sweating to excrete unwanted substances¹⁰

Hormone Regulation:

- Higher insulin levels and type 2 diabetes risk¹¹⁻¹³
- Excessive cortisol (stress hormone) release^{14,15}
- Hormone imbalances, raising the risk of certain cancers (breast, endometrial, prostate, and epithelial ovarian)^{16,17}

Musculoskeletal:

- Less muscle mass and strength, reducing mobility with age^{18,19}
- Weaker bones, increasing the risk of osteoporosis²⁰
- Greater risk of knee pain^{21,22}

Created with BioRender.com by the Institute for Functional Medicine
© The Institute for Functional Medicine



The Power of Movement: Living an Active Lifestyle

"Lack of activity destroys the good condition of every human being, while movement and methodical physical exercise save it and preserve it." — Plato

Being consistently active helps you to live longer, have a better quality of life, improve your mental health, and improve your self-image. Adults should aim for either 150-300 minutes of moderate-intensity activity per week, 75 minutes of high-intensity activity, or a combination of both.

You can make big improvements to your health and energy levels by incorporating exercise and physical activity throughout your week. Some people feel daunted by the thought of adding physical activity or don't know where to begin. Here are a few tips to support your journey:

Emphasize fun. What is something you love? Whether that's music, birds, friends, trampolines, or books, you can shape your activity plan around the things you love. Walk to and from a spot where you can listen to the birds every day; explore local libraries from top to bottom; take the stairs when you visit friends; take a dance class that incorporates music you love. Make the things you love part of your activity plan.

Create a plan. Create a plan and carve out time for physical activity and exercise throughout the week. If you block time on your schedule for activity, it is much more likely to happen. Spread your exercise minutes throughout the week. Two 20-minute high-intensity interval training sessions, a one hour family bike ride, and a 20 minute jog is a good example of how you can meet the amount of activity recommended.

Involve others. Chances are, your friends, family, and co-workers want to be more active too. Set active living goals together and aim for gradual advancement and increased variety in your routine. You could walk an extra two miles a week—or three more flights of stairs. Try to keep moving by walking instead of sitting at the coffeeshop, or walk around the block while catching up with a friend. Many cities have active groups like running or hiking clubs which can be great in your home town or when traveling to keep you moving.

Add an accountability partner. Share your goals with a person you trust and ask them to help keep you accountable by checking in. It can be helpful to partner with a friend or family member who has similar interests to engage in activity together and keep each other accountable. Online groups may also



Physical Activity (Evaluate)

- 1) Evaluates ability to be active.
- 2) Identifies current activity level, preferences, motivators, and obstacles to staying active.

Accessible versions in your toolkit.



Daily Activity Questionnaire

Patient Name _____

Please check the one best response for each activity

Sedentary Behavior

Sitting while watching TV, at a computer, driving, etc.

☐ 1 Most of the day
☐ 2 Half of the day
☐ 3 Some of the day
☐ 4 Rarely

Activities of Daily Living

Bathing, dressing, feeding self, toilet

☐ 1 Need some assistance
☐ 2 Slight difficulty
☐ 3 Minimal difficulty
☐ 4 No problem

Laundry

☐ 1 Unable
☐ 2 Occasionally
☐ 3 Regularly in small steps or with help
☐ 4 Regularly without help

Cooking

☐ 1 Unable
☐ 2 Take-out, breakfast, or simple lunch only
☐ 3 Simple microwave or crockpot meal
☐ 4 Regular meals

Housekeeping

☐ 1 Unable
☐ 2 Light dusting, straighten up
☐ 3 Regular housekeeping in small steps or with help
☐ 4 Fully capable

© The Institute for Functional Medicine



Exercise History Questionnaire

Patient Name _____, Date _____

- Have you been cleared for exercise? ☐ Yes ☐ No
- What are you doing on a regular basis that gets you moving and gets your heart rate up?
Cardio/Aerobic Exercise: (e.g., walking, jogging, running, dancing)
Activity 1 _____ times per week for _____ minutes
Activity 2 _____ times per week for _____ minutes
Strength/Resistance Exercise: (e.g., resistance machines, kettlebell, Pilates, weightlifting)
Activity 1 _____ times per week for _____ minutes
Activity 2 _____ times per week for _____ minutes
Flexibility/Stretching Exercise: (e.g., yoga, Pilates, mat work, stretches)
Activity 1 _____ times per week for _____ minutes
Activity 2 _____ times per week for _____ minutes
Balance Exercise: (e.g., tai chi, qigong, Bosu® ball, dancing)
Activity 1 _____ times per week for _____ minutes
Activity 2 _____ times per week for _____ minutes
- How do you monitor your exercise intensity?

☐ General Intensity	☐ Talk Test	☐ Perceived Exertion	☐ Heart Rate (HR)*
- Light	- Able to talk and sing	- Less than 3 (out of 10)	- Under 64% of maximum
- Moderate	- Can talk but not sing	- Between 3-4 (out of 10)	- 64-76% of maximum
- Vigorous/hard	- Difficulty talking	- 5 or more (out of 10)	- Over 76% of maximum

*Heart rate is not an appropriate measure of exercise intensity if taking a beta-blocker.
- Are you satisfied with your current exercise program? ☐ Yes ☐ No
If no, explain _____
- What are your motivators for exercise? (Check all that apply)

☐ Prevent heart disease	☐ Decrease stress
☐ Reduce blood pressure	☐ Improve sleep
☐ Control blood sugar	☐ Weight reduction
☐ Prevent bone loss	☐ Increase mental alertness
☐ Increase energy	☐ Better endurance
☐ Increase self-esteem	☐ Increase interest in sex
☐ Improve mood	☐ Other _____
- What types of aerobic exercise do you prefer? (Check all that apply)

☐ Walking	☐ Bicycling	☐ Water aerobics	☐ Snowshoeing
☐ Hiking	☐ Elliptical	☐ Aerobics classes	☐ Other: (write-in) _____
☐ Rollerblading	☐ Stair climber	☐ Cross-country skiing	
☐ Jogging	☐ Swimming	☐ Downhill skiing	
☐ Treadmill	☐ Rowing	☐ Snowboarding	

© 2022 The Institute for Functional Medicine

Version 3

Physical Activity (Initiate)

Practical behaviors to recommend to increase daily activity through consistent, measurable steps.




Increasing Movement During the Workday

Fitting mindful movement-friendly physical activities into your workday can improve productivity. Exercises to include in your routine include taking a longer break, such as a 15-minute walk.

Monday

- **Air squats:** Stand with feet shoulder-width apart, arms parallel to the floor. Bend your knees and lower your body, then push back up.
- **Neck rolls and side chin:** Roll your head slowly from side to side, then tuck your chin toward your chest.
- **Desk dips:** Stand with feet shoulder-width apart, arms parallel to the floor. Bend your elbows and lower your body, then push back up.
- **Seated hip stretch:** Sit on the floor with legs extended. Flex your right foot and pull it toward your chest. Repeat with the left foot.
- **Shoulder rolls:** Raise your arms straight up, then roll them backward. Repeat the cycle forward.
- **Reverse shoulder stretch:** Raise your arms straight up, then roll them forward.
- **Tricep stretch:** Raise your right arm straight up, then bend your elbow and pull your hand toward your shoulder blade. Use your left hand to assist. Repeat with the left arm.



Tuesday

- **Wall squats:** Stand with feet shoulder-width apart, back against a wall. Slide down the wall into a squat position. Hold for 30 seconds. Do 5 to 10 reps.
- **Seated back stretch:** Sit on the floor with legs extended. Reach your arms straight ahead and hold for 30 seconds.

© 2022 The Institute for Functional Medicine



SMART Goals for Exercise

Changing habits to increase physical activity is no small undertaking, and making the decision to be more active is just the first step. Actively thinking about and planning for exercise will help prepare you for the process and motivate you to stay on track.

When you are ready to make any lifestyle change, it is helpful to set tangible goals. These goals can be short term (daily, weekly, monthly) or long term (6 to 12 months). When goal setting, it is also helpful to set goals that are SMART: specific, measurable, attainable, realistic, and timely. The following table lists some examples of SMART goals for exercise.

SMART Goal Components
Specific • State the desired outcome as explicitly as possible, and target a specific area for improvement. This is the "who, what, where, when, which, and why" of your goal. - Example: I will ride my bike to work Monday, Wednesday, and Friday each week.
Measurable • Identify the ways in which you will track your progress, and be as specific as possible. This is the "how" of your goal. - Example: I will walk at least five days per week for 20 minutes in the evenings to lower my cholesterol.
Attainable • Start with small, achievable goals that are easily outlined into specific steps that will enable you to complete the goal. Then, as you meet those smaller goals, work up to intermediate goals and goals that are more difficult to achieve. - Example: I will walk for 15 minutes three days a week at lunch, increasing my time each week by 5 minutes until I reach 30 minutes per day. I will add an extra day every two to four weeks until I reach 30 minutes of walking five days a week.
Realistic • Create a goal that you are both willing and able to accomplish. - Example: I will stretch for 5 minutes before bedtime, followed by 5 minutes of breath work, which will help me fall asleep faster each night.
Timely • Set a deadline or time frame for achieving your goal to help keep you motivated. - Example: I will run a 5K by September 15th.

REFERENCES

1. American Council on Exercise. The science supporting the stages of change model. Coaching Behavior Change. 2nd ed. San Diego, CA: American Council on Exercise; 2019:66-67.
2. Bailey R. Goal setting and action planning for health behavior change. Am J Lifestyle Med. 2017;13(6):15-18. doi:10.1177/1559827617729634.

© 2022 The Institute for Functional Medicine

Version 2

Physical Activity (Track)

A seven-day
journal to track
exercise type,
time, and
intensity.

Accessible version in your toolkit.



Exercise Goals and Tracking Journal

Name _____ Week of _____

Exercise Goals:

FITT Tracking

Resting Heart Rate: _____ Maximal Heart Rate (HR_{max}): _____

Target Heart Rate by Intensity: L = _____ M = _____ V = _____

Sunday Date: _____

☐ Exercise: Cardio/Aerobic Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Strength/Resistance Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Flexibility/Stretching Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Balance Intensity: N/A	Time: _____	Type: _____

Monday Date: _____

☐ Exercise: Cardio/Aerobic Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Strength/Resistance Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Flexibility/Stretching Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Balance Intensity: N/A	Time: _____	Type: _____

Tuesday Date: _____

☐ Exercise: Cardio/Aerobic Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Strength/Resistance Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Flexibility/Stretching Intensity: ☐ L ☐ M ☐ V	Time: _____	Type: _____
☐ Exercise: Balance Intensity: N/A	Time: _____	Type: _____

L = Light M = Moderate V = Vigorous

Stressors: Toolkit Items



Stressors (Educate)

For the patient who would benefit from a heightened awareness of stress as a root-cause mediator of their current health concerns.



Effects of Chronic Stress

Chronic stress refers to effects on the entire body. People with chronic stress are more likely to develop diabetes,¹⁴ dementia,¹⁵ and other health conditions. This diagram shows potential effects of chronic stress.^{14,17}

Brain & Nervous System:

- Activates "fight or flight" response¹⁴
- Reduces size and communication between areas of the brain responsible for decision making, memory, emotional regulation, and learning^{14,16}
- Increases risk for dementia and Alzheimer's¹⁵

Respiratory System:

- Causes changes in breathing patterns that shift to rapid, shallow breathing as a part of the fight-or-flight response^{14,17}
- Worsens asthma and chronic obstructive lung disease^{14,19}

Hormone Regulation:

- Causes thyroid hormone fluctuations²⁰
- Releases more cortisol (a stress hormone)^{21,22} which increases the risk of other health conditions^{23,24}

Musculoskeletal:

- Contributes to muscle tension
- Increases risk of headaches and migraines²⁵
- Worsens joint pain and fibromyalgia^{26,27}

Inflammation & Immunity:

- Impacts immune function by activating, weakening, and suppressing immunity²⁸
- Increases inflammation²⁹
- Slows wound healing³⁰

Created with BioRender.com by the Institute for Functional Medicine
© The Institute for Functional Medicine



Cultivating Self-Awareness and Mindfulness

Self-awareness is the process of paying attention to your emotions, needs, physical being, and reactions. By becoming aware of the subtle, ongoing responses of the body, emotions, and mind, it is possible to detect patterns and take charge of your responses.

MINDFULNESS PRACTICES

- Breathing exercises
- Gratitude journaling
- Yoga, qi gong, and tai chi
- Guided imagery
- Mindful walking
- Meditation
- Many more! Try being mindful while eating, listening, or playing.

Understanding Self-Awareness

Awareness ranges from focusing on the present moment and your current physical, mental, and emotional state to understanding your history and future intentions. Being aware of your emotions and physical state allows you to choose how to respond. For instance, instead of letting physical discomfort push you into a grumpy state, you can acknowledge the discomfort and make a conscious choice to overcome it.

When many demands compete for attention or when we are tired, we often fall into rote patterns of emotion and behavior. We eat according to the clock, stay up too late, and react without thinking. We can become trapped in our minds or indulge in immediate gratification too often.

A lack of self-awareness can also lead to poor decisions, poor health, and poor relationships. Living on autopilot is a coping mechanism, yet conscious choices and decisions can dramatically improve your health and wellbeing.

Understanding Mindfulness

Mindfulness practices offer tools to anchor yourself in the present and can increase self-awareness. You can grow your ability to be self-aware and mindful—and every step you take will improve your health and happiness.

As you become more aware of your inner state, be compassionate with yourself. Recognize that there are many ways to practice mindfulness. Experiment to find what works best for you.

Practicing Mindful Observation & Reflection

Take a quiet moment and pay attention to your emotions. Are you feeling happy, angry, sad? Are your emotions reflected in or caused by the state of your body?

Stressors (Initiate)

Practical behaviors
to recommend to
increase daily stress
relief through
simple, consistent
methods.

Accessible versions in your toolkit.



Practicing Gratitude with the IFM Gratitude Journal

"When I started counting my blessings, my whole life turned around."
—Willie Nelson

In recent years, the act of recognizing and expressing gratitude has been linked to many improved physical, psychological, and social outcomes for both healthcare providers and patients. These benefits include lower stress levels, lowered blood pressure, better sleep quality, improved immune systems, and increased feelings of joy, happiness, and compassion. Robert A. Emmons, Ph.D., a leading scholar in the field of gratitude, sees the practice of gratitude as having two core components: the goodness in our lives, and exploring where that goodness is.

Here are some tips for practicing and exploring gratitude with the IFM Gratitude Journal:

- Spend at least 15 minutes writing about the things for which you are grateful. You may find it easier to write at night, so you can reflect on observations from the day.
- Set an alarm on your watch, calendar, or smart phone to write in your journal once or twice per week. Try to integrate writing into your routine, but also write down joyful experiences as you don't forget them.
- Begin your journey by writing about the basic material things you are grateful for—such as having a home, a warm bed, food, and the ability to shift the focus to the people, places, experiences, and things that bring you joy and happiness.
- Avoid repeating the same entries. This will make journaling more challenging and rewarding. This way will allow you to find a sense of gratitude to flourish.
- Instead of relying up all of the good people and things in your life, focus on how these people and things bring you joy. It would be like without them.
- Try to find something to appreciate in the people and things in your life. Focusing only on the goodness will help shift your perspective and bring you more happiness.

© 2022 The Institute for Functional Medicine



Integrating Guided Imagery and Visualization to Achieve Personal Health Goals

Guided imagery and visualization can improve health and well-being by using the mind to create positive changes in the body. As realistic as possible, help with achieving your goals.

Understanding guided imagery and visualization
Guided imagery involves using the mind to create positive changes in the body. It is a technique where a person is guided by a trained professional to visualize specific images, sounds, smells, and tastes. Visualization is related to guided imagery, but it involves picturing a specific outcome or goal.

GUIDED IMAGERY AND VISUALIZATION MAY BE HELPFUL FOR:

- Sleep
- Physical activity
- Dietary changes
- Stress relief
- General immune health
- Musculoskeletal issues
- Digestive complaints
- Mental health concerns

© 2022 The Institute for Functional Medicine



Meditation: How to Get Started

Meditation can support your physical, mental, and emotional well-being. There are many types of meditation, but it can be as simple as sitting and focusing on your breathing.

Practices that help calm your mind and reduce stress have been used for centuries. In the United States, meditation is practiced by millions of people. In India, where certain forms of meditation have been practiced for centuries, it is estimated that 10% of adults meditate. Meditation can help reduce stress, improve focus, and enhance overall well-being. There are many different types of meditation, but they all involve focusing the mind on a single point of attention. Some common types include Transcendental Meditation (TM), Vipassana, and Mindfulness. Meditation can be practiced anywhere and at any time. It can be as simple as sitting and focusing on your breathing, or it can involve more complex techniques. The key is to find a practice that works for you and to practice it regularly.

© 2022 The Institute for Functional Medicine



Strategies for Transforming Stress

You can't avoid stress, but you can manage it. Many simple relaxation strategies can help you transform stress. When you practice them every day, they will become healthy habits. Learning to adapt well in the face of challenges can bolster your energy reserves, support your health, and improve your quality of life.

Why Stress Relief Matters
Stress is one of the top health concerns of the 21st century—and for a good reason. The majority of visits to primary care doctors are due, in part, to the effects of chronic stress. For example, prolonged stress has been linked to health issues like heart disease, diabetes, and chronic pain. Ongoing stress can also harm your mood, emotions, and energy level.

Studies suggest that practicing relaxation methods can help you cope in a wide variety of situations and may improve health-related symptoms. Some of the symptoms and conditions that stress-relief practices can help with include:

- Anxiety
- Cancer (during and after treatment)
- Caregiver stress
- Childbirth
- Depression
- Diabetes
- Headaches, migraines
- Heart disease
- High blood pressure (hypertension)
- Insomnia
- Job-related stress
- Multiple sclerosis
- Pain control
- Parenting stress
- Parkinson's disease
- Pre-surgery stress
- Quitting smoking
- School-related stress
- Temporomandibular joint dysfunction (TMJ) or jaw pain

Ways to Manage Stress
Many proven stress-relief approaches are listed here. Choose the methods that appeal to you and work them into your daily routine. For example, do 10 minutes of yoga every day during your lunch break. Or, listen to relaxing music for 15 minutes every night before bed.

- Go for a walk or do other physical activities you enjoy
- Journal about things you are grateful for
- Use a free gratitude app online

© 2022 The Institute for Functional Medicine



Mindful Breathing

Mindful breathing is a simple tool that can easily be used anywhere to support your health and well-being. While it may take some practice, anyone can begin by slowing down their breath and focusing on each inhaled and exhaled breath. With regular practice, intentional and mindful breathing can help strengthen the mind-body connection which has physical, mental, and emotional benefits. With time, it may result in benefits such as supporting heart health, better sleep, less stress, and improved mental health.

What is Mindful Breathing?
Breathing is an activity most people do without even thinking about it. Since it is done automatically, most people aren't paying attention to whether their breathing is shallow or deep. Shallow breathing comes from the chest, bringing only small amounts of air into the lungs. Deep breathing pulls more air into the lungs, which requires the use of a muscle called the diaphragm. When inhaling, the diaphragm contracts and when exhaling, the diaphragm muscle relaxes. Deep, diaphragmatic breathing, also known as abdominal breathing encourages deep, slow breaths that activate the relaxation centers in the brain.

Mindful breathing exercises utilize deep, diaphragmatic breathing. They are designed to help you focus on inhaling and exhaling in a deep, controlled manner. When you incorporate mindful abdominal breathing exercises into your daily routine, it allows you to shift your attention away from your current situation and instead focus on your breathing. This can be particularly helpful during stressful or uncomfortable moments. Mindful, deep breathing is an important skill that can help you deal with stress, anxiety, and sleep issues.

How Mindful Breathing Supports Your Health
Intentionally and mindfully slowing down your breath has a direct influence on your autonomic nervous system (ANS), which controls the automatic functions of your body, like heart rate, digestion, and blood pressure. The ANS has two parts:

- The parasympathetic nervous system, also known as the "rest and digest" response
- The sympathetic nervous system, also known as the "fight or flight" response

The goal is to activate the parasympathetic (PS) nervous system which promotes the relaxation response. Mindful breathing helps shift your body out of "fight or flight" and into "rest and digest" by turning on the PS nervous system and turning off the sympathetic nervous system. Once you feel comfortable with your ability to breathe into the abdomen, it is not necessary to use your hands on your abdomen and chest.

© 2022 The Institute for Functional Medicine

Relationships: Toolkit Items



Relationships (Educate)

For the patient who would benefit from a heightened awareness of relationships as a root-cause mediator of their current health concerns.

Accessible version in your toolkit.



THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

Importance of Social Support & Relationships

Social interaction and good relationships can help you feel well and live a healthy balanced life. When these key contributors to health are lacking, the risk of disease increases.¹ The following diagram shows some of the health effects associated with poor social support, isolation, and loneliness.^{2,3}

Brain & Nervous System:

- Decreased brain function and memory⁴
- Higher risk of dementia (e.g., Alzheimer's)^{5,6}
- Poorer coping with a chronic disease⁷
- Greater risk for depression and anxiety⁸

Gut Health & Digestion:

- Greater risk of gut issues like heartburn, bloating, nausea, and constipation⁹
- Worse symptoms in chronic gut diseases (e.g., Crohn's)^{10,11}
- Changes in healthy gut bacteria¹²

Musculoskeletal:

- Weaker (less dense) bones¹³ and bone issues (fractures and bone mineral density)¹⁴⁻¹⁶ in elderly population^{17,18}
- Higher risk of muscle wasting^{19,20}

Energy & Cell Health:

- Defective mitochondria (the energy factories in most cells)
- Greater risk of cellular damage and dysfunction²¹
- Faster aging²²

Heart & Blood Vessels:

- Greater risk of high blood pressure, heart disease, and stroke²³
- More likely to have excess abdominal fat, a risk factor for heart disease²⁴
- Greater risk of unhealthy cholesterol levels²⁵

Blood Sugar Control:

- Higher blood sugar levels²⁷
- Greater risk of type 2 diabetes²⁸
- Poorer diabetes management²⁹

Inflammation & Immunity:

- Increased inflammation^{30,31}
- Slower wound healing³²
- Weakened immunity³³

Hormone Regulation:

- Too much or too little of the "stress hormone" cortisol³⁴
- Greater risk of low thyroid function³⁵
- Altered sex hormone levels³⁶

Created with BioRender.com by the Institute for Functional Medicine
© The Institute for Functional Medicine

Version 3; updated 2023

Relationships (Initiate)

Practical behaviors to recommend to support regular reflection and acknowledge the goodness in daily life.

Accessible version in your toolkit.



Practicing Gratitude with the IFM Gratitude Journal

"When I started counting my blessings, my whole life turned around."
— Willie Nelson

In recent years, the act of recognizing and expressing gratitude has been linked to many improved physical, psychological, and social health benefits for both healthcare providers and patients. These benefits include decreased stress levels, lowered blood pressure, better sleep quality, stronger immune systems, and increased feelings of joy, happiness, forgiveness, and compassion. Robert A. Emmons, Ph.D., a leading scientific expert on gratitude, sees the practice of gratitude as having two components: affirming the goodness in our lives, and exploring where that goodness comes from.

Here are some tips for practicing and exploring gratitude using a gratitude journal:

- Spend at least 15 minutes writing about the things for which you are grateful. You may find it easier to write at night, so you can include events or observations from the day.
- Set an alarm on your watch, calendar, or smart phone to help remind you to write in your journal once or twice per week. Try to integrate journaling into your routine, but also write down joyful experiences as they happen so that you don't forget them.
- Begin your journey by writing about the basic material things about which you are grateful—such as having a home, a warm bed, food, etc. Then, try to shift the focus to the people, places, experiences, and situations that bring you joy and happiness.
- Avoid repeating the same entries. This will make journaling a challenge as times passes, but challenging yourself in this way will allow your awareness and sense of gratitude to flourish.
- Instead of tallying up all of the good people and things in your life, reflect deeply on how these people and things bring you joy, and what your life would be like without them.
- Try to find something to appreciate in the people and things you don't like. Focusing only on the goodness will help shift your perceptions and bring you more happiness.

Diet, Nutrition, & Lifestyle Journal



THE INSTITUTE FOR
FUNCTIONAL
MEDICINE®

Patient Name

Date

Food Plan Type

Day Event	Food & Drink Intake (include type, amount, brand)	Macronutrients (PFC) and Phytonutrients
Rising Time		F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Breakfast Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Mid-AM Snack Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Lunch Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Mid-PM Snack Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Dinner Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
PM Snack Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Bed Time		F F ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR

Sleep & Relaxation	Exercise & Movement	Stress	Relationships
Sleep Quantity: (hrs) Quality: ☐ Poor ☐ Fair ☐ Good Relaxation ☐ Yes ☐ No Type/Amount:	Type, Duration, & Intensity ☐ Aerobic: ☐ Strength: ☐ Flexibility:	Stress reduction practices: Stressors:	Supporting: Non-supporting:

Mental	Emotional	Spiritual

Version 4: updated 2024

Clinical Focus

- Summary, conclusion, and key clinical takeaways
- Clinical pearls



Page 1 Lifestyle Questionnaire



Lifestyle Questionnaire

Patient Name:

Date:

Sleep

How many hours of sleep do you get each night on average:

Do you have problems falling asleep?

☐ Yes

☐ No

Do you have problems staying asleep?

☐ Yes

☐ No

Do you have problems with insomnia?

☐ Yes

☐ No

Do you snore?

☐ Yes

☐ No

Do you feel rested upon awakening?

☐ Yes

☐ No

Do you use sleeping aids?

☐ Yes

☐ No

If yes, explain:

Physical Activity

List your current physical activity, including type, number of times per week, and duration in minutes:

Cardiovascular/Aerobic (e.g., brisk walk):

Strength/Resistance:

Flexibility/Stretching:

Balance:

Sports/Leisure (e.g., golf):

Other (e.g., yard work):

Lifelong Lifestyle Timeline



Lifelong Lifestyle Timeline

Birth	Sleep		Current Age
	Exercise		
	Nutrition		
	Stress		
	Relationships		
Current Concerns:			
Name:		Date:	

Accessible version in your toolkit.

24-Hour Lifestyle Timeline:

Exercise – Sleep – Stress - Relationships



24 Hour Lifestyle Timeline

Date:

Exercise 12 a.m. to 3 a.m.	Sleep 12 a.m. to 3 a.m.	Stress/Relaxation 12 a.m. to 3 a.m.	Relationships/Connection 12 a.m. to 3 a.m.
3 a.m. to 6 a.m.	3 a.m. to 6 a.m.	3 a.m. to 6 a.m.	3 a.m. to 6 a.m.
6 a.m. to 9 a.m.	6 a.m. to 9 a.m.	6 a.m. to 9 a.m.	6 a.m. to 9 a.m.
9 a.m. to 12 p.m.	9 a.m. to 12 p.m.	9 a.m. to 12 p.m.	9 a.m. to 12 p.m.
12 p.m. to 3 p.m.	12 p.m. to 3 p.m.	12 p.m. to 3 p.m.	12 p.m. to 3 p.m.
3 p.m. to 6 p.m.	3 p.m. to 6 p.m.	3 p.m. to 6 p.m.	3 p.m. to 6 p.m.
6 p.m. to 9 p.m.	6 p.m. to 9 p.m.	6 p.m. to 9 p.m.	6 p.m. to 9 p.m.
9 p.m. to 12 p.m.	9 p.m. to 12 p.m.	9 p.m. to 12 p.m.	9 p.m. to 12 p.m.

© 2022 The Institute for Functional Medicine Version 1

Accessible version in your toolkit.

Lifestyle Planner:

Sleep and Rest

Movement and Exercise



Functional Medicine Lifestyle Planner

*When making lifestyle changes, it's important to make a specific plan. This helps ensure that you stay on track as well as be prepared for any obstacles. In addition to thinking about what steps you will take to improve your wellbeing, consider both **how** and **when** you will accomplish these goals. For the best results, keep this planner somewhere you will see it often.*

Sleep and Rest

What are you going to do?

How are you going to do it?

When are you going to do it?

Movement and Exercise

What are you going to do?

How are you going to do it?

When are you going to do it?

© 2022 The Institute for Functional Medicine

Version 1

Diet, Nutrition, & Lifestyle Journal



Diet, Nutrition & Lifestyle Journal—7 Day

Patient Name
 Date
 Food Plan Type

Day 1

Day Event	Food & Drink Intake (include type, amount, brand)	Macronutrients (PFC) and Phytonutrients
Rising Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Breakfast Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Mid-AM Snack Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Lunch Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Mid-PM Snack Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Dinner Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
PM Snack Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR
Bed Time		P F C ☐ R ☐ O ☐ Y ☐ G ☐ B/P/BL ☐ W/T/BR

P: Proteins; F: Fats; C: Carbohydrates; R: Red; O: Orange; Y: Yellow; G: Green; B/P/BL: Blue/Purple/Black; W/T/BR: White/Tan/Brown

Sleep & Relaxation	Exercise & Movement	Stress	Relationships
Sleep Quantity (hrs) Quality: ☐ Poor ☐ Fair ☐ Good Relaxation ☐ Yes ☐ No Type/Amount: 	Type, Duration, & Intensity ☐ Aerobic: ☐ Strength: ☐ Flexibility: 	Stress reduction practices: Stressors: 	Supporting: Non-supporting:

Mental	Emotional	Spiritual

Modifiable Lifestyle Factors

Tools to Assist Evaluation and Behavior Changes

APPLYING FUNCTIONAL MEDICINE IN CLINICAL PRACTICE