

Assignment 1.1: Insertion Sort (3 points)

Following pseudo code sorts an array of integers. Command swap switches values of two variables.

```
function isort(A)
  for i = 1 to size(A)-1
    j = i-1
    while (j >= 0) and (A[j] > A[j+1])
        swap(A[j], A[j+1])
        j = j-1
```

Create the following function in Python:

• isort(A: list): sorts a given list of integers using the insertion sort. Implement function based on the above pseudo code. Note that the use of the Python's built-in sort() method is not allowed.

Limits (your code should work with an input that is within these limits):

- ullet the maximum length of the list is 10^3
- each integer is between $1\dots 10^3$

A code template with an example program:

```
def isort(A):
    # TODO

if __name__ == "__main__":
    A = [4, 3, 6, 2, 9, 7, 1, 8, 5]
    isort(A)
    print(A)
```

Output:

```
$ python isort.py
[1, 2, 3, 4, 5, 6, 7, 8, 9]
```

Submit your solution in CodeGrade as isort.py.

אסטוקוווופווג ווב דוווופ וזעוווטפוס נס טטווגטן

For the background read the first paragraph of this article: https://en.wikipedia.org/wiki/Prime_number

Given a number N how many prime numbers are less or equal to N? For example if N=7 there are four prime numbers: 2,3,5 and 7 (note that 1 is not a prime number).

Create the following function in Python:

• primes (N: int): returns the numbers of primes that are less or equal to N

```
Limits: 1 \le N \le 10^5
```

A code template with an example program:

```
def primes(N):
    # TODO

if __name__ == "__main__":
    print(primes(7))
    print(primes(15))
    print(primes(50))
```

Output:

```
$ python primes.py
4
6
15
```

Submit your solution in CodeGrade as primes.py.

Assignment 1.3: Is it a Triangle? (3 points)

Three integers a, b and c presents the side lenghts of a triangle. Can you build any triangle from those three sides?

For example:

- 1. sides 3, 4 and 5 makes a right angle triangle
- 2. sides 5, 5 and 3 makes an isosceles triangle
- 3. sides 7, 3 and 3 doesn't make a triangle
- 4. sides 4,3 and -1 doesn't make a triangle

Create the following function in Python:

triangle(a: int, b: int, c: int): returns a boolean True if triangle can be built, False if not

A code template with an example program:

```
if __name__ == "__main__":
    print(triangle(3, 5, 4))
    print(triangle(-1, 2, 3))
    print(triangle(5, 9, 14))
    print(triangle(30, 12, 29))
```

Output:

```
$ python triangle.py
True
False
False
True
```

Submit your solution in CodeGrade as triangle.py.

Last modified: Wednesday, 4 September 2024, 2:16 PM

You are logged in as Hung Nguyen (Log out)

Search and Moodle Help Course search Student Guide (PDF) Moodle teacher's guide Moodle in Intra

Data retention summary
Get the mobile app
Policies

Copyright © LUT University