esade

Advanced Python

Class 3

Pepe Bonet Giner

12th January 2024

Index Class 3

Topic 1: Recap Class 2

Topic 2: GitHub I

Topic 3: Bringing Class 1 & 2 to Github

esade

Topic 1: Recap Class 2

The 4 things we saw

CLI Parser (Click)



Debugger (PDB)

Code Working

Code Working

Code Working

Code Working

Add debugger (stop the code)

Inspect the problem

Solve it

Code Not Working —> Code Working

More Code

More code

Try & Except



Classes

```
Codeium: Explain | CodiumAI: Options | Te
class filters_dataset:

    Codeium: Refactor | Explain | Gener
    def __init__(self, df):
        self.df = df
```

The 4 things we saw

CLI Parser (Click)



Debugger (PDB)

Code Working

Code Working

Code Working

Code Working

Add debugger (stop the code)

- Inspect the problem
- Solve it

Code Not Working —> Code Working

More Code

More code

Try & Except



Classes

```
Codeium: Explain | CodiumAI: Options | Te
class filters_dataset:

    Codeium: Refactor | Explain | Gener
    def __init__(self, df):
        self.df = df
```

Why are they important? What are their building blocks? Whiteboard Recap

esade

Topic 2: GitHub I

The Development Environment

"If you have time to set up only one piece of infrastructure well, make it the development environment"

Ville Tuulos

IDE

- Editor where you write the code

Code Versioning

- Store & track different versions and stages of your code

CI/CD

- Continuous Improvement & Continuous Development

Code Versioning - GitHub

- **Versioning:** Allows developers to track changes to their codebase over time.
- **Collaboration:** It enables multiple developers to work on the same project concurrently, managing code modifications, merging changes, and resolving conflicts efficiently.
- **Backup:** Remote code repository, hosting your project's code and providing a secure backup
- **Continuous Integration and Deployment (CI/CD):** Automated build and testing processes. Ensure code quality, and allows for smooth deployment to production environments.



Exercise

- I assume all of you have a GitHub account already created and you downloaded GitHub Desktop
- Let’s login in Github and in GitHub Desktop

Exercise

- Create a new repository to store all your files and the changes you make to them

What is .gitignore for?

- .gitignore is a file used in all git repositories to ignore files that you never want to put up in your remote repository (web / GitHub)
- Examples:
    - Secret information (Passwords etc)
    - Large files

Exercise

- Share the repository with me. Add me as a collaborator

Exercise

- Add a folder named scripts in the newly created folder and start a new python script

Exercise

- Commit new changes and push to your remote repository (The web)
- Explain everything step by step

Exercise

- Create a new branch and publish it to your remote repository

Exercise

- Make a change to one files in this new branch.
- Commit the changes in the file to the new branch

Exercise

- Push to your new branch
- Preview a pull request
- Create a pull request and merge your new branch with master
- Please Explain properly

Take home message —> You gotta use GitHub (or similar)

- **If you manage any type of data team or want to in the future**
- **If you want to do any data project**
- **If you want to properly learn how to work on an ML project**
- **If you plan on collaborating with people**
- **If you want to create your own product to share on the internet**



The infrastructure of a product we are building @ Hynts



Some Comments about commits

- Commit Regularly
- Use Meaningful Commit Messages
- Try using branches for different features, bug fixes, or experiments.
- Merge Changes Carefully
- Push regularly to GitHub for backup

esade

Topic 3: Class 1 & 2
To Github

Exercise

- Download dataset FilmGenreStats from the Moodle
- Let’s create a script within our folder that is connected to Github. This script should have:
  - Classes
  - Click
  - Try & Except
  - Maybe some import pdb;pdb.set_trace()
  - Every meaningful step we take should correspond with a commit