

# Programming fundamentals for Python

## HTTP

Pepe García [jgarciah@faculty.ie.edu](mailto:jgarciah@faculty.ie.edu)

2020-04-20



SCHOOL OF  
SCIENCE &  
TECHNOLOGY

# Plan for today

- Internet basics



SCHOOL OF  
SCIENCE &  
TECHNOLOGY

# Plan for today

- Internet basics
- HTTP



# Plan for today

- Internet basics
- HTTP
- Requests library



# Plan for today

- Internet basics
- HTTP
- Requests library
- Exercises



The internet is a **VERY BIG** computer network. It forms a **graph** of computers ones connected to others.

Discuss the Internet in the whiteboard.



HTTP is the protocol that powers The Internet:

Based on **requests** and **responses**.

**Clients** do requests and **servers** answer with responses





# HTTP requests

GET / HTTP/1.1

Accept: text/html

Host: www.example.com



SCHOOL OF  
SCIENCE &  
TECHNOLOGY

# HTTP Responses

## Status

HTTP/1.1 200 OK

Date: Mon, 23 May 2005 22:38:34 GMT

Content-Type: text/html; charset=UTF-8

Content-Length: 138

Last-Modified: Wed, 08 Jan 2003 23:11:55 GMT

Server: Apache/1.3.3.7 (Unix) (Red-Hat/Linux)

ETag: "3f80f-1b6-3e1cb03b"

Accept-Ranges: bytes

Connection: close

{"user": "pepegar", "age": 55}



# HTTP Requests

HTTP requests and responses are messages interchanged between client and server

HTTP requests may contain a lot of metadata but for us, today, the only field that matters is the URL:

HTTP clients send requests to HTTP servers. The most iconic case for HTTP clients is web browsers.

Web browsers are HTTP clients that allow us to navigate the web with our computer.

Deconstruct what happens when we browse the web (Developer mode)  
start at <https://en.wikipedia.org/wiki/Echidna>



Web APIs, or just APIs are the most common way for exposing information from a web server.



Most web APIs communicate using a data interchange format such as **JSON** or **XML**.



<http://json.org>

JSON is a data interchange format used to share data between HTTP clients and servers. Some valid JSON values are:

```
[1,2,3] # lists
```

```
1 # numbers
```

```
"potatoes" # Strings
```

```
{"name": "Pepe", "surname": "Garcia"} # dictionaries
```





# Using JSON

```
json_encoded_string = """  
    {"name": "Pepe", "last_name": "García"}  
    """
```

Let's **parse** this JSON string from Python using the **json** module



Requests is the most famous HTTP library for Python. It has an HTTP client as well as other useful utilities such as JSON handler, etc.

It should be already installed in your computers thanks to Anaconda.

We can use requests to get an HTTP response as follows:

```
import requests
```

```
response = requests.get("url")
```

```
data = response.text
```



Let's try using **requests** to get the homepage of <http://google.com>



Requests has builtin function for handling JSON responses

```
response = requests.get('https://swapi.dev/api/starships/9')  
  
response.json()
```



Use `https://swapi.dev/api/starships/9`

Call the API and print the name and model of the spaceship!



Use the Github API to retrieve all the public repositories in our organization!

<https://api.github.com/orgs/mcsbt-2023/repos>



Use the Github API to retrieve all the public repositories in our organization!

<https://api.github.com/orgs/mcsbt-2023/repos>

Then, for each one of them, print all commit messages.





Use the Github API to retrieve all the public repositories in our organization!

`https://api.github.com/orgs/mcsbt-2023/repos`

Then, for each one of them, print all commit messages.

`https://api.github.com/repos/mcsbt-2023/session-16/commits`

`data["commit"] ["message"]`



# Fuel for crazy ideas

<https://github.com/toddmotto/public-apis>



SCHOOL OF  
SCIENCE &  
TECHNOLOGY