

Simplifying Content Management Demo

✓ -1. Setup (for me only)

- Open slides in code
 - Open demo in code
 - Open terminal
 - Check size of VS Code
 - Open browser
 - <http://localhost:3008>
 - <http://11ty.io>
 - <http://netlify.com>
 - <https://www.netlifycms.org/>
 - <https://github.com/pepopowitz/eleventy-netlify-cms/tree/fresh-start>
 - Left side: code; right side: browser
 - Clicker
-

0. Initialization

✓ Already Done:

1. `npm init`
2. `git init`
3. `.gitignore` - `node_modules/` & `_site/`
4. Repo @ github set up
5. git remote added

Demo:

✓ Create a new branch

```
git checkout -b mkejs
```

✓ Install 11ty as a dev dependency

```
npm install --save-dev @11ty/eleventy
```

✓ Add local development script

`./package.json` (snippet: cms-0-0)

```
"scripts": {  
  "start": "eleventy --serve"  
}
```

✓ Add index page

`./index.md` (new) (snippet: cms-0-1)

```
# Spoooooooooky Kitties  
## They will melt your heart and eat your brains  
  
Other things they will eat:  
  
* Candy Corn
```

- * Dead Mice
- * Hot Pockets

☒ Start local server

`npm start`

☒ Explain what 11ty is doing

☒ Commit Work:

```
git add .
git commit -m "setup"
git push origin
```

1. Images

We need images!

Demo:

☒ Add image to index

`./index.md` (snippet: cms-1-0)

```
![Spooky Kitty](/images/kitty-1.jpg)
```

☒ View site in browser: no image is showing!

☒ View `/images/kitty-1.jpg` in browser: not found!

☒ View `/_site` in code: no images folder!

☒ Explain why image isn't showing up

☒ Add config to copy images through

`./eleventy.js` (new) (snippet: cms-1-1)

```
module.exports = function(eleventyConfig) {
  eleventyConfig.addPassthroughCopy("images");

  return {
    passthroughFileCopy: true
  };
};
```

☒ View site - image!

☒ Commit Work:

```
git add .
git commit -m "images"
git push origin
```

2. More Content

Let's add some more content!

Demo:

☒ Add "about" page

./about.md (snippet: cms-2-0)

```
# About Spoooooky Kitties

* They are spooky!
* They want to eat your brains!
* They also want to cuddle!
```

☒ Add "blog index" page

./blog/index.md (snippet: cms-2-1)

```
# Spoooooooooky Bloggy Kitties

They like to blog, and we'll put their posts here in the future.
```

☒ Add "404" page

./404.md (snippet: cms-2-2)

```
# Spoooooky Kitties
## Can't fiiiiind what you're looking foooooor

🐱 🐱 ♀
🐱 🐱 ♀
🐱 🐱 ♀
```

☒ Commit Work:

```
git add .
git commit -m "more content"
git push origin
```

3. Netlify

Let's push this sucker live!

Demo:

☒ Add build script

./package.json (snippet: cms-3-0)

```
"scripts": {  
  ...,  
  "build": "eleventy"  
}
```

✓ push it real good!

```
git add .  
git commit -m "Netlify"  
git push origin
```

✓ Configure Netlify

- Sign in
- Connect to Github
- Connect to repo
- Change name
- Check out build log

✓ Check out live site!

Note: 404 page doesn't "work"

✓ Configure 404 page

./404.md (snippet: cms-3-1)

```
---  
permalink: 404.html  
---
```

✓ Confirm 404 shows for unknown url's

Netlify serves 404.html for unknown url's by convention.

✓ Commit Work:

```
git add .  
git commit -m "404s"  
git push origin
```

4. Layouts

We need to output **meta** and a **common header**

We don't want to copy & paste

Demo:

✓ Add a base layout

./_includes/base.njk (snippet: cms-4-0)

```
<!doctype html>
<html lang="en">
  <head>
    <title>Spooooky Kitties!</title>
  </head>
  <body style="text-align: center">
    {{ content }}
  </body>
</html>
```

✔ Consume base layout

./index.md

```
---
layout: base.njk
---
```

✔ View site: Yuck!

The HTML is encoded, so we actually see the source!

✔ Add "safe" filter to base layout

./_includes/base.njk

```
{{ content | safe }}
```

We told the base layout that it was safe to render the content as HTML.

✔ Add title to layout

./_includes/base.njk

```
<title>...{{ title }}</title>
```

✔ Add title to content pages

./index.md, ./about.md, ./404.md, ./blog/index.md

```
---
title: XXXX
---
```

✔ Add header

./_includes/base.njk (snippet: cms-4-1)

```
<header>
  <nav>
    <a href="/">Home</a>
    <a href="/about">About</a>
```

```
<a href="/blog">Blog</a>
</nav>
</header>
```

☒ Commit Work:

```
git add .
git commit -m "layouts"
git push origin
```

We're going to publish blog posts

We want them to use a "blog" layout

which we want to inherit from our base layout

5. Nested Layouts

Demo:

☒ Create blog posts

./blog/post-X.md (snippet: cms-5-post-X)

```
## Kittens are the best!

Especially when they are spooooooky.

![spooky kitty](/images/kitty-2.jpg)
```

...repeat 4x...

☒ Add blog layout

./_includes/blog.njk (snippet: cms-5-1)

```
<h1>Blog!!!</h1>

{{ content | safe }}
```

☒ Inherit from base

./_includes/blog.njk

```
---
layout: base.njk
---
```

☒ Commit Work:

```
git add .
git commit -m "nested layouts"
git push origin
```

This site looks awful!

6. CSS

Demo:

☒ Add CSS file

./css/site.css (snippet: cms-6-0)

```
body {  
  background-color: black;  
  color: orange;  
}  
  
a, a:visited, a:active {  
  color: white;  
}  
  
img {  
  width: 500px;  
}  
  
ul {  
  display: inline-block;  
}
```

☒ Include css in layout

./_includes/base.njk (snippet: cms-6-1)

```
<html>  
  <head>  
    <!-- ... -->  
    <link rel="stylesheet" type="text/css" href="/css/site.css" />  
  </head>  
  <body>  
    <!-- ... -->  
  </body>  
</html>
```

☒ View site: no styles!

Why? What did we have to do with static images?

☒ Pass CSS through

./eleventy.js

```
module.exports = function(eleventyConfig) {  
  // ...  
  eleventyConfig.addPassthroughCopy("css");  
  
  return { ... };  
};
```

☒ Commit Work:

```
git add .
git commit -m "css"
git push origin
```

7. Collections

Our blog index should show all the blog posts.

How do we show a subset of content in another page?

Demo:

☒ Add tags to posts

./blog/post-X.md

```
---
tags: post
---
```

☒ Convert blog/index.md to blog/index.njk

So we can use nunjuck templating features to iterate the collection

./blog/index.njk (snippet: cms-7-0)

```
<h1>Spoooooooky Bloggy Kitties</h1>

<div>
  <ul>
    {%- for post in collections.post -%}
      <li>
        <a href="{{post.url}}">{{post.data.title}}</a>
      </li>
    {%- endfor -%}
  </ul>
</div>
```

☒ Specify order of posts

Currently, they're ordered in order of file create/update

We should be more explicit.

./blog/post-X.md (snippet: cms-7-1)

```
---
date: 2018-01-01T00:00:00.000Z
---
```

☒ Reverse order of posts

We want them ordered REVERSE chronologically

./eleventy.js (snippet: cms-7-2)

```
module.exports = function(eleventyConfig) {  
  // ...  
  
  eleventyConfig.addCollection("postsReversed", collection => {  
    return collection.getFilteredByTag("post").reverse();  
  });  
  
  return { ... };  
};
```

☒ Iterate custom collection

./blog/index.njk

```
<div>  
  <ul>  
    {%- for post in collections.postsReversed -%}  
    ...  
    {%- endfor -%}  
  </ul>  
</div>
```

☒ Commit Work:

```
git add .  
git commit -m "collections"  
git push origin
```

8. Netlify Admin

This site is awesome for devs & people visiting the site!

It is not so awesome for non-technical content authors.

Let's add a "headless CMS" for them!

Demo:

☒ View Netlify CMS website

<https://netlifycms.org>

☒ Add admin page

./admin/index.html (snippet: cms-8-0)

```
<!doctype html>  
<html>  
<head>  
  <meta charset="utf-8" />  
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />  
  <title>Content Manager</title>  
</head>  
<body>
```

```

<!-- Include the script that builds the page and powers Netlify CMS -->
<script src="https://unpkg.com/netlify-cms@^2.0.0/dist/netlify-cms.js"></script>
</body>
</html>

```

✔ Configure Netlify CMS

./admin/config.yml (snippet: cms-8-1)

```

backend:
  name: git-gateway
  branch: mkejs
media_folder: "images/uploads"
collections:
  - name: "blog" # Used in routes, e.g., /admin/collections/blog
    label: "Blog" # Used in the UI
    folder: "blog" # The path to the folder where the documents are stored
    create: true # Allow users to create new documents in this collection
    slug: "{{year}}-{{month}}-{{day}}-{{slug}}" # Filename template, e.g., YYYY-MM-DD-title.md
    fields: # The fields for each document, usually in front matter
      - {label: "Layout", name: "layout", widget: "hidden", default: "blog"}
      - {label: "tags", name: "tags", widget: "hidden", default: "post"}
      - {label: "Title", name: "title", widget: "string"}
      - {label: "Publish Date", name: "date", widget: "datetime"}
      - {label: "Body", name: "body", widget: "markdown"}

```

✔ Pass admin folder through

./eleventy.js

```

module.exports = function(eleventyConfig) {
  // ...
  addPassthroughCopy('admin');
  // ...

  return { ... };
};

```

✔ Add Netlify identity widget

./admin/index.html (snippet: cms-8-2)

./_includes/base.njk (snippet: cms-8-2)

```

<head>
<script src="https://identity.netlify.com/v1/netlify-identity-widget.js"></script>
</head>

```

✔ Commit Work:

```

git add .
git commit -m "netlify cms"
git push origin

```

☒ **Configure Netlify identity**

Open site configuration on Netlify.com

Select "Enable Identity"

Choose "Open or Invite Only"

Add Google provider

Choose "Enable Git Gateway"

Invite User (me)

☒ **Sign into admin**

Check email & accept invite

Sign in with google

☒ **Make content!**☒ **View Netlify build log**☒ **View live site**☒ **View git history**

Pull latest

```
git pull
```

View history

```
git log-1
```

Compare changes

```
git diff HEAD HEAD~1
```

9. Thank You

Thank you!

☒ **./thank-you.md (snippet: cms-thank-you)**

```
# THANK YOU!
## @pepopowitz
## steven.j.hicks@gmail.com
## stevenhicks.me/simplifying-content-management
```

☒ **Open preview**