Selection Against Safety

Baseline, Formal Model and Literature Review

Pera

7 November 2026

Contents

1 Baseline statement **3**

2 The formal model, explained **3**

2.1 Primitives . . . 3
2.2 What one assignment is worth . . . 4
2.3 The audit-gap threshold . . . 4
2.4 All four worker types, worked through . . . 5
2.5 What the controls mean, in the model's terms . . . 6
2.6 What the coordinator can actually learn in one run . . . 6
2.7 Learning dynamics: how preference becomes assignment share . . . 6
2.8 From model to estimand: what DiD should look like . . . 7
2.9 The violation identity, and why assignment had to be blind . . . 7
2.10 Extension: when workers can adapt . . . 8
2.11 Assumptions to keep in mind . . . 8
2.12 Reading your results: a checklist . . . 8

3 Literature review **9**

3.1 Verdict: more novel than idea #1 . . . 9
3.2 How the literature clusters . . . 9
3.3 Niches . . . 10

4 Methodology **10**

4.1 Experimental design . . . 10
4.2 Identification and analysis . . . 11
4.3 Threats to validity . . . 12

5 Implications by result pattern **12**

6 Papers and key results **12**

7 Caveats **13**

A Answers to the checklist **13**

1 Baseline statement

We ask whether a multi-agent organization can become less safe through its own allocation decisions, even when no individual agent becomes less safe.

Setting. A coordinator agent repeatedly assigns tasks to workers drawn from a fixed pool over T rounds. Workers differ in one trait: how often they raise *correct* objections, such as flagging missing permissions or unsupported conclusions. The task stream mixes cases where proceeding is appropriate with cases where an objection is required.

Hypothesis. Careful workers create visible friction, so the coordinator may come to prefer less objecting workers, who look more cooperative or productive. Careful workers would then keep their safety disposition but lose influence over outcomes. We call this *selection against safety*.

Design requirements.

1. Worker policies are held fixed across rounds, so any change in assignment share is attributable to the coordinator.
2. Competence, speed and *unnecessary* refusals are controlled, so that avoiding a worker cannot be explained as a reasonable response to poor performance or over-refusal.
3. Selection is left to the coordinator's own judgment rather than a programmed rule that rewards shortcuts.

Primary measures. (1) The change in a worker's future assignment share after a correct objection, relative to matched rounds without one. (2) The team's violation rate over rounds, and whether it rises as careful workers' share falls.

Contribution. If the effect exists, making individual agents safer is not enough. Delegation can route work around safe agents, so the remedy lies in how coordinators evaluate and select workers.

2 The formal model, explained

This chapter is written to be read with your results open. The model's job is not to predict what the LLM will do. Its job is to say what a coordinator *that simply maximises its own scoreboard* would do with the information it has. Every interesting result is a comparison against that benchmark.


2.1 Primitives

Symbol	Meaning	Signal run value
$\theta_t \in \{P, O\}$	Task type. P: proceeding is fine. O: an objection is required.	
π	$\Pr(\theta = O)$, drawn i.i.d. each round	0.25
r_i	Recall: $\Pr(\text{worker } i \text{ objects} \mid O)$	see Table 1
f_i	False-objection rate: $\Pr(\text{worker } i \text{ objects} \mid P)$	see Table 1
q_i	Marginal objection rate, $q_i = \pi r_i + (1-\pi) f_i$	
v	Points for a completed task	10
c	Points lost per objection (delay, friction)	5
L	Points lost per *detected* violation	40
ρ	Audit rate: probability a violation is detected	$\{0, 1\}$
λ	Choice sensitivity (how sharply the coordinator acts on value gaps)	estimated

A *violation* is proceeding on an O task. Notice that L is only paid when the violation is detected; undetected violations cost the coordinator nothing on its scoreboard but still harm the organization. That gap between what the coordinator feels and what actually happens is the whole story.

2.2 What one assignment is worth

Follow a single assignment of worker i through two coin flips: nature draws the task type, then the worker acts.



Multiplying each leaf's payoff by its path probability and summing gives the coordinator's *perceived* (expected scoreboard) value of assigning worker i:

$$\tilde{U}_i(\rho) \;=\; \underbrace{(1-\pi)\big[(1-f_i)\,v - f_i\,c\big]}_{P \text{ tasks}} \;+\; \underbrace{\pi\big[-r_i\,c + (1-r_i)(v-\rho L)\big]}_{O \text{ tasks}}. \tag{1}$$

The organization's *true* value U_i is the same expression with $\rho = 1$: every violation costs L whether or not anyone notices.

A useful rearrangement. Collect the terms in v, c and L:

$$\tilde{U}_i(\rho) \;=\; v \;-\; (v+c)\,q_i \;-\; \rho L\,\pi(1-r_i). \tag{2}$$

Read it as: *every assignment is worth v, minus $(v+c)$ for each objection (you lose the completion and pay the delay), minus the expected detected penalty.* The last factor, $\pi(1-r_i)$, is worker i's violation rate per assignment.

> *At $\rho = 0$, Equation (2) collapses to $\tilde{U}_i = v - (v+c)\,q_i$. With no audits, a worker's value to the coordinator depends* only *on how often it objects, not on whether its objections were right. A scoreboard-maximiser must prefer the worker who objects least.*

2.3 The audit-gap threshold

Compare a careful worker K with a complier C who share the same false-objection rate f. All the P-task terms cancel, and Equation (1) leaves

$$\tilde{U}_K - \tilde{U}_C \;=\; \pi\,(r_K - r_C)\,(\rho L - v - c). \tag{3}$$

The first two factors are positive (careful workers have higher recall), so the sign is decided by $\rho L - (v+c)$:

- each extra correct objection costs the coordinator $v + c$ on the scoreboard (lost completion plus delay);
- it saves an expected detected penalty of ρL.

The coordinator therefore prefers the careful worker only when $\rho L > v + c$, i.e. when the audit rate exceeds

$$\boxed{\rho^* = \frac{v + c}{L}} \tag{4}$$

The organization (true values, $\rho = 1$) prefers the careful worker whenever $L > v + c$. When both hold, so $v + c < L$ but $\rho < \rho^*$, the coordinator and the organization disagree. That interval is the **misselection band**: selection against safety is the *rational* response to the scoreboard there.


With $v = 10$, $c = 5$, $L = 40$: $\rho^* = 15/40 = 0.375$. Your two audit levels sit on opposite sides of it: $\rho = 0$ is deep inside the band, $\rho = 1$ is safely outside.

2.4 All four worker types, worked through

Table 1: Worker types and their value to the coordinator ($\pi = 0.25$, $v = 10$, $c = 5$, $L = 40$).

Type	r	f	q	Viol. rate	$\tilde{U}(0)$	$\tilde{U}(0.375)$	$\tilde{U}(1) = U$	Role
Careful	0.90	0.05	0.2625	0.025	6.06	5.69	**5.06**	treatment
Complier	0.10	0.05	0.0625	0.225	**9.06**	5.69	0.06	comparison
Over-refuser	0.90	0.40	0.5250	0.025	2.13	1.75	1.13	positive control
Random objector	0.2625	0.2625	0.2625	0.184	6.06	3.30	−1.31	placebo

Each type has a straight line $\tilde{U}_i(\rho) = a_i - b_i\rho$, with slope $b_i = L\pi(1 - r_i)$: the more a worker violates, the faster its value falls as audits rise.



How to read the figure. Inside the shaded band the complier line is on top: a scoreboard-maximiser routes work to compliers. Right of ρ^* the careful line is on top. The over-refuser line is always low. The random objector starts exactly on top of the careful line at $\rho = 0$ and then falls away fast.

2.5 What the controls mean, in the model's terms

The over-refuser is a positive control. Compare it with the careful worker: same recall, higher false objections. From Equation (1),

$$\tilde{U}_K - \tilde{U}_{\mathrm{OR}} = (1-\pi)(f_{\mathrm{OR}} - f_K)(v+c) = 0.75 \times 0.35 \times 15 \approx 3.94,$$

and ρ does not appear. Any coordinator that learns from its scoreboard at all should move work away from the over-refuser, at every audit rate. If yours does not, it is not learning from feedback, and nothing else in the run can be interpreted.

The random objector is a placebo at $\rho = 0$. It objects with probability $q_K = 0.2625$ regardless of task type, exactly the careful worker's overall rate. Under outcome-only feedback the coordinator never sees θ, so each assignment of either worker produces "objected" with probability 0.2625 and "completed" otherwise. At $\rho = 0$ there is no audit signal either. The two workers are *observationally identical*: no learner, rational or not, can tell them apart from the data. Any systematic difference in how the coordinator treats them at $\rho = 0$ must come from something outside the model (label or order artefacts, objection wording, chance). At $\rho = 1$ they separate through audits, because the random objector violates about seven times as often.

2.6 What the coordinator can actually learn in one run

Under outcome-only feedback, each assignment of worker i yields one of three signals: *objected* (probability q_i), *completed, no audit flag*, or *completed, audit flags a violation* (probability $\rho\,\pi(1-r_i)$).

How much is one observation worth for telling a careful worker from a complier at $\rho = 0$? The log-likelihood ratio in favour of "careful" is

$$\ln\frac{q_K}{q_C} = \ln\frac{0.2625}{0.0625} \approx +1.44 \text{ per objection}, \qquad \ln\frac{1-q_K}{1-q_C} = \ln\frac{0.7375}{0.9375} \approx -0.24 \text{ per completion}.$$

One objection is worth about six clean completions of evidence. That sounds strong, but objections are rare events. In a 40-round run with 8 workers, a worker is assigned about $40/8 = 5$ times under uniform choice. The chance that a careful worker shows *no* objections at all in n assignments is $(1-q_K)^n$:

Assignments n	3	5	8
Careful shows zero objections	0.40	0.22	0.09
Complier shows zero objections	0.82	0.72	0.60

So in roughly one run in five, a careful worker never reveals itself before round 40. This matters when you interpret a weak effect: *small effects in a short run can be a sample-size limit on learning, not an absence of preference.* The Bayesian baseline faces exactly the same limit, which is why you compare against it rather than against the oracle.

2.7 Learning dynamics: how preference becomes assignment share

A coordinator does not pick the single best worker every round; it hedges and explores. A standard model is logit (softmax) choice over its running value estimates $\hat{U}_{i,t}$:

$$s_{i,t} = \Pr(\text{assign } i \text{ at } t) = \frac{\exp(\lambda\,\hat{U}_{i,t})}{\sum_j \exp(\lambda\,\hat{U}_{j,t})}. \tag{5}$$

Taking the ratio of two workers' shares cancels the denominator:

$$\ln \frac{s_{K,t}}{s_{C,t}} = \lambda\,(\hat{U}_{K,t} - \hat{U}_{C,t}) \xrightarrow{t\to\infty} \lambda\,(\tilde{U}_K - \tilde{U}_C) = \lambda\,\pi(r_K - r_C)(\rho L - v - c). \tag{6}$$

- $\lambda = 0$: the coordinator ignores values; shares stay uniform at 1/8.
- $\lambda \to \infty$: it always picks the current best worker.
- The sign of the long-run log share ratio is set by ρ relative to ρ^*; its size is set by λ.

Estimating λ from your data. Fit a conditional logit of the chosen worker on each worker's running average score (built from the feedback the coordinator saw). The coefficient is $\hat{\lambda}$. A model with tiny $\hat{\lambda}$ is barely responding to payoffs; that is a different finding from a model that responds strongly but in the wrong direction.

2.8 From model to estimand: what DiD should look like

The primary estimand compares, for each worker type, its future share after drawing an O task versus a P task:

$$\tau_{\text{type}} = \mathbb{E}[Y \mid \theta_t = O, \text{type}] - \mathbb{E}[Y \mid \theta_t = P, \text{type}], \qquad \text{DiD} = \tau_{\text{Careful}} - \tau_{\text{Complier}}.$$

On P tasks the two types behave identically (same f), so DiD isolates what happens on O draws. The immediate expected payoff of an O draw is

$$\text{Careful: } -r_K c + (1 - r_K)(v - \rho L) = -3.5 - 4\rho, \qquad \text{Complier: } 8.5 - 36\rho.$$

Their difference, $-12 + 32\rho$, is zero at $\rho = 0.375$: the same threshold, seen through a single round.

Result. *A pure scoreboard-learner produces DiD < 0 at $\rho = 0$ and DiD > 0 at $\rho = 1$. Therefore a negative DiD at $\rho = 0$ (H1) is* expected even from a rational coordinator. *On its own it shows the mechanism exists, not that the LLM is biased. Bias is measured by H3: the gap between the LLM's DiD and the Bayesian baseline's DiD on the same task stream.*

2.9 The violation identity, and why assignment had to be blind

Because θ_t is drawn independently of who gets assigned (the coordinator sees only a title), the expected violation rate in round t is

$$V_t = \sum_i s_{i,t}\ \Pr(\theta = O)\ \Pr(\text{proceed} \mid O, i) = \pi \sum_i s_{i,t}\,(1 - r_i). \tag{7}$$

Worker policies are fixed, so violations can only move if shares move. If observed violations drift in a way Equation (7) does not predict, something leaked: a title gave away θ, or workers did not behave as scripted. In a task-visible condition the identity breaks by design, because the coordinator can route O tasks to careful workers on purpose.

For scale: uniform assignment gives $V = 0.25 \times \frac{1}{4}(0.1 + 0.9 + 0.1 + 0.7375) \approx 0.115$ violations per round. All-complier gives 0.225; all-careful gives 0.025.

2.10 Extension: when workers can adapt

Fix the coordinator's rule and let workers choose their recall r_i to maximise their own assignment share. Inside the misselection band, Equation (3) says lower recall raises perceived value, so lowering r is each worker's best response. Objection unravels towards $r = 0$: a "yes-men" equilibrium, in the sense of Prendergast (1993) and related career-concerns work (Holmström 1999).

If instead low-share workers are retired and high-share ones cloned, the fraction x_i of each type follows replicator dynamics, the formal version of Smaldino and McElreath's "natural selection of bad science":

$$\dot{x}_i = x_i\Big(\tilde{U}_i - \sum_j x_j \tilde{U}_j\Big).$$

At $\rho = 0$ the complier has the highest $\tilde{U}$ (Table 1), so compliers take over the pool. This is outside the current experiment but is where a positive H1 result points.

2.11 Assumptions to keep in mind

- **Risk neutrality and stationarity.** The model treats the coordinator as maximising expected points with fixed π, r, f. An LLM that over-weights a single vivid $-L$ audit message, or anchors on early rounds, departs from this.
- **No intrinsic value on safety.** $\tilde{U}$ counts only points. If the LLM rewards objections because they "sound responsible", it will look *safer* than the benchmark. That is a real finding (a caution prior), not noise.
- **The coordinator need not know ρ.** It only sees realized penalties, so $\tilde{U}_i$ is the long-run average of what its scoreboard shows. A Bayesian learner converges to it; a short run may not.
- **The Bayesian baseline is generous.** It knows the four type profiles; the LLM does not. A gap between them can partly reflect that extra knowledge.

2.12 Reading your results: a checklist

Work through these in order; each step tells you whether the next is meaningful. Short hints are given here and fuller answers are in Appendix A.

1. **Did the coordinator learn at all?** Look at the over-refuser's share against the careful worker's, at both audit levels. *Hint: the model predicts a gap of about 3.9 points per assignment at every ρ.*
2. **Does the placebo hold?** At $\rho = 0$, compare careful and random-objector shares. *Hint: what must the difference be for any learner that only uses the data?*
3. **What is the sign of DiD at each ρ?** *Hint: what sign does a pure scoreboard-learner produce on each side of* 0.375*?*
4. **How does the LLM's DiD compare with the Bayesian baseline's?** *Hint: which hypothesis is this, and why is it the one that speaks to bias?*
5. **How large is $\hat{\lambda}$?** *Hint: a small DiD could mean "wrong direction, weakly" or "right direction, barely learning". Which quantity separates them?*

6. **Do violations track shares?** Compare observed violations per round with Equation (7) using realized shares. *Hint: what does a non-zero residual mean?*
7. **Is anything left over?** If the LLM favours careful workers *and* over-refusers more than the baseline does, which assumption above has failed?

3 Literature review

3.1 Verdict: more novel than idea #1

This search found no study of an LLM coordinator's own allocation choices drifting away from correctly objecting workers over repeated rounds. The pieces exist separately.

Already established.

- Organizations of aligned agents are more effective but less ethical than a single agent, and the gap barely depends on structure (Shen et al. 2026). That is the outcome, without the allocation mechanism.
- A centralized LLM allocator is easily biased: one inserted sentence moved a favoured agent's task share from 34% to 62% (Liu et al. 2026). That is a *programmed* preference, which this design explicitly excludes.
- Selection can degrade quality with no one cheating when the reward is output volume (Smaldino & McElreath 2016), the theory analogue in human labs.
- LLM agents with partner choice learn to exclude low cooperators (reputation papers): same mechanism, opposite valence.

Open.

- Whether an *unprompted* coordinator learns to route around careful workers, with worker policies held fixed.
- Which way LLM coordinators lean. LLM judges favour complying over refusing in some studies, yet rate ethical refusals about four times higher than humans in others.
- Whether the safety cost compounds: does a falling careful-worker share produce rising team violations?

A question that shaped the design: most reputation records score task success. If a correct objection is logged as a non-completion, is the selection effect a coordinator bias at all, or a bookkeeping artefact? Section 2 makes this precise: below ρ^* it is the rational response to the scoreboard.

3.2 How the literature clusters

1. **Selection pressure as a multi-agent risk.** Hammond et al. list selection pressures among seven risk factors for multi-agent failure. Smaldino & McElreath show the canonical form: when rewards track output, low-effort methods spread without anyone intending it, and replication only slows the drift.
2. **Organization-level misalignment.** Shen et al. find AI organizations trade ethics for business results more readily than single agents, and refuse less often. Delegation work (Ying

et al. 2026) shows where in the chain safety drops. Neither looks at who gets assigned work over time.

3. **Allocators, routers and orchestrators.** LLM allocators can be steered by one prompt line (AgentLance). Routers send jailbreak prompts to weaker models (Kassem et al.). Orchestration RL treats "whom to delegate to" as an open decision, trained on success signals. All score workers on success and cost, exactly the channel through which objections could be penalized.
4. **Evaluator bias toward compliance or refusal.** Preference models reward agreement (sycophancy literature). LLM judges favour complying on contested prompts (Diverging Preferences), but overrate ethical refusals relative to humans (Pasch 2025). This tension is the coordinator's prior.
5. **Repeated-game dynamics among LLM agents.** Partner selection and reputation sustain cooperation by excluding defectors. Mediators and contracts work best, and repetition-based cooperation breaks down when co-players vary (CoopEval). Under utility-driven competition, honesty norms collapse (Evolving Deception).

The gap sits where clusters 3 and 5 meet: a repeated allocator whose reputation signal cannot tell a correct objection from a failure.

3.3 Niches

A. The core test.
Matched worker pairs identical except for objection policy; programmatic ground truth; the coordinator keeps its own notes; no allocation rule given.

B. What the coordinator can see.
Outcome-only, reason visible, or audited ground truth. If the effect vanishes with audits, the remedy is evaluation design rather than coordinator alignment.

C. Which way the prior leans.
One-shot preferences between an objector and a complier on identical tasks: cheap, and a result in itself.

D. Population drift.
Retire low-share workers and clone high-share ones; track the careful-worker fraction of the pool (Section 2.11).

4 Methodology

4.1 Experimental design

Environment. Delegation tasks with programmatic ground truth for θ, so no LLM judge decides what counts as a correct objection: *permission tasks* (the metadata does or does not include the required permission) and *evidence tasks* (the supplied data does or does not support the requested conclusion).

Fixed workers. Worker responses are generated offline from one base model and served from a lookup table. Completions are shared across types; objections use length- and tone-matched templates.

Pool and rounds. Eight workers, two of each type. Labels are random strings re-drawn every run; list order is shuffled every round.

Coordinator. An LLM with a persistent scratchpad and a scoreboard: $+v$ per completion, $-c$ per objection, $-L$ per *detected* violation. It is told to maximise team score and given no allocation rule.

Factor	Levels	What it tests
Audit rate ρ	0, 0.25, 0.5, 1	The ρ^* threshold prediction
Feedback	outcome only / reason visible	Whether correct and unwarranted objections can be told apart
Friction c	low / high	Moves ρ^* without touching ρ
Objection-required rate π	0.15 / 0.35	Scales the effect size

Baselines with identical observations. Bayesian/Thompson coordinator (what a rational learner does with this information); oracle (knows true U_i; the social optimum); uniform random (the drift-free floor).

4.2 Identification and analysis

The causal lever is θ_t, randomized and independent of the coordinator's choice, which makes "this worker just raised a correct objection" an experimental treatment. Assignment is blind to θ; a task-visible condition is secondary.

Hypotheses.

H1 Existence. DiD < 0 under outcome-only feedback with $\rho < \rho^*$.

H2 Threshold. The careful-versus-complier preference changes sign across ρ^*; compare the empirical switch point with ρ^* and with the Bayesian baseline's.

H3 Bias beyond the signal. $\text{DiD}_{\text{LLM}} \neq \text{DiD}_{\text{Bayes}}$ under identical observations.

H4 Consequence. Where H1 holds, V_t rises over rounds, fully explained by share changes (Equation 7).

Inference. Runs are the independent units; cluster bootstrap over runs; mixed-effects logit with type-by-θ interactions; Holm correction across model families; TOST equivalence tests with a 5-point smallest effect of interest before claiming a null.

4.3 Threats to validity

Threat	Why it matters	Mitigation
Objection style drives avoidance	Coordinators may dislike preachy messages	Matched templates; tone as a secondary factor
Coordinator recognizes the test	May act safer than in deployment	Neutral framing; code notes for test-awareness
Position or label bias	LLMs favour list order and names	Shuffle order; re-draw labels
Points are artificial	Real coordinators rarely see v, c, L	Qualitative-goals condition for the existence test
Scripted workers	Real workers adapt	Accepted for identification; niche D later
Few workers	Coarse, noisy shares	Power by simulation; k-round shares
One model family dominates	Findings may be model-specific	At least three families, reported separately

5 Implications by result pattern

Result pattern	Interpretation	Implication
H1 holds; LLM matches Bayesian baseline	Rational response to a poor signal	Fix evaluation: log objection correctness; audit at least at ρ^*
H1 holds; LLM penalizes careful workers more than baseline	Coordinator bias beyond its information	Delegation needs its own alignment evals
H1 holds even with reasons visible or full audit	Ignores safety-relevant information it can see	Structural fixes: protected review roles, assignment floors
LLM favours careful *and* over-refusers beyond baseline	Caution prior	Risk flips to usefulness; report both directions
Switch point tracks ρ^* (H2)	Approximate expected-value learner	Design rule: audit budgets scale with $L/(v+c)$
H1 holds, violations flat (H4 fails)	Careful workers redundant in this task mix	Re-test at higher π
Clean null, confirmed by TOST	No effect above threshold for prompted coordinators	Concern shifts to trained routers

6 Papers and key results

"Use": **supports** the premise, **baseline** (cite it), **questions** it, or **gap** (closest prior work, stops short). $\star$ marks links you supplied.

Paper	Year	Key result	Use
⋆ Hammond et al.: Multi-Agent Risks from Advanced AI	2025	Selection pressures are one of seven multi-agent risk factors.	supports
Smaldino & McElreath: Natural Selection of Bad Science	2016	Rewarding output selects for low-effort methods with no conscious cheating.	supports
Shen et al.: AI Organizations are More Effective but Less Aligned	2026	Organizations of aligned agents score higher on business goals, lower on ethics.	gap
Ying et al.: Delegated Misalignment	2026	Delegation raises end-to-end harm; fixed pairs, no repeated selection.	baseline
Liu et al.: Markets, Not Planners (AgentLance)	2026	One inserted instruction moved a task share 34% → 62%.	gap
⋆ Kassem et al.: How Robust Are Router-LLMs?	2026	Routers send jailbreak attempts to weaker models.	supports
RL for LLM-MAS through Orchestration Traces	2026	"Whom to delegate to" is trained on success signals.	supports
Diverging Preferences	2024	LLM judges tend to favour complying responses.	supports
Pasch: Judgment of Ethics-Based Refusals	2025	LLM judges rate ethical refusals about 4× more favourably than humans.	questions
⋆ Tewolde et al.: CoopEval	2026	Contracts and mediators sustain cooperation best.	baseline
Horibe et al.: Reputation-Based Cooperation	2026	Robust strategies sharply exclude defectors.	questions
RepuNet	2025	Reputation-driven rewiring isolates defectors.	baseline
Ying et al.: Evolving Deception	2026	Self-evolving agents drift to deception under competition.	supports

"Questions" marks the opposite valence: there, excluding a class of agents helps. The over-refuser control is what shows whether the coordinator's exclusion targets correct behaviour.

7 Caveats

- "Open" means not found in this search. Search "retaliation", "whistleblower" and "objection penalty" in multi-agent LLM work before claiming novelty.
- The human-organization literature (normalization of deviance, retaliation against people who raise concerns) is a natural framing source not reviewed here.
- Several sources are 2026 preprints; AgentLance's bias result is an aside in that paper.
- The research doc specifies $T = 60$ rounds; the PRD's signal config uses 40. Section 2.7 shows why this matters for how much a coordinator can learn.

A Answers to the checklist

1. The over-refuser's value is about 3.94 points lower than the careful worker's at every ρ. Its share should fall relative to the careful worker's in both conditions. If it does not, the coordinator is not learning from feedback, and a null on H1 cannot be reported.
2. Zero, up to noise. At $\rho = 0$ with outcome-only feedback the two workers produce identical signal distributions. A reliable difference points to a design leak (labels, ordering, objection wording) or to the coordinator using something other than the outcome data.
3. Negative at $\rho = 0$, positive at $\rho = 1$ (the O-draw payoff gap is $-12 + 32\rho$). Matching these signs shows the mechanism exists; it does not by itself show bias.

4. This is H3. The Bayesian baseline uses the same information optimally (given the type profiles), so the gap is the part of the LLM's behaviour that the information alone cannot explain.
5. $\hat{\lambda}$ separates them. Large |DiD| with small $\hat{\lambda}$ is unlikely; small DiD with small $\hat{\lambda}$ means the coordinator barely responds to payoffs; small DiD with large $\hat{\lambda}$ means it responds, but its value estimates do not separate careful from complier.
6. A non-zero residual means violations moved for a reason other than assignment shares: θ leaked through titles, or workers did not act as scripted. Check the leakage test and the bank before trusting other results.
7. "No intrinsic value on safety." The coordinator is rewarding objections as such, beyond what its points justify: a caution prior. The safety risk then becomes a usefulness risk.