

**Started on** Saturday, 16 May 2026, 7:51 PM

**State** Finished

**Completed on** Saturday, 16 May 2026, 8:05 PM

**Time taken** 13 mins 27 secs

**Grade** 14.00 out of 15.00 (93.33%)

**Question 1** | Correct Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
```

```
print(min(t)+max(t)+t.count(52))
```

- ☐ a. 100
- ☐ b. 2
- ☒ c. 117 ✓
- ☐ d. Error

**Question 2** | Correct Mark 1.00 out of 1.00

Choose the correct option.

- ☒ a. In Python, a tuple can contain both integers and strings as its elements. ✓
- ☐ b. In Python, a tuple can contain either string or integer but not both at a time.
- ☐ c. In Python, a tuple can contain only integers as its elements.
- ☐ d. In Python, a tuple can contain only strings as its elements.

**Question 3** | Correct Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- ☐ a. ("Wonder")
- ☒ b. (1,4,5,6,7) ✓
- ☐ c. {1,3,8,9,41}
- ☐ d. [1,2,3,4]

**Question 4** | Correct Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- ☒ a. True ✓
- ☐ b. False

**Question 5** | Correct Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

```
a=(15,16,17,18,19,25)
```

```
print((a[1:-1]))
```

- ☐ a. (25,19,18,17)
- ☐ b. Error
- ☒ c. (16,17,18,19) ✓
- ☐ d. (16,17,18)

**Question 6** | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- ☐ a. Error
- ☐ b. (1,2,3)(4,5,6)
- ☒ c. (1,2,3,4,5,6) ✓
- ☐ d. (1,2,3,3,2,1)

**Question 7** | Incorrect Mark 0.00 out of 1.00

What will set1 | set2 do?

```
If set1={"a","b",3}  
set2={3,7}
```

- ☐ a. Elements of set2 will get appended to set1
- ☐ b. Elements of set1 will get appended to set2
- ☐ c. A new set will be created with the elements of both set1 and set2
- ☒ d. A new set will be created with the unique elements of set1 and set2. ❌

**Question 8** | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)  
x = [t1[i] for i in range(0, len(t1), 2)]  
print(x)
```

- ☐ a. [(55,33,11)]
- ☐ b. (55,33,11)
- ☒ c. [55, 33, 11] ✔️
- ☐ d. [(55,33,11)]

**Question 9** | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}  
  
print(set1)
```

- ☐ a. It will throw an error as there are two 0 while creating the set.
- ☐ b. {0,0,9}
- ☒ c. {0,9} ✔️
- ☐ d. {9}

**Question 10** | Correct Mark 1.00 out of 1.00

Which of the following Python code will create a set?

- (i) `set1=set((0,9,0))`  
(ii) `set1=set([0,2,9])`  
(iii) `set1={}`

- ☐ a. ii  
☐ b. All of the above  
☐ c. iii  
☒ d. i,ii ✓

**Question 11** | Correct Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- ☒ a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓  
☐ b. (30, 40, 50) (10, 20, 30, 40)  
☐ c. (10, 20, 30, 40) (40, 50, 60, 70, 80)  
☐ d. (30, 40, 50)(40, 50, 60, 70, 80)

**Question 12** | Correct Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tuple1=("python", "programming", "Computer")
print(tuple1[-3:0])
```

- ☐ a. Computer  
☒ b. () ✓  
☐ c. (Computer)  
☐ d. Error

**Question 13** | Correct Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[::-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- ☐ a. ii,iv
- ☒ b. i,iii ✓
- ☐ c. i,ii
- ☐ d. iii,iv

**Question 14** | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- ☐ a. 5
- ☒ b. Error ✓
- ☐ c. 1
- ☐ d. 2

**Question 15** | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

- ☒ a. (11, 3, 11, 3, 11, 3) ✓
- ☐ b. (11,3,11,11,3,11,11,11,3)
- ☐ c. [11,11,11,3,3,3]
- ☐ d. (11,3)(11,3)(11,3)