



## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left : 99 : 05

Q39

Given:

```
2. public class Person {
3.     private String name;
4.     private String city;
5.     String getName()
6.     { return name; }
7.     void setName(String n) { name = n; }
8.     void setCity(String c) {
9.         if(c == null) throw new NullPointerException();
10.        city = c;
11.    }
12.    String getCity()
13.    { return city; }
14. }
```

Which are true?

Single Choice - Select one correct answer from the options list.

- ☐ Compilation fails
- ☐ The class is well encapsulated.
- ☐ The setCity() method is an example of loose coupling.
- ☐ The setCity() method has better encapsulation than setName().

2

Active	Attempted	Not Attempted
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75

Previous Next 39 out of 75

Submit Assessment





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass Sass Meister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

## icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 **6** 7 8 9 10 11 12

List View Time Left: 127 : 39

7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	300	30
7876	ADAMS	CLERK	7788	12-JAN-83	2100		20
7900	JAMES	CLERK	7698	03-DEC-81	950	100	30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	3000		10
7369	SMITH	CLERK	7902	17-DEC-80	800	100	20

Identify the query to display hiredate and number of employees joined in that date in a given department number. Also order the details based on hiredate.  
Single Choice - Select one correct answer from the options list.

- ☐ SELECT hiredate,COUNT(\*) FROM employee GROUP BY hiredate ORDER BY 1
- ☐ SELECT hiredate,COUNT(\*) FROM employee WHERE deptno=20 GROUP BY hiredate ORDER BY 1;
- ☒ SELECT hiredate,COUNT(\*) FROM employee WHERE deptno=20 GROUP BY hiredate ORDER BY 0;
- ☐ SELECT hiredate,COUNT(\*) FROM employee GROUP BY hiredate ORDER BY 1 WHERE deptno=20;

Developer Tools

Oracle

Web Basics

Angular 6

JPA with Hibernate

Spring

13 out of 75

Submit Assessment





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

# icompass

## L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 **3** 4 5 6 7 8 9 10 11 12

List View Time Left: 130 : 33

**Q8** Angular framework provides event binding using in-built event as well as custom event. Custom events are the EventEmitter instances. To create a custom event we need to create an instance of EventEmitter annotated by \_\_\_\_\_  
Single Choice - Select one correct answer from the options list.

- ☐ @Input()
- ☐ @Get()
- ☐ @Output()
- ☐ @Set()

**3**

**Servlets**

1

**Intro to SE**

2 3 4

**Angular 2**

5 6 7 8

**QPA**

9 10

**Developer Tools**

11 12

**Oracle**

13

**Web Basics**

14 15 16 17

Previous Next 8 out of 75 Submit Assessment





Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 02

Q74

Consider the following scenario:

Test Engg. wants to automate below scenario using Selenium IDE:  
Open URL: <http://www.google.com/> and search for "Sachin Tendulkar"  
After that he/she needs to ensure link "Sachin Tendulkar - Wikipedia, the free encyclopedia"  
is present on the results page

Which Selenium IDE commands would you suggest to Test Engg ?  
Single Choice - Select one correct answer from the options list.

- ☐ Test Engg. has to use Open,Sendkeys,waitForElementPresent,assertTextPresent commands to automate this given scenario
- ☐ Test Engg. has to use get.type,VerifyText commands to automate this given scenario
- ☐ Test Engg. has to use Open,type,waitForTextPresent,VerifyLink commands to automate this given scenario
- ☐ Test Engg. has to use Open,type,waitForElementPresent,assertText commands to automate this given scenario

4

Active						
Attempted						
Not Attempted						
28	29	30	31			
Core Java						
32	33	34	35	36	37	
38	39	40	41	42	43	
44	45	46	47	48	49	
50	51	52	53	54	55	
56	57	58	59	60	61	
62	63	64	65	66	67	
BDD						
68	69	70	71	72	73	
74	75					

&lt; Previous

Next &gt;

74 out of 75

Submit Assessment





Q28 Choose the correct statement about the given Spring code:



```
@Component
public class Order {
    @Autowired
    private Product product;
    private Customer customer;
    @Autowired
    public Order(Customer customer)
    {
        this.customer = customer;
    }
    // ...
}
```

Single Choice - Select one correct answer from the options list.

- ☐ We can do @Autowired by constructor, but not by name
- ☐ We can do @Autowired by constructor & by name
- ☐ We can do @Autowired by name & but not by constructor
- ☐ We can do @Autowired not by name & by constructor



20	21				
22	23	24	25	26	27
28	29	30	31		
32	33	34	35	36	37
38	39	40	41	42	43
44	45	46	47	48	49
50	51	52	53	54	55
56	57	58	59	60	61
62	63	64	65	66	67
BDD					





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass Sass Meister | The 5... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

# icompass

## L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 **5** 6 7 8 9 10 11 12

List View Time Left: 129 : 51

**Q11**

```
public class JunitTestDemo
{
    @Ignore @Test(expected = ClassCastException.class)
    public void test(GetLastName())
    {}
    @Ignore @Test
    public void getFirstName()
    {}
}
```

Consider the above java code snippet. How many test cases will execute?  
Single Choice - Select one correct answer from the options list

- ☐ to test for expected exceptions\*
- ☐ to test the exception that should be thrown
- ☐ 1
- ☐ 0

**4**

Servlets  
1

Intro to SE  
2 3 4

Angular 2  
5 6 7 8

QPA  
9 10

Developer Tools  
11 12

Oracle  
13

Web Basics

11 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left : 130 : 58

Q7 Which of the given statement is true about Typescript?  
Single Choice - Select one correct answer from the options list



- ☐ TypeScript is an open-source programming language developed and maintained by Microsoft.
- ☐ It is superset of Java Script
- ☐ It is a strict syntactical superset of JavaScript, and adds optional static typing to the language.
- ☐ All of the above

4

### Servlets

1

### Intro to SE

2

3

4

### Angular 2

5

6

7

8

### QPA

9

10

### Developer Tools

11

12

### Oracle

13

### Web Basics

14

15

16

17

Previous Next 7 out of 75

Submit Assessment







## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 113 : 38

**Q30** Which annotation can be used to map the JSON object coming through request with Java Class Object?  
Single Choice - Select one correct answer from the options list



☐ @RequestParam

☐ @RequestBody

☐ @PathVariable

☐ @ResponseBody

2

JPA WITH HIBERNATE						
20	21					
Spring						
22	23	24	25	26	27	
28	29	30	31			
Core Java						
32	33	34	35	36	37	
38	39	40	41	42	43	
44	45	46	47	48	49	
50	51	52	53	54	55	
56	57	58	59	60	61	
62	63	64	65	66	67	
BDD						
68	69	70	71	72	73	74

Previous

Next

30 out of 75

Submit Assessment







## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 116 : 32

**Q27** In Spring ReSTful controller \_\_\_\_\_ annotation is used to get the data from the URI path.  
Single Choice - Select one correct answer from the options list



☐ @PathVariable

☐ @RequestParam

☐ @RequestMapping

☐ @RestController

JPA WITH HIBERNATE

Active

Attempted

Not Attempted

20

21

Spring

22

23

24

25

26

27

28

29

30

31

Core Java

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

BDD

Previous

Next

27 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 119 : 19

Q23

Select the correct statement about spring annotations?  
Single Choice - Select one correct answer from the options list



- ☐ @Param annotation is class level annotation used to map requested URL
- ☒ @ModelAttribute annotation binds a method parameter to a named attribute, exposed to web view
- ☐ @RequestMapping can only be applied to methods of repository class
- ☐ Usage of @Controller annotation at class level represents that class is used for Database connection



JPA WITH HIBERNATE	
20	21
Spring	
22	23
24	25
26	27
28	29
30	31
Core Java	
32	33
34	35
36	37
38	39
40	41
42	43
44	45
46	47
48	49
50	51
52	53
54	55
56	57
58	59
60	61
62	63
64	65
66	67
BDD	
68	69
70	71
72	73
74	75

Previous Next 23 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 100 : 05

Q38

What will be the output of the program?



```
import java.util.*;
class Test
{
    public static void main (String[] args)
    {
        Set hashSet = new HashSet();
        hashSet.add(1);
        hashSet.add(null);
        hashSet.add(null);
        hashSet.add("1");
        System.out.println(hashSet);
    }
}
```

Single Choice - Select one correct answer from the options list.

- ☐ [null,1,1]
- ☐ [1,1]
- ☐ [1]
- ☐ [1,null,null]

Active	Attempted	Not Attempted
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75

### Core Java

### BDD

Previous Next 38 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 12

**Q70** Regarding the BDD which of the below statement is correct?  
Single Choice - Select one correct answer from the options list.



- ☐ Test written are more complicated
- ☐ Test are written in plain descriptive english
- ☐ BDD is same as TOD
- ☐ None of these

2

Active					Attempted					Not Attempted				
28	29	30	31											
Core Java														
32	33	34	35	36	37									
38	39	40	41	42	43									
44	45	46	47	48	49									
50	51	52	53	54	55									
56	57	58	59	60	61									
62	63	64	65	66	67									
BDD														
68	69	70	71	72	73									
74	75													

< Previous Next > 70 out of 75

Submit Assessment





Capgemini iCompass - Compete... +

← → ↻ 🔒 <https://icompass.fs.capgemini.com/iCompass/#/test>

📖 Managed bookmarks 📍 Capgemini iCompa... 📄 SassMeister | The S... 🌐 Capgemini English... 🏠 Sort header



L1 JEE Full Sta

Section: 1 2 3 4 5 6 7 8 9 10 **11** 12

**Q56**

```
public class Test {  
    public static void main(String[] args)  
    { String name=new String("aravind");
```



```
        int position=name.replace('a', '').substring(2,4).indexOf('i');  
        System.out.println(position);  
    }  
}//end of class
```



What will be the output?

Single Choice - Select one correct answer from the options list.

- ☐ 2
- ☒ 4
- ☐ 0
- ☐ -1

4

< Previous

Next >

56 out of 75




Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarksCapgemini iCompassSass Meister | The S...Capgemini English...Sort header | Angul...AngularJS Form Vali...Learner Dashboard...

icompass

L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List ViewTime Left: 88 : 18

Q51

```
class Demo2
{
    public static void main(String ar[])
    {
        int a=Integer.parseInt(ar[0]);
        int b=Integer.parseInt(ar[1]);
        System.out.println(a+b);
    }
}
```

Run application using  
java Demo2 10 hello

Identify possible exception to be handled in the program:  
Single Choice - Select one correct answer from the options list.

☐

ArrayIndexOutOfBoundsException

☐

NumberFormatException

☐

IllegalArgumentException

☐

None of the above

ActiveAttemptedNot Attempted

28	29	30	31
Core Java			
32	33	34	35
36	37	38	39
40	41	42	43
44	45	46	47
48	49	50	51
52	53	54	55
56	57	58	59
60	61	62	63
64	65	66	67
BDD			
68	69	70	71
72	73	74	75

PreviousNext

51 out of 75

Submit Assessment



Capgemini iCompass - Compete x +

← → 🔄 🔒 https://icompass.fs.capgemini.com/iCompass/#/test

📖 Managed bookmarks 📶 Capgemini iCompa... 📄 SassMeister | The S... 📶 Capgemini English... 📄 Sor



L1 JEE Full

Section: 1 2 3 4 5 6 7 8 9 10 11 12

**Q64**

The \_\_\_\_\_ design pattern decouples method execution from method invocation. Its purpose is to enhance concurrency and simplify synchronized access to objects that reside in their own threads of control.

*Single Choice - Select one correct answer from the options list.*



Passive Object



Active Object



Monitor Object



Model Object

2

< Previous

Next >

64 out of 75







## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 07

Q72

Scenario outline is:  
Single Choice - Select one correct answer from the options list



- ☐ used to replace different keyword
- ☐ basically replaces variable/keywords with the value from the table. Each row in the table is considered to be a scenario.
- ☐ used to add negative type comments.
- ☐ used to add conditions to your steps.

2

Active Attempted Not Attempted						
28	29	30	31			
Core Java						
32	33	34	35	36	37	
38	39	40	41	42	43	
44	45	46	47	48	49	
50	51	52	53	54	55	
56	57	58	59	60	61	
62	63	64	65	66	67	
BDD						
68	69	70	71	72	73	
74	75					

Previous

Next

72 out of 75

Submit Assessment





Capgemini iCompass - Compete... x +

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12 List View Time Left: 132 : 01

Q6 Which of the following is correct about lifecycle hook - ngDoCheck?  
Single Choice - Select one correct answer from the options list

- ☐ When the value of a data bound property changes, then this method is called.
- ☐ This is called whenever the initialization of the directive/component after Angular first displays the data-bound properties happens.
- ☐ This is for the detection and to act on changes that Angular can't or won't detect on its own.
- ☐ This is called in response after Angular projects external content into the component's view.

2

Servlets  
1  
Intro to SE  
2 3 4  
Angular 2  
5 6 7 8  
QPA  
9 10  
Developer Tools  
11 12  
Oracle  
13  
Web Basics  
14 15 16 17

Active Attempted Not Attempted

6 out of 75 Submit Assessment



## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 15

**Q69** In traditional automation more knowledge is required for designing as compared to BDD.  
Single Choice - Select one correct answer from the options list

- ☐ This statement is correct
- ☐ This statement is wrong
- ☐ This statement is irrelevant to both approach.
- ☐ None of these

Active							Attempted							Not Attempted						
28	29	30	31																	
Core Java																				
32	33	34	35	36	37															
38	39	40	41	42	43															
44	45	46	47	48	49															
50	51	52	53	54	55															
56	57	58	59	60	61															
62	63	64	65	66	67															
BDD																				
68	69	70	71	72	73															
74	75																			

Previous Next 69 out of 75

Submit Assessment





Capgemini iCompass - Compete x +

← → ↻ 🔒 <https://icompass.fs.capgemini.com/iCompass/#/test>

📁 Managed bookmarks 🌐 Capgemini iCompa... 📄 SassMeister | The S... 🌐 Capgemini English... 📄 Sort I

icompass

L1 JEE Full

Section: 1 2 3 4 5 6 7 8 9 10 11 12

Q57

What is true about the Comparator interface?

Single Choice - Select one correct answer from the options list.



It uses the compare() method



A separate class can be created in order to sort the instances



Many sort sequences can be created



All the above

4

< Previous

Next >

57 out of 75





Q50

```
List<String> list = new ArrayList<>(); //Line 1
list.add("Hello");
list.add("World");
Consumer<List<String>> consumer = Collections::reverse; //Line 2
consumer.accept(list);
System.out.println(list);
```

Refer to the above code snippet, what will be the output in console?  
Single Choice - Select one correct answer from the options list.

- ☐ Display [World, Hello] in console
- ☐ Display [Hello, World] in console
- ☒ Compilation error at Line number 1, as generics not specified
- ☐ Compilation error at Line number 2, as reverse method returns does not return void

Active	Attempted	Not Attempted
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 124 : 08



```
<html>
<head>
  <title></title>
</head>
<body bgcolor="blue">
  <h1> first </h1>
</body>
<body bgcolor="green">
  <h1> second </h1>
</body>
</html>
```

Single Choice - Select one correct answer from the options list.

- ☒ The background color of the body will be blue and the headers of both body tags will be visible in output
- ☐ The background of the body will be green and the headers of both body tags will be not visible in output
- ☐ The background color of the body will be blue with green text color and the headers of both body tags will be visible in output
- ☐ Blank page displayed since body tag is specified twice

9 10  
Developer Tools  
11 12  
Oracle  
13  
Web Basics  
14 15 16 17  
Angular 6  
18 19  
JPA with Hibernate  
20 21  
Spring  
22 23 24 25 26 27

Previous Next 17 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 19

**Q68** Which of the below is the most appropriate example of a scenario?  
Single Choice - Select one correct answer from the options list



- ☐ Then some testable outcome is achieved  
And something else we can check happens too
- ☐ When some action by the actor  
Then some testable outcome is achieved  
And something else we can check happens too
- ☐ Scenario: Some determinable business situation  
Given some precondition  
And some other precondition  
When some action by the actor  
Then some testable outcome is achieved  
And something else we can check happens too
- ☐ Scenario: Some determinable business situation  
Then some testable outcome is achieved  
And something else we can check happens too

3

Active							Attempted							Not Attempted						
28	29	30	31																	
Core Java																				
32	33	34	35	36	37															
38	39	40	41	42	43															
44	45	46	47	48	49															
50	51	52	53	54	55															
56	57	58	59	60	61															
62	63	64	65	66	67															
BDD																				
68	69	70	71	72	73															
74	75																			

Previous Next 68 out of 75

Submit Assessment







```
import java.util Arrays;  
import java.util List;  
import java.util TreeSet;
```

```
public class MyArray{  
  
    public static void main(String a[])  
    {  
        String[] strArr = {"one","two","three","four","four","five"};  
        //convert string array to list  
        List<String> tmpList = Arrays.asList(strArr);  
        //create a TreeSet with the list, which eliminates duplicates  
        TreeSet<String> unique = new TreeSet<String>(tmpList);  
        System.out.println(unique);  
    }  
}
```

What will be the output?

Single Choice - Select one correct answer from the options list.

- ☐ [five, four, one, three, two]
- ☐ [five, four, four, one, three, two]
- ☐ compilation fails as list object cannot be passed to constructor of TreeSet
- ☐ [one, two, three, four, five]



Active	Attempted	Not Attempted
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 113 : 20

**Q31** In a Spring applicaton, Consider InternalResourceViewResolver is used and handleRequest method returns ModelAndView ("home","msg",message) then which JSP will be invoked?  
Single Choice - Select one correct answer from the options list



- ☐ home.jsp
- ☐ msg.jsp
- ☐ message.jsp
- ☐ model.jsp

JPA WITH HIBERNATE

Active

Attempted

Not Attempted

20

21

Spring

22

23

24

25

26

27

28

29

30

31

Core Java

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

BDD

[< Previous](#) [Next >](#) 31 out of 75[Submit Assessment](#)



Capgemini iCompass - Compete



https://icompass.fs.capgemini.com/iCompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | A

icompass

L1 JEE Full Sta

Section: 1 2 3 4 5 6 7 8 9 10 11 12

Q58

What is the difference between Hashtable and HashMap?

Single Choice - Select one correct answer from the options list.



HashMap is having sorted key values whereas Hashtable does not sort key values



Hashtable allows null values as key and value whereas HashMap doesn't allow nulls



Hashtable is synchronized whereas HashMap is not synchronized



None of the above

3

< Previous

Next >

58 out of 75





Capgemini iCompass - Compete... x +

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

# icompass

## L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left: 115 : 19

1) Spring IO foundation layer  
2) Spring IO Coordination layer  
3) Spring IO execution layer

Need list:  
a) Provides API to connect to cloud services  
b) provides domain specific runtime for application built using IO foundation  
c) A cohesive set of APIs and embeddable runtime components that enable to build applications.

Single Choice - Select one correct answer from the options list.

☐ 1-c  
2-a  
3-b

☐ 1-c  
2-b  
3-a

☐ 1-a  
2-c  
3-b

☐ 1-b  
2-c  
3-a

JEE WITH HIDE HOLE

Spring

Core Java


BDD

29 out of 75

Submit Assessment





**icompass** L1 JEE Full Stack Mock Test S1 - 2019 

Section: 1 2 3 4 5 6 7 8 9 10 **11** 12 List View Time Left: 104 : 05

**Q34** Which is/are true from the given statements?

1. Static variable live basically as long as their class lives.
2. Instance Variables live as long as their object lives
3. Local variables live as long as their method is on stack ,however ,if their method invokes another method , they are temporarily unavailable.
4. Block variables (in a for loop or if stmt ) live until the block completes.

Single Choice - Select one correct answer from the options list.

☐ only 1

☐ only 1 and 2

☐ All are correct

☐ 1,2,3

**Core Java**

28	29	30	31
32	33	34	35
36	37	38	39
40	41	42	43
44	45	46	47
48	49	50	51
52	53	54	55
56	57	58	59
60	61	62	63
64	65	66	67

**BDD**

68	69	70	71	72	73
74	75				





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left: 120 : 20

**Q22** In Spring, if Classes are annotated with @Repository then \_\_\_\_\_  
Single Choice - Select one correct answer from the options list



- ☐ we have to explicitly declare a Dao bean
- ☐ we won't have to explicitly declare a Dao bean.
- ☒ we won't have to explicitly declare a EntityManagerFactory bean
- ☐ we won't have to explicitly declare a Entities

2

JPA WITH HIBERNATE						
20	21					
Spring						
22	23	24	25	26	27	
28	29	30	31			
Core Java						
32	33	34	35	36	37	
38	39	40	41	42	43	
44	45	46	47	48	49	
50	51	52	53	54	55	
56	57	58	59	60	61	
62	63	64	65	66	67	
BDD						

Previous Next 22 out of 75

Submit Assessment





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12 List View Time Left: 132 : 08

Q4 Which of the given is an example of non configuration item?  
Single Choice - Select one correct answer from the options list

- ☐ Design document
- ☐ Project plan
- ☐ Weekly status Reports
- ☐ Test case

4

Servlets  
1  
Intro to SE  
2 3 4  
Angular 2  
5 6 7 8  
QPA  
9 10  
Developer Tools  
11 12  
Oracle  
13  
Web Basics  
14 15 16 17

Previous Next 4 out of 75 Submit Assessment







## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 125 : 53

Q15 Choose the correct style example of class selector?  
Single Choice - Select one correct answer from the options list



☐ p {  
text-align: center;  
color: red;  
}

☐ #para1 {  
text-align: center;  
color: red;  
}

☐ .center {  
text-align: center;  
color: red;  
}

☐ h1, h2, p {  
text-align: center;  
color: red;  
}

3

9	10
Developer Tools	
11	12
Oracle	
13	
Web Basics	
14	15
Angular 6	16
17	
18	19
JPA with Hibernate	
20	21
Spring	
22	23
24	25
26	27

Previous Next 15 out of 75

Submit Assessment





Capgemini iCompass - Compete... x +

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

# icompass

## L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 **3** 4 5 6 7 8 9 10 11 12

List View ☐ Time Left : 132 : 03

**Q5** \_\_\_\_\_ shortcut method to perform put request.  
*Single Choice - Select one correct answer from the options list*

- ☒ http.put
- ☐ http.post
- ☐ http.get
- ☐ http.delete

**Servlets**

- 1
- 2
- 3
- 4

**Intro to SE**

**Angular 2**

- 5
- 6
- 7
- 8

**QPA**

- 9
- 10

**Developer Tools**

- 11
- 12

**Oracle**

- 13

**Web Basics**

- 14
- 15
- 16
- 17

5 out of 75





Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 121 : 04

Q21

Which of the following statement is appropriate to be implemented in line No3.  
Assume that id property is unique in Product class.



```
String qStr = "SELECT product FROM Product product WHERE product.id='BPRO13455' "; // Line 1  
TypedQuery<Product> query = entityManager.createQuery(qStr, Product.class); // Line 2  
_____ // Line 3
```

Single Choice - Select one correct answer from the options list.

- ☒ Product product = query.getSingleResult();
- ☐ List<Product> productList = query.getResultList();
- ☐ List<Product> productList = query.executeUpdate();
- ☐ List<Product> productList = query.executeQuery();

9	10
Developer Tools	
11	12
Oracle	
13	
Web Basics	
14	15
16	17
Angular 6	
18	19
JPA with Hibernate	
20	21
Spring	
22	23
24	25
26	27





Capgemini iCompass - Compete x +

← → ↻ 🔒 <https://icompass.fs.capgemini.com/iCompass/#/test>

📖 Managed bookmarks Capgemini iCompa... 📌 SassMeister | The S... 📌 Capgemini English... 📌 Sc

icompass

L1 JEE Ful

Section: 1 2 3 4 5 6 7 8 9 10 11 12

**Q63**

Which of the following driver needs middle ware installation?

*Single Choice - Select one correct answer from the options list.*



JDBC-ODBC bridge driver



Native-API driver



Network Protocol driver



Thin driver or Type 4 driver



< Previous

Next >

63 out of 75



**Q52**

Which of the following is not a Functional Interface in java 8?

Single Choice - Select one correct answer from the options list.

☐

Supplier

☐

Consumer

☒

Serializable

☐

Predicate

3





L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 **4** 5 6 7 8 9 10 11 12

List View

Time Left : 130 : 11

Q9

Non-fulfilment of user's expectations is called as:  
Single Choice - Select one correct answer from the options list

☐

 Issue

☐

 Defect

☐

 Product

☐

 Risk

Active

Attempted

Not Attempted

Servlets

1

Intro to SE

2

3

4

Angular 2

5

6

7

8

QPA

9

10

Developer Tools

11

12

Oracle

13

Web Basics

14

15

16

17





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 134 : 58

Q1

Which of the following is correct to implement interservlet communication?

Single Choice - Select one correct answer from the options list



- ☐ RequestDispatcher rd = RequestDispatcher.getRequestDispatcher("path"); rd.include(request, response);
- ☐ RequestDispatcher rd = getServletContext().getRequestDispatcher("path"); rd.include(request, response);
- ☐ RequestDispatcher rd = RequestDispatcher.getRequestDispatcher(path);
- ☐ RequestDispatcher rd = getServletContext().getRequestDispatcher("path"); rd.dispatch(request, response);



Servlets

1

Intro to SE

2

3

4

Angular 2

5

6

7

8

QPA

9

10

Developer Tools

11

12

Oracle

13

Web Basics

14

15

16

17

Previous

Next

1 out of 75

Submit Assessment







Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 123 : 17

Q19 Which of the following is correct about Angular 5 Routing?  
Single Choice - Select one correct answer from the options list



- ☐ Routing helps in directing users to different pages based on the route specified.
- ☐ Based on the option they choose, the required Angular Component will be rendered to the user.
- ☒ Both of the above.
- ☐ None of the above

3



9	10
Developer Tools	
11	12
Oracle	
13	
Web Basics	
14	15
16	17
Angular 6	
18	19
JPA with Hibernate	
20	21
Spring	
22	23
24	25
26	27

Previous Next 19 out of 75

Submit Assessment





 **L1 JEE Full Stack Mock Test S1 - 2019** 

Section: 1 2 3 4 5 6 **7** 8 9 10 11 12 List View Time Left : 125 : 11

**Q14** What is the correct way to add background color in HTML?  
Single Choice - Select one correct answer from the options list

- ☐ <body color = "yellow">
- ☐ <body bg-color = "yellow">
- ☐ <body style = "background-color=yellow">
- ☐ <body style = "background-color: yellow;">

9 10  
Developer Tools  
11 12  
Oracle  
13  
Web Basics  
14 15 16 17  
Angular 6  
18 19  
JPA with Hibernate  
20 21  
Spring  
22 23 24 25 26 27

Active Attempted Not Attempted

4





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 119 : 15

Q24

What is the use of @PersistenceUnit annotation?  
Single Choice - Select one correct answer from the options list



- ☐ Used to persist Entity Objects
- ☐ Use to fetch data from Entity Objects
- ☐ Used to obtain an instance of EntityManager object and inject it into DAO specific class
- ☐ Used to create an instance of EntityManagerFactory

4

JPA WITH HIBERNATE

Active

Attempted

Not Attempted

20

21

Spring

22

23

24

25

26

27

28

29

30

31

Core Java

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

BDD

Previous Next 24 out of 75

Submit Assessment





Q35

Which of the below statement does not fit into below statement.  
If super class method throws a exception then subclass Overridden method \_\_\_\_\_  
Single Choice - Select one correct answer from the options list



- ☐ can throw same exception
- ☐ can not throw any exception.
- ☐ can throw child class of the exception thrown by Super class method
- ☐ can throw base class of the exception thrown by Super class method

28	29	30	31		
32	33	34	35	36	37
38	39	40	41	42	43
44	45	46	47	48	49
50	51	52	53	54	55
56	57	58	59	60	61
62	63	64	65	66	67
68	69	70	71	72	73
74	75				




Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarksCapgemini iCompassSassMeister | The S...Capgemini English...Sort header | Angul...AngularJS Form Vali...Learner Dashboard...

icompass

L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List ViewTime Left: 89 : 41

Q49

```
public static void main(String[] args) {
5. try {
6. if(args.length == 0) throw new Exception();
7. }
8. catch (Exception e) {
9. System.out.println("done ");
10. doStuff(); // assume this method compiles
11. }
12. finally {
13. System.out.println("finally ");
14. }
15. }
```

If we run this code without commandline arguments,  
Which is the output of this code?  
Single Choice - Select one correct answer from the options list

☐ done

☐ finally

☐ done finally

☐ compilation error

☐ no output

3

ActiveAttemptedNot Attempted

28	29	30	31		
Core Java					
32	33	34	35	36	37
38	39	40	41	42	43
44	45	46	47	48	49
50	51	52	53	54	55
56	57	58	59	60	61
62	63	64	65	66	67
BDD					
68	69	70	71	72	73
74	75				

PreviousNext

49 out of 75

Submit Assessment



L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12 List View Time Left : 112 : 05

**Q73** Which of the following feature is NOT supported by Selenium IDE ?  
Single Choice - Select one correct answer from the options list

- ☐ Test in multiple browsers
- ☐ Test against Firefox only
- ☐ Export recorded tests to scripts
- ☐ Record and Play

Active Attempted Not Attempted


28 29 30 31

Core Java

32	33	34	35	36	37
38	39	40	41	42	43
44	45	46	47	48	49
50	51	52	53	54	55
56	57	58	59	60	61
62	63	64	65	66	67

BDD

68	69	70	71	72	73
74	75				





Capgemini iCompass - Compete x +

https://icompass.fs.capgemini.com/iCompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Fo



## L1 JEE Full Stack Mock Te

Section: 1 2 3 4 5 6 7 8 9 10 11 12

Q54

Which of the following statement is incorrect about anonymous inner class?

Single Choice - Select one correct answer from the options list.



- ☐ Anonymous inner classes have no name, and their type must be either a subclass of the named type or an implementer of the named interface.
- ☐ Because of polymorphism, the only methods you can call on an anonymous inner class reference are those defined in the reference variable class (or interface), even though the anonymous class is really a subclass or implementer of the reference variable type
- ☐ An anonymous inner class can extend more than one subclass or implement more than one interface.
- ☒ An anonymous inner class is always created as part of a statement; don't forget to close the statement after the class definition with a curly brace. This is a rare case in Java, a curly brace followed by a semicolon.

4

< Previous

Next >

54 out of 75





Capgemini iCompass - Compete: x +

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left : 76 : 05

**Q65** FileReader f=new FileReader("demo");

Which exception must be caught for above statement?  
Single Choice - Select one correct answer from the options list.

- ☐ RuntimeException
- ☒ FileNotFoundException
- ☐ EOFException
- ☐ InterruptedException
- ☐ No Exception

Core Java

28	29	30	31
32	33	34	35
36	37	38	39
40	41	42	43
44	45	46	47
48	49	50	51
52	53	54	55
56	57	58	59
60	61	62	63
64	65	66	67

BDD

68	69	70	71
72	73	74	75

< Previous Next > 65 out of 75

Submit Assessment



## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 **5** 6 7 8 9 10 11 12

List View Time Left: 128 : 42

Q12

```
public class TestClass {  
    @Test(timeout=300)  
    public void testDisp()  
    {  
        assertEquals(11,Integer.parseInt("11"));  
    }  
}
```

Consider the given java code snippet & predict the output.  
Single Choice - Select one correct answer from the options list

- ☐ Shows compilation error as @Test doesn't have timeout parameter.
- ☐ The test has to be done with in 300 milli seconds. If not, the test should fail.
- ☐ The test has to be done with in 300 seconds. If not, the test should fail.
- ☐ The test has to be done with in 300 minutes. If not, the test should fail.

2

9	10
Developer Tools	
11	12
Oracle	
13	
Web Basics	
14	15
16	17
Angular 6	
18	19
JPA with Hibernate	
20	21
Spring	
22	23
24	25
26	27

Previous Next 12 out of 75

Submit Assessment





Capgemini iCompass - Compete x +

<https://icompass.fs.capgemini.com/iCompass/#/test>

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul...



## L1 JEE Full Stack M

Section: 1 2 3 4 5 6 7 8 9 10 11 12



```
public static void main(String[] args) {  
    try {  
        Class.forName("oracle.jdbc.driver.OracleDriver");  
        Connection con = DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:XE","system","sys");  
        Statement stmt = con.createStatement();  
        ResultSet rs = stmt.executeQuery("SELECT * FROM Emp");  
        rs.next();  
        while(rs.next())  
        {  
            System.out.println(rs.getInt(1));  
            System.out.println(rs.getString(2));  
        }  
    } catch (ClassNotFoundException e) {  
        e.printStackTrace();  
    } catch (SQLException e) {  
        e.printStackTrace();  
    }  
}
```

Single Choice - Select one correct answer from the options list.

- ☒ It will print records, from second row onwards
- ☐ No output
- ☐ It will throw SQLException as rs.next() is called twice
- ☐ it will print all records

&lt; Previous

Next &gt;

53 out of 75





L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12 List View Time Left : 123 : 57

**Q18** \_\_\_\_\_ directive is used to iterate an array of items.  
Single Choice - Select one correct answer from the options list

☒ ngFor

☐ ng-For

☐ ngSwitch

☐ ngIf

9 10 Developer Tools

11 12 Oracle

13 Web Basics

14 15 16 17 Angular 6

18 19 JPA with Hibernate

20 21 Spring

22 23 24 25 26 27





Capgemini iCompass - Compete x +

https://icompass.fs.capgemini.com/iCompass/#/test

Managed bookmarks Capgemini iCompa... SassMeister | The S... Capgemini English... Sort header | Angul...

icompass

L1 JEE Full Stack M

Section: 1 2 3 4 5 6 7 8 9 10 11 12

Q62

What is true about ArrayBlockingQueue?

Single Choice - Select one correct answer from the options list.



It is Bounded blocking queue build on an array. Blocking means once the queue is full it cannot extend itself.



In ArrayBlockingQueue we can add as many elements as we can



It throws IllegalStateException if element is getting added beyond its boundary



Both 1 and 3

4

< Previous

Next >

62 out of 75





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left: 133 : 11

Q3 Elicitation process is carried under which phase of SDLC model ?  
Single Choice - Select one correct answer from the options list

☐ Feasibility

☐ Design

☐ Requirements

☐ Coding

3

Servlets

1

Intro to SE

2 3 4

Angular 2

5 6 7 8

QPA

9 10

Developer Tools

11 12

Oracle

13

Web Basics

14 15 16 17

Previous Next 3 out of 75 Submit Assessment





Capgemini iCompass - Compete

https://icompass.fs.capgemini.com/icompass/#/test

Managed bookmarks Capgemini iCompass SassMeister | The S... Capgemini English... Sort header | Angul... AngularJS Form Vali... Learner Dashboard...

icompass L1 JEE Full Stack Mock Test S1 - 2019

Section: 1 2 3 4 5 6 7 8 9 10 11 12 List View Time Left : 129 : 58

Q10 What is the full form of QMS?  
Single Choice - Select one correct answer from the options list

- ☐ Quality Management System
- ☐ Quality Manual System
- ☐ Quality Monitoring System
- ☐ None of the above

Servlets  
1

Intro to SE  
2 3 4

Angular 2  
5 6 7 8

QPA  
9 10

Developer Tools  
11 12

Oracle  
13

Web Basics  
14 15 16 17

10 out of 75 Submit Assessment







## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View Time Left: 75 : 01

Q67 Which of the following is an checked Exception in JAVA?  
Single Choice - Select one correct answer from the options list



- ☐ ClassCastException
- ☐ SQLException
- ☐ NullPointerException
- ☒ ArrayIndexOutOfBoundsException



Active					Attempted					Not Attempted				
28	29	30	31											
Core Java														
32	33	34	35	36	37									
38	39	40	41	42	43									
44	45	46	47	48	49									
50	51	52	53	54	55									
56	57	58	59	60	61									
62	63	64	65	66	67									
BDD														
68	69	70	71	72	73									
74	75													

Previous Next 67 out of 75

Submit Assessment





## L1 JEE Full Stack Mock Test S1 - 2019



Section: 1 2 3 4 5 6 7 8 9 10 11 12

List View

Time Left : 112 : 10

Q71

Background in Cucumber is:  
Single Choice - Select one correct answer from the options list



- ☐ used to define a condition in the feature file.
- ☐ used to define a step or series of steps which are common to all the tests in the feature file.
- ☐ used to define an action in the feature file.
- ☐ used to define a test.

2

Active					
Attempted					
Not Attempted					
28	29	30	31		
Core Java					
32	33	34	35	36	37
38	39	40	41	42	43
44	45	46	47	48	49
50	51	52	53	54	55
56	57	58	59	60	61
62	63	64	65	66	67
BDD					
68	69	70	71	72	73
74	75				

Previous Next 71 out of 75

Submit Assessment

