```cpp
#include <iostream>
   int main(){
   /*this is a code for the companies point of sales*/


   std::cout<<"WELCOME TO A&B Company limited"<<std::endl;
   std::string product;
   int quantity;
   double amount;
   std::string c_name;


   std::cout<<"ENTER THE NAME OF PRODUCT."<<std::endl;
   std::cin>> product;
   std:: cout<<"ENTER THE QUANTITY OF PRODUCT PURCHASED" <<std::endl;
   std::cin>> quantity;
   std::cout<< "ENTER THE PRICE OF THE PRODUCT" <<std::endl;
   std::cin>> amount;
   std::cout<<"ENTER THE NAME OF THE CONSUMER"<<std::endl;
   std::cin>> c_name;
   std::cout<< "THANK YOU, THE INFORMATION PROVIDED WOULD BE ADDED TO THE COMPANY'S
POINT OF SALES." <<std::endl;



   /*the code below is to calculate the company's average sales for each day*/
   int t_amount;
   double average;
   std::cout<<"ENTER THE COMPANY'S TOTAL SALES FOR THE WEEK.";
   std::cin>> t_amount;
   std::cout<<"THE AVERAGE SALES FOR EACH DAY THIS WEEK IS ";
   average = t_amount/7;
   std::cout<<average;
```

```
    return 0;


}
```