1.   Equations for Mie scattering.

The index of refraction m of the sphere may be complex,

$$m = n(1 - i\kappa)$$

The imaginary part of the complex refractive index $n\kappa$ is the damping factor while κ is called the index of absorption or the index of attenuation. Note that the sign of the imaginary part of the index of refraction is negative. The complex index of refraction may also be written in terms of the conductivity σ, the dielectric constant ε and the circular frequency ω as

$$m = \sqrt{\varepsilon - i\frac{4\pi\sigma}{\omega}}$$

The other important parmeter governing scattering by a sphere is the size parameter x of the sphere, which is given by

$$x = 2\pi a/\lambda$$

Sometimes the value ρ is used to indicate the size of the sphere and it is defined as

$$\rho = 2x(m - 1)$$

and really only makes sense if the sphere does not absorb light.

The absorption coefficient from Beer's law is defined as

$$I = I_0 \exp(-\mu_a z)$$

and thus

$$\mu_a = \frac{4\pi n\kappa}{\lambda_0} = \frac{4\pi\kappa}{\lambda}$$

where λ_0 is the wavelength in a vacuum [Kerker, p. 15].

Now to reprise some nomenclature. The extinction efficiency may be separated into

$$Q_{\text{ext}} = Q_{\text{sca}} + Q_{\text{abs}}$$

where Q_{sca} is the scattering efficiency and Q_{abs} is the absorption efficiency. Typically Q_{sca} and Q_{ext} are determined by the Mie scattering program and Q_{abs} is obtained by subtraction.

The radiation pressure is given by

$$Q_{\text{pr}} = Q_{\text{ext}} - gQ_{\text{sca}}$$

The pressure exerted on the particle of cross-sectional area πr_0^2 is

$$P = \frac{F}{\pi r_0^2} = \frac{Q_{\text{ext}}}{c}$$

were c is the velocity of the radiation in the medium [Kerker, p. 94].

The relation between the efficiency factor for scattering and the cross section for scattering are obtained by dividing by the actual geometrical cross section

$$Q_{\text{sca}} = \frac{C_{\text{sca}}}{\pi r_0^2}$$

where r_0 is the radius of the sphere.

The scattering cross section may be related to the transmission of a beam through a dispersion of scatterers of equal size. For ρ particles per unit volume, the attenuation due to scattering is

$$-\frac{dI}{dx} = \rho C_{\text{sca}} I$$

The transmission is

$$T = I/I_0 = \exp(-\rho C_{\text{sca}} x) = \exp(-\mu_s x)$$

or

$$\mu_s = \rho C_{\text{sca}} = \rho \pi r_0^2 Q_{\text{sca}}$$

[Kerker, p. 38].

2. Double Array Routines.

Here are a bunch of routines to deal arrays of doubles. This file will create three files when run through `ctangle` — the usual `.c` and `.h`, as well as a testing driver.

3.   Here, then, is an overview of document structure

⟨ `mie_array.c`   3 ⟩ ≡
#include `<stdlib.h>`
#include `<string.h>`
#include `<stdio.h>`
#include `<float.h>`
#include `"mie_array.h"`
    ⟨ Definition for *array_error* 7 ⟩
    ⟨ Definition for *new_darray* 9 ⟩
    ⟨ Definition for *free_darray* 11 ⟩
    ⟨ Definition for *copy_darray* 13 ⟩
    ⟨ Definition for *set_darray* 15 ⟩
    ⟨ Definition for *min_max_darray* 17 ⟩
    ⟨ Definition for *sort_darray* 20 ⟩
    ⟨ Definition for *print_darray* 23 ⟩

4.   Each function has its prototype exported to a header file.

⟨ `mie_array.h`   4 ⟩ ≡
    ⟨ Prototype for *new_darray* 8 ⟩;
    ⟨ Prototype for *free_darray* 10 ⟩;
    ⟨ Prototype for *copy_darray* 12 ⟩;
    ⟨ Prototype for *set_darray* 14 ⟩;
    ⟨ Prototype for *min_max_darray* 16 ⟩;
    ⟨ Prototype for *sort_darray* 19 ⟩;
    ⟨ Prototype for *print_darray* 22 ⟩;

5.   Allocation.

6.   A simple error routine.

⟨ Prototype for *array_error* 6 ⟩ ≡
  static void *array_error* (**char** ∗*s*)

This code is used in section 7.

7.   ⟨ Definition for *array_error* 7 ⟩ ≡
  ⟨ Prototype for *array_error* 6 ⟩
  {
    printf ("Array␣−−␣%s\n", *s*);
    exit (1);
  }

This code is used in section 3.

8.   Double array routines.

⟨Prototype for *new_darray* 8⟩ ≡
    double ∗*new_darray*(**long** *size*)

This code is used in sections 4 and 9.

9.   ⟨Definition for *new_darray* 9⟩ ≡
    ⟨Prototype for *new_darray* 8⟩
    {
        double ∗*a*;

        if ($size \leq 0$) *array_error*("Non-positive␣double␣array␣size␣chosen");
        $a = ($**double** ∗$)$ *calloc*(**sizeof**(**double**), (**unsigned long**) $size + 2$);
        if ($a \equiv \Lambda$) *array_error*("Insufficient␣space␣to␣allocate␣array");
        $a[0] =$ DBL_MIN;
        $a[size + 1] =$ DBL_MAX;
        return $a + 1$;
    }

This code is used in section 3.

10.   ⟨Prototype for *free_darray* 10⟩ ≡
    void *free_darray*(**double** ∗*a*)

This code is used in sections 4 and 11.

11.   ⟨Definition for *free_darray* 11⟩ ≡
    ⟨Prototype for *free_darray* 10⟩
    {
        if ($a \neq \Lambda$) *free*($a - 1$);
    }

This code is used in section 3.

12.   This allocates a new double array data structure and copies the contents of a into it.

⟨Prototype for *copy_darray* 12⟩ ≡
    double ∗*copy_darray*(**double** ∗*a*, **long** *size*)

This code is used in sections 4 and 13.

13.   ⟨Definition for *copy_darray* 13⟩ ≡
    ⟨Prototype for *copy_darray* 12⟩
    {
        double ∗*b* = Λ;

        if ($a \equiv \Lambda$) **return** *b*;
        $b = new\_darray(size + 2)$;
        if ($b \equiv \Lambda$) *array_error*("Insufficient␣space␣to␣duplicate␣array");
        memcpy($b, a - 1$, **sizeof**(**double**) ∗ $(size + 2)$);
        return $b + 1$;
    }

This code is used in section 3.

14.   This sets all the entries in the array $a[\,]$ to x.

⟨Prototype for *set_darray* 14⟩ ≡
    void *set_darray*(**double** ∗*a*, **long** *size*, **double** *x*)

This code is used in sections 4 and 15.

15.   ⟨ Definition for *set_darray* 15 ⟩ ≡
  ⟨ Prototype for *set_darray* 14 ⟩
  {
    long *j*;
    if (*a* ≡ Λ) *array_error* ("Attempt␣to␣set␣elements␣in␣a␣NULL␣array");
    for (*j* = 0; *j* < *size*; *j*++) *a*[*j*] = *x*;
  }

This code is used in section 3.

16.   *min_max_darray* finds the minimum and maximum of the array *a*.

⟨ Prototype for *min_max_darray* 16 ⟩ ≡
  void *min_max_darray* (**double** ∗*a*, **long** *size*, **double** ∗*min*, **double** ∗*max*)

This code is used in sections 4 and 17.

17.   ⟨ Definition for *min_max_darray* 17 ⟩ ≡
  ⟨ Prototype for *min_max_darray* 16 ⟩
  {
    long *j*;
    if (*a* ≡ Λ) *array_error* ("A␣NULL␣array␣does␣not␣have␣a␣min␣or␣max");
    if (*size* ≡ 0) *array_error* ("An␣array␣with␣no␣elements␣does␣not␣have␣a␣min␣or␣max");
    ∗*min* = *a*[0];
    ∗*max* = ∗*min*;
    for (*j* = 1; *j* < *size*; *j*++) {
      if (*a*[*j*] > ∗*max*) ∗*max* = *a*[*j*];
      if (*a*[*j*] < ∗*min*) ∗*min* = *a*[*j*];
    }
  }

This code is used in section 3.

18.   Sorting.

19.   *sort_darray* will sort an array a into ascending numerical order using the Heapsort algorithm. Adapted to work with zero-based arrays from *Numerical Recipes*. This could certainly use some sprucing up, but I can't quite seem to figure out how to do it. It is kinda tricky.

$\langle$ Prototype for *sort_darray* 19 $\rangle \equiv$
   void *sort_darray*(**double** $*a$, **long** *size*)

This code is used in sections 4 and 20.

20. $\langle$ Definition for *sort_darray* 20 $\rangle \equiv$
  $\langle$ Prototype for *sort_darray* 19 $\rangle$
  {
    long i, ir, j, l;
    double aa;
    if $(a \equiv \Lambda)$ *array_error*(`"Can't␣sort␣a␣NULL␣array"`);
    if $(size < 2)$ **return**;
    $l = (size \gg 1) + 1$;
    $ir = size$;
    for (; ;) {
      if $(l > 1)$ {
        $aa = a[--l - 1]$;
      }
      else {
        $aa = a[ir - 1]$;
        $a[ir - 1] = a[0]$;
        if $(--ir \equiv 1)$ {
          $a[0] = aa$;
          break;
        }
      }
      $i = l$;
      $j = l + l$;
      while $(j \le ir)$ {
        if $(j < ir \wedge a[j - 1] < a[j])$ $j{+}{+}$;
        if $(aa < a[j - 1])$ {
          $a[i - 1] = a[j - 1]$;
          $i = j$;
          $j \ll= 1$;
        }
        else $j = ir + 1$;
      }
      $a[i - 1] = aa$;
    }
  }

This code is used in section 3.

21.   Printing.

22.   *print_darray* prints the elements of the array a from *ilow* through *ihigh*.

⟨ Prototype for *print_darray* 22 ⟩ ≡
    void *print_darray*(**double** $*a$, **long** *size*, **long** *ilow*, **long** *ihigh*)

This code is used in sections 4 and 23.

23.   ⟨ Definition for *print_darray* 23 ⟩ ≡
    ⟨ Prototype for *print_darray* 22 ⟩
    {
        long j;
        if $(a \equiv \Lambda)$ *array_error*("Can't␣print␣a␣NULL␣array");
        if $(ilow < 0)$ $ilow = 0$;
        if $(ihigh > size - 1)$ $ihigh = size - 1$;
        for $(j = ilow;\ j \le ihigh;\ j{+}{+})$ *printf*("x[%ld]=␣%-10.5g␣\n", $j, a[j]$);
    }

This code is used in section 3.

24. Testing.

25.   Here are driver routines to test the routines in this file.

⟨ `test_mie_array.c` 25 ⟩ ≡
#include `<stdio.h>`
#include `"mie_array.h"`
  void *main*( )
  {
    double *∗x*;
    double *∗y*;
    long *i*, *size*;
    double *min*, *max*;

    size = 10;
    printf ("starting\n");
    fflush (*stdout*);
    x = *new_darray* (*size*);
    ⟨ Test Set Routine 26 ⟩
    ⟨ Test Copy Routine 27 ⟩
    ⟨ Test Sort Routine 28 ⟩
    ⟨ Test Min/Max Routine 29 ⟩
    printf ("done\n");
    fflush (*stdout*);
  }

26.   ⟨ Test Set Routine 26 ⟩ ≡
  printf ("Testing␣set_darray\n");
  printf ("All␣entries␣should␣be␣3.0\n");
  set_darray (*x*, *size*, 3.0);
  print_darray (*x*, *size*, 0, *size* − 1);
  fflush (*stdout*);
  printf ("\n");
This code is used in section 25.

27.   ⟨ Test Copy Routine 27 ⟩ ≡
  printf ("Testing␣copy_darray\n");
  for (*i* = 0; *i* < *size*; *i*++) *x*[*i*] = *size* − *i*;
  printf ("The␣original␣vector␣was:\n");
  print_darray (*x*, *size*, 0, *size* − 1);
  fflush (*stdout*);
  y = *copy_darray* (*x*, *size*);
  printf ("The␣copied␣vector␣is:\n");
  print_darray (*y*, *size*, 0, *size* − 1);
  fflush (*stdout*);
  printf ("\n");
This code is used in section 25.

28.   ⟨ Test Sort Routine 28 ⟩ ≡
  printf ("Testing␣sort_darray\n");
  printf ("The␣original␣vector␣is:\n");
  print_darray (*x*, *size*, 0, *size* − 1);
  fflush (*stdout*);
  sort_darray (*x*, *size*);
  printf ("The␣sorted␣vector␣is:\n");
  print_darray (*x*, *size*, 0, *size* − 1);
  fflush (*stdout*);
  printf ("\n");
This code is used in section 25.

29.   ⟨ Test Min/Max Routine 29 ⟩ ≡
  printf ("Testing␣min_max_darray\n");
  min_max_darray (*x*, *size*, &*min*, &*max*);
  printf ("min=%g␣␣max=%g\n", *min*, *max*);
  fflush (*stdout*);
  printf ("\n");
This code is used in section 25.

30.   Complex Number Routines.

   Here are a bunch of routines to deal with complex numbers. The functions are pretty straightforward, but there are some subtle points in some of the functions. This could use some more error checking.

   Changed names to not conflict with c++ routines

31.   Here, then, is an overview of document structure

⟨ `mie_complex.c`   31 ⟩ ≡
#include `<math.h>`
#include `<stdio.h>`
#include `<stdlib.h>`
#include `<string.h>`
#include `<float.h>`
#include `"mie_complex.h"`
  ⟨ Definition for *complex_error* 35 ⟩
  ⟨ Definition for *c_set* 37 ⟩
  ⟨ Definition for *c_polarset* 39 ⟩
  ⟨ Definition for *c_abs* 41 ⟩
  ⟨ Definition for *c_arg* 45 ⟩
  ⟨ Definition for *c_norm* 47 ⟩
  ⟨ Definition for *c_sqrt* 49 ⟩
  ⟨ Definition for *c_sqr* 51 ⟩
  ⟨ Definition for *c_inv* 53 ⟩
  ⟨ Definition for *c_conj* 43 ⟩
  ⟨ Definition for *c_add* 56 ⟩
  ⟨ Definition for *c_sub* 58 ⟩
  ⟨ Definition for *c_mul* 60 ⟩
  ⟨ Definition for *c_div* 62 ⟩
  ⟨ Definition for *c_rdiv* 64 ⟩
  ⟨ Definition for *c_rmul* 66 ⟩
  ⟨ Definition for *c_sadd* 71 ⟩
  ⟨ Definition for *c_sdiv* 73 ⟩
  ⟨ Definition for *c_smul* 69 ⟩
  ⟨ Definition for *c_sin* 76 ⟩
  ⟨ Definition for *c_cos* 78 ⟩
  ⟨ Definition for *c_tan* 80 ⟩
  ⟨ Definition for *c_asin* 82 ⟩
  ⟨ Definition for *c_acos* 84 ⟩
  ⟨ Definition for *c_atan* 86 ⟩
  ⟨ Definition for *c_sinh* 91 ⟩
  ⟨ Definition for *c_cosh* 89 ⟩
  ⟨ Definition for *c_tanh* 93 ⟩
  ⟨ Definition for *c_atanh* 95 ⟩
  ⟨ Definition for *c_asinh* 97 ⟩
  ⟨ Definition for *c_exp* 100 ⟩
  ⟨ Definition for *c_log* 102 ⟩
  ⟨ Definition for *c_log10* 104 ⟩
  ⟨ Definition for *new_carray* 107 ⟩
  ⟨ Definition for *free_carray* 109 ⟩
  ⟨ Definition for *copy_carray* 111 ⟩
  ⟨ Definition for *set_carray* 113 ⟩

32.   Each function has its prototype exported to a header file along with a couple of structure definitions.

⟨ `mie_complex.h`   32 ⟩ ≡
  struct c_complex {
    double *re*;
    double *im*;
  };
  ⟨ Prototype for *c_set* 36 ⟩;
  ⟨ Prototype for *c_polarset* 38 ⟩;
  ⟨ Prototype for *c_abs* 40 ⟩;
  ⟨ Prototype for *c_arg* 44 ⟩;
  ⟨ Prototype for *c_sqr* 50 ⟩;
  ⟨ Prototype for *c_conj* 42 ⟩;
  ⟨ Prototype for *c_norm* 46 ⟩;
  ⟨ Prototype for *c_sqrt* 48 ⟩;
  ⟨ Prototype for *c_inv* 52 ⟩;
  ⟨ Prototype for *c_add* 55 ⟩;
  ⟨ Prototype for *c_sub* 57 ⟩;
  ⟨ Prototype for *c_mul* 59 ⟩;
  ⟨ Prototype for *c_div* 61 ⟩;
  ⟨ Prototype for *c_rdiv* 63 ⟩;
  ⟨ Prototype for *c_rmul* 65 ⟩;
  ⟨ Prototype for *c_sadd* 70 ⟩;
  ⟨ Prototype for *c_sdiv* 72 ⟩;
  ⟨ Prototype for *c_smul* 68 ⟩;
  ⟨ Prototype for *c_sin* 75 ⟩;
  ⟨ Prototype for *c_cos* 77 ⟩;
  ⟨ Prototype for *c_tan* 79 ⟩;
  ⟨ Prototype for *c_asin* 81 ⟩;
  ⟨ Prototype for *c_acos* 83 ⟩;
  ⟨ Prototype for *c_atan* 85 ⟩;
  ⟨ Prototype for *c_sinh* 90 ⟩;
  ⟨ Prototype for *c_cosh* 88 ⟩;
  ⟨ Prototype for *c_tanh* 92 ⟩;
  ⟨ Prototype for *c_atanh* 94 ⟩;
  ⟨ Prototype for *c_asinh* 96 ⟩;
  ⟨ Prototype for *c_exp* 99 ⟩;
  ⟨ Prototype for *c_log* 101 ⟩;
  ⟨ Prototype for *c_log10* 103 ⟩;
  ⟨ Prototype for *new_carray* 106 ⟩;
  ⟨ Prototype for *free_carray* 108 ⟩;
  ⟨ Prototype for *copy_carray* 110 ⟩;
  ⟨ Prototype for *set_carray* 112 ⟩;

33.   Basic routines.

34.   A simple error routine.

⟨ Prototype for *complex_error* 34 ⟩ ≡
  static void *complex_error*(**char** ∗*s*)

This code is used in section 35.

35.   ⟨ Definition for *complex_error* 35 ⟩ ≡
  ⟨ Prototype for *complex_error* 34 ⟩
  {
    printf("%s\n", *s*);
    exit(1);
  }

This code is used in section 31.

36.   This is shorthand for setting a complex number. It just returns a complex equal to $a + bi$

⟨ Prototype for *c_set* 36 ⟩ ≡
  struct c_complex *c_set*(**double** *a*, **double** *b*)

This code is used in sections 32 and 37.

37.   ⟨ Definition for *c_set* 37 ⟩ ≡
  ⟨ Prototype for *c_set* 36 ⟩
  {
    struct c_complex *c*;

    c.*re* = *a*;
    c.*im* = *b*;
    return *c*;
  }

This code is used in section 31.

38.   A variation on *c_set* in which the complex number is specifed using polar coordinates.

⟨ Prototype for *c_polarset* 38 ⟩ ≡
  struct c_complex *c_polarset*(**double** *r*, **double** *theta*)

This code is used in sections 32 and 39.

39.   ⟨ Definition for *c_polarset* 39 ⟩ ≡
  ⟨ Prototype for *c_polarset* 38 ⟩
  {
    return *c_set*(*r* ∗ *cos*(*theta*), *r* ∗ *sin*(*theta*));
  }

This code is used in section 31.

40.   This routine returns the absolute value of a complex number $\sqrt{zz^*}$. To avoid unnecessary loss of accuracy as explained in §5.4 of *Numerical Recipes in C*

⟨ Prototype for *c_abs* 40 ⟩ ≡
  double *c_abs*(**struct c_complex** *z*)

This code is used in sections 32 and 41.

41. $\langle$ Definition for c_abs 41 $\rangle \equiv$
 $\langle$ Prototype for c_abs 40 $\rangle$
 {
  double x, y, $temp$;
  $x = fabs(z.re)$;
  $y = fabs(z.im)$;
  if $(x \equiv 0.0)$ **return** y;
  if $(y \equiv 0.0)$ **return** x;
  if $(x > y)$ {
   $temp = y/x$;
   return $(x * sqrt(1.0 + temp * temp))$;
  }
  $temp = x/y$;
  return $(y * sqrt(1.0 + temp * temp))$;
 }

This code is used in section 31.

42.   Returns the conjugate of the complex number z

$\langle$ Prototype for c_conj 42 $\rangle \equiv$
 struct c_complex $c\_conj(\textbf{struct c\_complex } z)$

This code is used in sections 32 and 43.

43. $\langle$ Definition for c_conj 43 $\rangle \equiv$
 $\langle$ Prototype for c_conj 42 $\rangle$
 {
  return $c\_set(z.re, -z.im)$;
 }

This code is used in section 31.

44. $\langle$ Prototype for c_arg 44 $\rangle \equiv$
 double $c\_arg(\textbf{struct c\_complex } z)$

This code is used in sections 32 and 45.

45. $\langle$ Definition for c_arg 45 $\rangle \equiv$
 $\langle$ Prototype for c_arg 44 $\rangle$
 {
  return $atan2(z.im, z.re)$;
 }

This code is used in section 31.

46.   Returns the square of the modulus of the complex number zz^*

$\langle$ Prototype for c_norm 46 $\rangle \equiv$
 double $c\_norm(\textbf{struct c\_complex } z)$

This code is used in sections 32 and 47.

47. $\langle$ Definition for c_norm 47 $\rangle \equiv$
 $\langle$ Prototype for c_norm 46 $\rangle$
 {
  return $(z.re * z.re + z.im * z.im)$;
 }

This code is used in section 31.

48.   ⟨Prototype for c_sqrt 48⟩ ≡
    struct c_complex $c\_sqrt($**struct c_complex** $z)$

This code is used in sections 32 and 49.

49.   ⟨Definition for c_sqrt 49⟩ ≡
  ⟨Prototype for c_sqrt 48⟩
  {
    double $a, b;$
    if $((z.re \equiv 0.0) \wedge (z.im \equiv 0.0))$ **return** $c\_set(0.0, 0.0);$
    $a = sqrt((fabs(z.re) + c\_abs(z)) * 0.5);$
    if $(z.re \geq 0)$ $b = z.im/(a + a);$
    else {
      $b = z.im < 0 ? -a : a;$
      $a = z.im/(b + b);$
    }
    return $c\_set(a, b);$
  }

This code is used in section 31.

50.   Returns the product of a complex number with itself $z \cdot z$. If you want $z \cdot z^*$ then use c_norm.

⟨Prototype for c_sqr 50⟩ ≡
    struct c_complex $c\_sqr($**struct c_complex** $z)$

This code is used in sections 32 and 51.

51.   ⟨Definition for c_sqr 51⟩ ≡
  ⟨Prototype for c_sqr 50⟩
  {
    return $c\_mul(z, z);$
  }

This code is used in section 31.

52.   Returns the reciprocal of z.

⟨Prototype for c_inv 52⟩ ≡
    struct c_complex $c\_inv($**struct c_complex** $w)$

This code is used in sections 32 and 53.

53.   ⟨Definition for c_inv 53⟩ ≡
  ⟨Prototype for c_inv 52⟩
  {
    double $r, d;$
    if $((w.re \equiv 0) \wedge (w.im \equiv 0))$ $complex\_error($"Attempt␣to␣invert␣0+0i"$);$
    if $(fabs(w.re) \geq fabs(w.im))$ {
      $r = w.im/w.re;$
      $d = 1/(w.re + r * w.im);$
      return $c\_set(d, -r * d);$
    }
    $r = w.re/w.im;$
    $d = 1/(w.im + r * w.re);$
    return $c\_set(r * d, -d);$
  }

This code is used in section 31.

54.   Two complex numbers.

55.   Returns the sum of the two complex numbers a and b

$\langle$ Prototype for c_add 55 $\rangle \equiv$
   struct c_complex c_add(**struct c_complex** z, **struct c_complex** w)

This code is used in sections 32 and 56.

56. $\langle$ Definition for c_add 56 $\rangle \equiv$
   $\langle$ Prototype for c_add 55 $\rangle$
   {
      struct c_complex c;
      $c.im = z.im + w.im$;
      $c.re = z.re + w.re$;
      return c;
   }

This code is used in section 31.

57.   Returns the difference of two complex numbers $z - w$

$\langle$ Prototype for c_sub 57 $\rangle \equiv$
   struct c_complex c_sub(**struct c_complex** z, **struct c_complex** w)

This code is used in sections 32 and 58.

58. $\langle$ Definition for c_sub 58 $\rangle \equiv$
   $\langle$ Prototype for c_sub 57 $\rangle$
   {
      struct c_complex c;
      $c.im = z.im - w.im$;
      $c.re = z.re - w.re$;
      return c;
   }

This code is used in section 31.

59.   Returns the product of two complex numbers $z \cdot w$

$\langle$ Prototype for c_mul 59 $\rangle \equiv$
   struct c_complex c_mul(**struct c_complex** z, **struct c_complex** w)

This code is used in sections 32 and 60.

60. $\langle$ Definition for c_mul 60 $\rangle \equiv$
   $\langle$ Prototype for c_mul 59 $\rangle$
   {
      struct c_complex c;
      $c.re = z.re * w.re - z.im * w.im$;
      $c.im = z.im * w.re + z.re * w.im$;
      return c;
   }

This code is used in section 31.

61.   Returns the quotient of two complex numbers z/w see §5.4 of *Numerical Recipes in C*

⟨ Prototype for *c_div* 61 ⟩ ≡
 struct c_complex *c_div*(**struct c_complex** z, **struct c_complex** w)

This code is used in sections 32 and 62.

62.   ⟨ Definition for *c_div* 62 ⟩ ≡
 ⟨ Prototype for *c_div* 61 ⟩
 {
  struct c_complex c;
  double r, $denom$;
  if $((w.re \equiv 0) \wedge (w.im \equiv 0))$ *complex_error*(`"Attempt␣to␣divide␣by␣0+0i"`);
  if $(fabs(w.re) \geq fabs(w.im))$ {
   $r = w.im/w.re$;
   $denom = w.re + r * w.im$;
   $c.re = (z.re + r * z.im)/denom$;
   $c.im = (z.im - r * z.re)/denom$;
  }
  else {
   $r = w.re/w.im$;
   $denom = w.im + r * w.re$;
   $c.re = (z.re * r + z.im)/denom$;
   $c.im = (z.im * r - z.re)/denom$;
  }
  return c;
 }

This code is used in section 31.

63.   Returns the real part of the quotient of two complex numbers $\mathrm{Re}(z/w)$. Note how this is a special case of *c_div* above

⟨ Prototype for *c_rdiv* 63 ⟩ ≡
 double *c_rdiv*(**struct c_complex** z, **struct c_complex** w)

This code is used in sections 32 and 64.

64.   ⟨ Definition for *c_rdiv* 64 ⟩ ≡
 ⟨ Prototype for *c_rdiv* 63 ⟩
 {
  double r, c, $denom$;
  if $((w.re \equiv 0) \wedge (w.im \equiv 0))$ *complex_error*(`"Attempt␣to␣find␣real␣part␣with␣divisor␣0+0i"`);
  if $(fabs(w.re) \geq fabs(w.im))$ {
   $r = w.im/w.re$;
   $denom = w.re + r * w.im$;
   $c = (z.re + r * z.im)/denom$;
  }
  else {
   $r = w.re/w.im$;
   $denom = w.im + r * w.re$;
   $c = (z.re * r + z.im)/denom$;
  }
  return c;
 }

This code is used in section 31.

65.   Returns the real part of the product of two complex numbers $\mathrm{Re}(z \cdot w)$

$\langle$ Prototype for c_rmul 65 $\rangle \equiv$
    double $c\_rmul(\textbf{struct c\_complex } z, \textbf{struct c\_complex } w)$

This code is used in sections 32 and 66.

66. $\langle$ Definition for c_rmul 66 $\rangle \equiv$
    $\langle$ Prototype for c_rmul 65 $\rangle$
    $\{$
        return $z.re * w.re - z.im * w.im;$
    $\}$

This code is used in section 31.

67.   A scalar and a complex number.

68.   Returns the product of a scalar with a complex number

⟨ Prototype for c_smul 68 ⟩ ≡
   struct c_complex c_smul(**double** x, **struct c_complex** z)

This code is used in sections 32 and 69.

69.   ⟨ Definition for c_smul 69 ⟩ ≡
  ⟨ Prototype for c_smul 68 ⟩
  {
    struct c_complex c;
    $c.re = z.re * x$;
    $c.im = z.im * x$;
    return c;
  }

This code is used in section 31.

70.   Returns the sum of a scalar and a complex number

⟨ Prototype for c_sadd 70 ⟩ ≡
   struct c_complex c_sadd(**double** x, **struct c_complex** z)

This code is used in sections 32 and 71.

71.   ⟨ Definition for c_sadd 71 ⟩ ≡
  ⟨ Prototype for c_sadd 70 ⟩
  {
    struct c_complex c;
    $c.re = x + z.re$;
    $c.im = z.im$;
    return c;
  }

This code is used in section 31.

72.   Returns the quotient of real number by a complex number z. Again a special case of c_div

⟨ Prototype for c_sdiv 72 ⟩ ≡
   struct c_complex c_sdiv(**double** x, **struct c_complex** w)

This code is used in sections 32 and 73.

73. $\langle$ Definition for c_sdiv 73 $\rangle \equiv$
$\langle$ Prototype for c_sdiv 72 $\rangle$
{
    struct c_complex c;
    double r, $factor$;
    if $((w.re \equiv 0) \wedge (w.im \equiv 0))$ $complex\_error($"Attempt␣to␣divide␣scalar␣by␣0+0i"$)$;
    if $(fabs(w.re) \geq fabs(w.im))$ {
      $r = w.im/w.re$;
      $factor = x/(w.re + r * w.im)$;
      $c.re = factor$;
      $c.im = -r * factor$;
    }
    else {
      $r = w.re/w.im$;
      $factor = x/(w.im + r * w.re)$;
      $c.im = -factor$;
      $c.re = r * factor$;
    }
    return c;
  }
This code is used in section 31.

74.   **Trigonometric Functions.**

75.   The complex sine.

⟨ Prototype for *c_sin* 75 ⟩ ≡
  struct c_complex *c_sin*(**struct c_complex** *z*)

This code is used in sections 32 and 76.

76.   ⟨ Definition for *c_sin* 76 ⟩ ≡
  ⟨ Prototype for *c_sin* 75 ⟩
  {
    return *c_set*(*sin*(*z.re*) ∗ *cosh*(*z.im*), *cos*(*z.re*) ∗ *sinh*(*z.im*));
  }

This code is used in section 31.

77.   The complex cosine.

⟨ Prototype for *c_cos* 77 ⟩ ≡
  struct c_complex *c_cos*(**struct c_complex** *z*)

This code is used in sections 32 and 78.

78.   ⟨ Definition for *c_cos* 78 ⟩ ≡
  ⟨ Prototype for *c_cos* 77 ⟩
  {
    return *c_set*(*cos*(*z.re*) ∗ *cosh*(*z.im*), −(*sin*(*z.re*) ∗ *sinh*(*z.im*)));
  }

This code is used in section 31.

79.   The complex tangent.

$$\tan(a + bi) = \frac{\sin 2a + i \sinh 2b}{\cos 2a + \cosh 2b}$$

or

$$\tan(a + bi) = \frac{2 \sin 2a + i \exp(2b) - i \exp(-2b)}{2 \cos 2a + \exp(2b) + \exp(-2b)}$$

it is easy to see that if $2b$ is large, then problems arise.

The number `DBL_MAX_10_EXP` is the value c such that 10^c can be represented by a double precision variable. Now we are interested in the maximum exponential, one would just multiply c by $\ln 10 = 2.3$ to get such an exponential. This could then be compared against the value of $2b$ to figure out when an approximation should be used. Slightly more conservatively, one could just test to see when

$$2b > 2c$$

and adjust accordingly.

⟨ Prototype for *c_tan* 79 ⟩ ≡
  struct c_complex *c_tan*(**struct c_complex** *z*)

This code is used in sections 32 and 80.

80.   ⟨ Definition for c_tan 80 ⟩ ≡
  ⟨ Prototype for c_tan 79 ⟩
  {
    double t, x, y;
    if $(z.im \equiv 0)$ **return** $c\_set(tan(z.re), 0.0)$;
    if $(z.im > \texttt{DBL\_MAX\_10\_EXP})$ **return** $c\_set(0.0, 1.0)$;
    if $(z.im < -\texttt{DBL\_MAX\_10\_EXP})$ **return** $c\_set(0.0, -1.0)$;
    $x = 2 * z.re$;
    $y = 2 * z.im$;
    $t = cos(x) + cosh(y)$;
    if $(t \equiv 0)$ $complex\_error(\texttt{"Complex\_tangent\_is\_infinite"})$;
    return $c\_set(sin(x)/t, sinh(y)/t)$;
  }
This code is used in section 31.

81.   The complex inverse sine.
⟨ Prototype for c_asin 81 ⟩ ≡
  struct c_complex $c\_asin(\textbf{struct c\_complex } z)$
This code is used in sections 32 and 82.

82.   ⟨ Definition for c_asin 82 ⟩ ≡
  ⟨ Prototype for c_asin 81 ⟩
  {
    struct c_complex x;
    $x = c\_log(c\_add(c\_set(-z.im, z.re), c\_sqrt(c\_sub(c\_set(1.0, 0.0), c\_mul(z, z)))))$;
    return $c\_set(x.im, -x.re)$;
  }
This code is used in section 31.

83.   The complex inverse cosine
⟨ Prototype for c_acos 83 ⟩ ≡
  struct c_complex $c\_acos(\textbf{struct c\_complex } z)$
This code is used in sections 32 and 84.

84.   ⟨ Definition for c_acos 84 ⟩ ≡
  ⟨ Prototype for c_acos 83 ⟩
  {
    struct c_complex x;
    $x = c\_log(c\_add(z, c\_mul(c\_set(0.0, 1.0), c\_sqrt(c\_sub(c\_set(1.0, 0.0), c\_sqr(z))))))$;
    return $c\_set(x.im, -x.re)$;
  }
This code is used in section 31.

85.   The complex inverse tangent
⟨ Prototype for c_atan 85 ⟩ ≡
  struct c_complex $c\_atan(\textbf{struct c\_complex } z)$
This code is used in sections 32 and 86.

86. $\langle$ Definition for c_atan 86 $\rangle \equiv$
  $\langle$ Prototype for c_atan 85 $\rangle$
  {
      struct c_complex x;
      $x = c\_log(c\_div(c\_set(z.re, 1 + z.im), c\_set(-z.re, 1 - z.im)));$
      return $c\_set(-x.im/2, x.re/2);$
  }
This code is used in section 31.

87.   Hyperbolic functions.

88.   ⟨ Prototype for c_cosh 88 ⟩ ≡
  struct c_complex $c\_cosh($**struct c_complex** $z)$

This code is used in sections 32 and 89.

89.   ⟨ Definition for c_cosh 89 ⟩ ≡
  ⟨ Prototype for c_cosh 88 ⟩
  {
    return $c\_set(cosh(z.re) * cos(z.im), sinh(z.re) * sin(z.im));$
  }

This code is used in section 31.

90.   ⟨ Prototype for c_sinh 90 ⟩ ≡
  struct c_complex $c\_sinh($**struct c_complex** $z)$

This code is used in sections 32 and 91.

91.   ⟨ Definition for c_sinh 91 ⟩ ≡
  ⟨ Prototype for c_sinh 90 ⟩
  {
    return $c\_set(sinh(z.re) * cos(z.im), cosh(z.re) * sin(z.im));$
  }

This code is used in section 31.

92.   ⟨ Prototype for c_tanh 92 ⟩ ≡
  struct c_complex $c\_tanh($**struct c_complex** $z)$

This code is used in sections 32 and 93.

93.   ⟨ Definition for c_tanh 93 ⟩ ≡
  ⟨ Prototype for c_tanh 92 ⟩
  {
    double $x = 2 * z.re;$
    double $y = 2 * z.im;$
    double $t = 1.0/(cosh(x) + cos(y));$
    return $c\_set(t * sinh(x), t * sin(y));$
  }

This code is used in section 31.

94.   ⟨ Prototype for c_atanh 94 ⟩ ≡
  struct c_complex $c\_atanh($**struct c_complex** $z)$

This code is used in sections 32 and 95.

95.   ⟨ Definition for c_atanh 95 ⟩ ≡
  ⟨ Prototype for c_atanh 94 ⟩
  {
    return $c\_atan(c\_set(-z.im, z.re));$
  }

This code is used in section 31.

96.   ⟨ Prototype for c_asinh 96 ⟩ ≡
  struct c_complex $c\_asinh($**struct c_complex** $z)$

This code is used in sections 32 and 97.

97.   ⟨ Definition for c_asinh 97 ⟩ ≡
  ⟨ Prototype for c_asinh 96 ⟩
  {
    return $c\_asin(c\_set(-z.im, z.re))$;
  }
This code is used in section 31.

98.   Exponentials and logarithms.

99.   ⟨ Prototype for c_exp 99 ⟩ ≡
  struct c_complex $c\_exp($**struct c_complex** $z)$
This code is used in sections 32 and 100.

100.   ⟨ Definition for c_exp 100 ⟩ ≡
  ⟨ Prototype for c_exp 99 ⟩
  {
    double $x = exp(z.re)$;
    return $c\_set(x * cos(z.im), x * sin(z.im))$;
  }
This code is used in section 31.

101.   ⟨ Prototype for c_log 101 ⟩ ≡
  struct c_complex $c\_log($**struct c_complex** $z)$
This code is used in sections 32 and 102.

102.   ⟨ Definition for c_log 102 ⟩ ≡
  ⟨ Prototype for c_log 101 ⟩
  {
    return $c\_set(log(c\_abs(z)), c\_arg(z))$;
  }
This code is used in section 31.

103.   ⟨ Prototype for c_log10 103 ⟩ ≡
  struct c_complex $c\_log10($**struct c_complex** $z)$
This code is used in sections 32 and 104.

104.   ⟨ Definition for c_log10 104 ⟩ ≡
  ⟨ Prototype for c_log10 103 ⟩
  {
    return $c\_set(0.2171472409516259 * log(c\_norm(z)), c\_arg(z))$;
  }
This code is used in section 31.

105.   Arrays of complex numbers.
This assumes zero based arrays.

106.   ⟨Prototype for *new_carray* 106⟩ ≡
  struct c_complex *∗new_carray*(**long** *size*)
This code is used in sections 32 and 107.

107.   ⟨Definition for *new_carray* 107⟩ ≡
  ⟨Prototype for *new_carray* 106⟩
  {
    struct c_complex *∗a*;
    if (*size* ≤ 0) *complex_error*("Non−positive␣complex␣array␣size␣chosen");
    a = (**struct c_complex** *∗*) *calloc*(**sizeof**(**struct c_complex**), (**unsigned long**) *size*);
    if (*a* ≡ Λ) *complex_error*("Can't␣allocate␣complex␣array");
    return *a*;
  }
This code is used in section 31.

108.   ⟨Prototype for *free_carray* 108⟩ ≡
  void *free_carray*(**struct c_complex** *∗a*)
This code is used in sections 32 and 109.

109.   ⟨Definition for *free_carray* 109⟩ ≡
  ⟨Prototype for *free_carray* 108⟩
  {
    if (*a* ≠ Λ) *free*(*a*);
  }
This code is used in section 31.

110.   This allocates a new complex array and copies the contents of *a* into it.
⟨Prototype for *copy_carray* 110⟩ ≡
  struct c_complex *∗copy_carray*(**struct c_complex** *∗a*, **long** *size*)
This code is used in sections 32 and 111.

111.   ⟨Definition for *copy_carray* 111⟩ ≡
  ⟨Prototype for *copy_carray* 110⟩
  {
    struct c_complex *∗b* = Λ;
    if (*a* ≡ Λ) *complex_error*("Can't␣duplicate␣a␣NULL␣complex␣array");
    b = *new_carray*(*size*);
    if (*b* ≠ Λ) *memcpy*(*b*, *a*, *size* ∗ **sizeof**(**struct c_complex**));
    return *b*;
  }
This code is used in section 31.

112.   This puts *z* in all the entries in a complex array.
⟨Prototype for *set_carray* 112⟩ ≡
  void *set_carray*(**struct c_complex** *∗a*, **long** *size*, **struct c_complex** *z*)
This code is used in sections 32 and 113.

113. $\langle$ Definition for set_carray 113 $\rangle \equiv$
  $\langle$ Prototype for set_carray 112 $\rangle$
  {
    long j;
    if $(a \equiv \Lambda)$ $complex\_error$("Can't␣operate␣on␣a␣NULL␣complex␣array");
    for $(j = 0; \ j < size; \ j{+}{+})$ $a[j] = z$;
  }
This code is used in section 31.

114.   Mie Scattering Algorithms.

This is a Mie scattering implementation. Several resources were used in creating this program. First, the Fortran listing in Bohren and Huffman's book was used. This listing was translated into Pascal and refined using various suggestions by Wiscombe. This version was used for a couple of years and later translated by me into C and then into CWeb with the documentation you see here.

Finally, consider using *ez_Mie* for problems that involve non-absorbing spheres and you don't care about the scattering phase function.

A short to do list includes (1) use Wiscombe's trick to find the scattering functions, (2) add code to deal with near zero entries in the Lentz routine, (3) allow calculation of extinction efficiencies with zero angles.

115.   There are seven basic functions that are defined.

⟨ mie.c   115 ⟩ ≡
#include <math.h>
#include <stddef.h>
#include <stdio.h>
#include <stdlib.h>
#include "mie_array.h"
#include "mie_complex.h"
#include "mie.h"
  ⟨ Definition for *mie_error* 119 ⟩
  ⟨ Definition for *Lentz_Dn* 124 ⟩
  ⟨ Definition for *Dn_down* 133 ⟩
  ⟨ Definition for *Dn_up* 130 ⟩
  ⟨ Definition for *small_Mie* 136 ⟩
  ⟨ Definition for *small_conducting_Mie* 145 ⟩
  ⟨ Definition for *Mie* 148 ⟩
  ⟨ Definition for *ez_Mie* 164 ⟩
  ⟨ Definition for *ez_Mie_Full* 166 ⟩

116.   Only the main function *Mie* is available for calling.

⟨ mie.h   116 ⟩ ≡
#define MIE_VERBOSE_ERROR_REPORTING   0
  ⟨ Prototype for *Lentz_Dn* 123 ⟩;
  ⟨ Prototype for *Dn_down* 132 ⟩;
  ⟨ Prototype for *Dn_up* 129 ⟩;
  ⟨ Prototype for *small_Mie* 135 ⟩;
  ⟨ Prototype for *small_conducting_Mie* 144 ⟩;
  ⟨ Prototype for *Mie* 147 ⟩;
  ⟨ Prototype for *ez_Mie* 163 ⟩;
  ⟨ Prototype for *ez_Mie_Full* 165 ⟩;

117.   Some prototypes for the library interface.

⟨ libmie.h   117 ⟩ ≡
  ⟨ Prototype for *ez_Mie* 163 ⟩;
  ⟨ Prototype for *ez_Mie_Full* 165 ⟩;

118.   A simple error routine that contains the only printf statement used in the program.

⟨ Prototype for *mie_error* 118 ⟩ ≡
  static void *mie_error*(**char** ∗*s*, **int** *n*)

This code is used in section 119.

119. ⟨ Definition for *mie_error* 119 ⟩ ≡

⟨ Prototype for *mie_error* 118 ⟩

```
{
    if (MIE_VERBOSE_ERROR_REPORTING) {
```
$fprintf\,(stderr\,,\texttt{"Mie}_\sqcup\texttt{Error}_\sqcup\texttt{\%d}_\sqcup\texttt{--}_\sqcup\texttt{\%s}\texttt{\textbackslash n"},n,s);$
$exit\,(n);$
```
    }
}
```

This code is used in section 115.

120.   The logarithmic derivative D_n.

121.   This routine uses a continued fraction method to compute $D_n(z)$ proposed by Lentz.* This method eliminates many weaknesses in previous algorithms using forward recursion.

I should add code to deal with $\alpha_{j,1} \approx 0$.

The logarithmic derivative D_n is defined as

$$D_n = -\frac{n}{z} + \frac{J_{n-1/2}(z)}{J_{n+1/2}(z)}$$

Equation (5) in Lentz's paper can be used to obtain

$$\frac{J_{n-1/2}(z)}{J_{n+1/2}(z)} = \frac{2n+1}{z} + \cfrac{1}{-\cfrac{2n+3}{z} + \cfrac{1}{\cfrac{2n+5}{z} + \cfrac{1}{-\cfrac{2n+7}{z} + \cdots}}}$$

Now if

$$\alpha_{i,j} = [a_i, a_{i-1}, \ldots, a_j] = a_i + \cfrac{1}{a_{i-1} + \cfrac{1}{a_{i-2} + \cdots \cfrac{1}{a_j}}}$$

we seek to create

$$\alpha = \alpha_{1,1}\,\alpha_{2,1} \cdots \alpha_{j,1} \qquad \beta = \alpha_{2,2}\,\alpha_{3,2} \cdots \alpha_{j,2}$$

since Lentz showed that

$$\frac{J_{n-1/2}(z)}{J_{n+1/2}(z)} \approx \frac{\alpha}{\beta}$$

122.   The whole goal is to iterate until the α and β are identical to the number of digits desired. Once this is achieved, then use equations this equation and the first equation for the logarithmic derivative to calculate $D_n(z)$.

123.   ⟨ Prototype for *Lentz_Dn* 123 ⟩ ≡
  struct c_complex *Lentz_Dn*(**struct c_complex** z, **long** n)

This code is used in sections 116 and 124.

124.   ⟨ Definition for *Lentz_Dn* 124 ⟩ ≡
  ⟨ Prototype for *Lentz_Dn* 123 ⟩
  {
    struct c_complex *alpha_j1*, *alpha_j2*, *zinv*, *aj*;
    struct c_complex *alpha*, *result*, *ratio*, *runratio*;
    ⟨ Calculate first *alpha* and *beta* 125 ⟩
    do ⟨ Calculate next *ratio* 126 ⟩ **while** (*fabs*(*c_abs*(*ratio*) − 1.0) > 1 · 10⁻¹²);
    result = *c_add*(*c_sdiv*((**double**) −*n*, *z*), *runratio*);
    return *result*;
  }

This code is used in section 115.

---

* Lentz uses the notation A_n instead of D_n, but I prefer the notation used by Bohren and Huffman.

125.   Here I initialize for looping. Of course it is kind of tricky, but what else would you expect. The value of a_j is given by,

$$a_j = (-1)^{j+1} \frac{2n + 2j - 1}{z}$$

The first terms for α and *beta* are

$$\alpha = a_1 \left(a_2 + \frac{1}{a_1} \right) \qquad \beta = a_2$$

⟨ Calculate first *alpha* and *beta* 125 ⟩ ≡
```
    zinv = c_sdiv(2.0, z);
    alpha = c_smul(n + 0.5, zinv);
    aj = c_smul(-n - 1.5, zinv);
    alpha_j1 = c_add(aj, c_inv(alpha));
    alpha_j2 = aj;
    ratio = c_div(alpha_j1, alpha_j2);
    runratio = c_mul(alpha, ratio);
```
This code is used in section 124.

126.   To calculate the next α and β, I use

$$a_{j+1} = -a_j + (-1)^j \frac{2}{z}$$

to find the next a_j and

$$\alpha_{j+1} = a_j + \frac{1}{\alpha_j}, \qquad \text{and} \qquad \beta_{j+1} = a_j + \frac{1}{\beta_j}$$

and

⟨ Calculate next *ratio* 126 ⟩ ≡
```
    {
        aj.re = zinv.re - aj.re;
        aj.im = zinv.im - aj.im;
        alpha_j1 = c_add(c_inv(alpha_j1), aj);
        alpha_j2 = c_add(c_inv(alpha_j2), aj);
        ratio = c_div(alpha_j1, alpha_j2);
        zinv.re *= -1;
        zinv.im *= -1;
        runratio = c_mul(ratio, runratio);
    }
```
This code is used in section 124.

127. D_n **by upward recurrence.**
    Calculating the logarithmic derivative $D_n(\rho)$ using the upward recurrence relation,

$$D_n(z) = \frac{1}{n/z - D_{n-1}(z)} - \frac{n}{z}$$

128.   To calculate the initial value we must figure out $D_0(z)$. This is

$$D_0(z) = \frac{d}{dz} \ln \psi_0(z) = \frac{d}{dz} \ln \sin(z) = \frac{\cos z}{\sin z}$$

The only tricky part is finding the tangent of a complex number, but this is all stuck in `complex.w`.

Finally, note that the returned array $*D$ is set-up so that $D_n(z) = D[n]$. Therefore the first value for $D_1(z)$ will be found not in $D[0]$, but rather in $D[1]$.

129.   ⟨Prototype for Dn_up 129⟩ ≡
  void Dn_up(**struct c_complex** z, **long** $nstop$, **struct c_complex** $*D$)
This code is used in sections 116 and 130.

130.   ⟨Definition for Dn_up 130⟩ ≡
  ⟨Prototype for Dn_up 129⟩
  {
    struct c_complex $zinv$, k_over_z;
    long k;
    $D[0] = c\_inv(c\_tan(z))$;
    $zinv = c\_inv(z)$;
    for ($k = 1$; $k < nstop$; $k{+}{+}$) {
      $k\_over\_z = c\_smul((\textbf{double})\, k, zinv)$;
      $D[k] = c\_sub(c\_inv(c\_sub(k\_over\_z, D[k-1])), k\_over\_z)$;
    }
  }
This code is used in section 115.

131. D_n **by downwards recurrence.**
  Start downwards recurrence using Lentz method, then find earlier terms of the logarithmic derivative $D_n(z)$ using the recurrence relation,

$$D_{n-1}(z) = \frac{n}{z} - \frac{1}{D_n(z) + n/z}$$

This is a pretty straightforward procedure.

Finally, note that the returned array $*D$ is set-up so that $D_n(z) = D[n]$. Therefore the first value for $D_1(z)$ will be found not in $D[0]$, but rather in $D[1]$.

132.   ⟨Prototype for Dn_down 132⟩ ≡
  void Dn_down(**struct c_complex** z, **long** $nstop$, **struct c_complex** $*D$)
This code is used in sections 116 and 133.

133.   ⟨Definition for Dn_down 133⟩ ≡
  ⟨Prototype for Dn_down 132⟩
  {
    long k;
    struct c_complex $zinv$, k_over_z;
    $D[nstop - 1] = Lentz\_Dn(z, nstop)$;
    $zinv = c\_inv(z)$;
    for ($k = nstop - 1$; $k \geq 1$; $k{-}{-}$) {
      $k\_over\_z = c\_smul((\textbf{double})\, k, zinv)$;
      $D[k-1] = c\_sub(k\_over\_z, c\_inv(c\_add(D[k], k\_over\_z)))$;
    }
  }
This code is used in section 115.

134.   Small Spheres.

This calculates everything accurately for small spheres. This approximation is necessary because in the small particle or Rayleigh limit $x \to 0$ the Mie formulas become ill-conditioned. The method was taken from Wiscombe's paper and has been tested for several complex indices of refraction. Wiscombe uses this when

$$x|m| \leq 0.1$$

and says this routine should be accurate to six places.

If $nangles \equiv 0$ or $s1 \equiv \Lambda$ or $s2 \equiv \Lambda$ then this routine will do the right thing—it will calculate the efficiencies and the anisotropy, but will not calculate any of the scattering amplitudes.

Since it is not obvious $z0 = i(m^2 - 1)$

135.   ⟨ Prototype for *small_Mie* 135 ⟩ ≡
  void *small_Mie*(**double** x, **struct c_complex** m, **double** $*mu$, **long** *nangles*, **struct c_complex**
      $*s1$, **struct c_complex** $*s2$, **double** $*qext$, **double** $*qsca$, **double** $*qback$, **double** $*g$)

This code is used in sections 116 and 136.

136.   ⟨ Definition for *small_Mie* 136 ⟩ ≡
  ⟨ Prototype for *small_Mie* 135 ⟩
  {
    struct c_complex *ahat1*, *ahat2*, *bhat1*;
    struct c_complex *z0*, *m2*, *m4*;
    double *x2*, *x3*, *x4*;

    if $((s1 \equiv \Lambda) \vee (s2 \equiv \Lambda))$ $nangles = 0$;
    $m2 = c\_sqr(m)$;
    $m4 = c\_sqr(m2)$;
    $x2 = x * x$;
    $x3 = x2 * x$;
    $x4 = x2 * x2$;
    $z0.re = -m2.im$;
    $z0.im = m2.re - 1$;
    ⟨ Calculate $\hat{a}_1$ 137 ⟩
    ⟨ Calculate $\hat{b}_1$ 138 ⟩
    ⟨ Calculate $\hat{a}_2$ 139 ⟩
    ⟨ Calculate small Mie efficiencies and asymmetry 141 ⟩
    ⟨ Calculate small Mie scattering amplitudes 142 ⟩
  }

This code is used in section 115.

137.   The formula for $\hat{a}_1$ is

$$\hat{a}_1 = 2i\frac{m^2-1}{3}\frac{1-0.1x^2+\frac{4m^2+5}{1400}x^4}{D}$$

where

$$D = m^2 + 2 + (1 - 0.7m^2)x^2 - \frac{8m^4 - 385m^2 + 350}{1400}x^4 + 2i\frac{m^2-1}{3}x^3(1 - 0.1x^2)$$

Note that I have disabled the case when the sphere has no index of refraction. The perfectly conducting sphere equations are

$\langle$ Calculate $\hat{a}_1$ 137 $\rangle \equiv$

```
{
    struct c_complex z1, z2, z3, z4, D;

    z1 = c_smul(2.0/3.0, z0);
    z2.re = 1.0 − 0.1 ∗ x2 + (4.0 ∗ m2.re + 5.0) ∗ x4/1400.0;
    z2.im = 4.0 ∗ x4 ∗ m2.im/1400.0;
    z3 = c_mul(z1, z2);
    z4 = c_smul(x3 ∗ (1.0 − 0.1 ∗ x2), z1);
    D.re = 2.0 + m2.re + (1 − 0.7 ∗ m2.re) ∗ x2 − (8.0 ∗ m4.re − 385.0 ∗ m2.re + 350.0)/1400.0 ∗ x4 + z4.re;
    D.im = m2.im + (−0.7 ∗ m2.im) ∗ x2 − (8.0 ∗ m4.im − 385.0 ∗ m2.im)/1400.0 ∗ x4 + z4.im;
    ahat1 = c_div(z3, D);
}
```

This code is used in section 136.

138.   The formula for $\hat{b}_1$ is

$$\hat{b}_1 = ix^2\frac{m^2-1}{45}\frac{1+\frac{2m^2-5}{70}x^2}{1-\frac{2m^2-5}{30}x^2}$$

$\langle$ Calculate $\hat{b}_1$ 138 $\rangle \equiv$

```
{
    struct c_complex z2, z6, z7;

    z2 = c_smul(x2/45.0, z0);
    z6.re = 1.0 + (2.0 ∗ m2.re − 5.0) ∗ x2/70.0;
    z6.im = m2.im ∗ x2/35.0;
    z7.re = 1.0 − (2.0 ∗ m2.re − 5.0) ∗ x2/30.0;
    z7.im = −m2.im ∗ x2/15.0;
    bhat1 = c_mul(z2, c_div(z6, z7));
}
```

This code is used in section 136.

139.   The formula for $\hat{a}_2$ is

$$\hat{a}_2 = ix^2 \frac{m^2 - 1}{15} \frac{1 - \frac{1}{14}x^2}{2m^2 + 3 - \frac{2m^2 - 7}{14}x^2}$$

$\langle$ Calculate $\hat{a}_2$ 139 $\rangle \equiv$

```
{
  struct c_complex z3, z8;
  z3 = c_smul((1.0 - x2/14.0) * x2/15.0, z0);
  z8.re = 2.0 * m2.re + 3.0 - (m2.re/7.0 - 0.5) * x2;
  z8.im = 2.0 * m2.im - m2.im/7.0 * x2;
  ahat2 = c_div(z3, z8);
}
```

This code is used in section 136.

140.   The scattering and extinction efficiencies are given by

$$Q_{\text{ext}} = 6x \, \text{Re} \left[\hat{a}_1 + \hat{b}_1 + \frac{5}{3}\hat{a}_2 \right]$$

and

$$Q_{\text{sca}} = 6x^4 T$$

with

$$T = |\hat{a}_1|^2 + |\hat{b}_1|^2 + \frac{5}{3}|\hat{a}_2|^2$$

and the anisotropy (average cosine of the phase function) is

$$g = \frac{1}{T} \, \text{Re} \left[\hat{a}_1(\hat{a}_2 + \hat{b}_1)^* \right]$$

I also calculate the backscattering efficiency so that it will be calculated correctly even when $nangles \equiv 0$. The backscattering efficiency Q_{back} is defined as

$$Q_{\text{back}} = \frac{\sigma_{\text{back}}}{\pi a^2} = \frac{|S_1(-1)|^2}{x^2}$$

where σ_{back} is the backscattering cross section. The expression for $S_1(\mu)$ given in the chunk below yields

$$\frac{S_1(-1)}{x} = \frac{3}{2}x^2 \left[\hat{a}_1 - \hat{b}_1 - \frac{5}{3}\hat{a}_2 \right]$$

This only remains to be squared before the efficiency for backscattering is obtained.

141. $\langle$ Calculate small Mie efficiencies and asymmetry $141\,\rangle \equiv$

  {

    struct c_complex $ss1$;

    double T;

    $T = c\_norm(ahat1) + c\_norm(bhat1) + (5.0/3.0) * c\_norm(ahat2)$;

    $*qsca = 6.0 * x4 * T$;

    $*qext = 6.0 * x * (ahat1.re + bhat1.re + (5.0/3.0) * ahat2.re)$;

    $*g = (ahat1.re * (ahat2.re + bhat1.re) + ahat1.im * (ahat2.im + bhat1.im))/T$;

    $ss1.re = 1.5 * x2 * (ahat1.re - bhat1.re - (5.0/3.0) * ahat2.re)$;

    $ss1.im = 1.5 * x2 * (ahat1.im - bhat1.im - (5.0/3.0) * ahat2.im)$;

    $*qback = 4 * c\_norm(ss1)$;

  }

This code is used in section 136.

142.   Here is where the scattering functions get calculated according to

$$S_1(\mu) = \frac{3}{2}x^3 \left[\hat{a}_1 + \left(\hat{b}_1 + \frac{5}{3}\hat{a}_2 \right) \mu \right] \qquad S_2(\mu) = \frac{3}{2}x^3 \left[\hat{b}_1 + \hat{a}_1\mu + \frac{5}{3}\hat{a}_2(2\mu^2 - 1) \right]$$

Since this is the last thing to get calculated, I take the liberty of mucking around with the variables $\hat{a}_1$, $\hat{b}_1$, $\hat{a}_2$, and x^3

$\langle$ Calculate small Mie scattering amplitudes $142\,\rangle \equiv$

  {

    double muj, $angle$;

    long j;

    $x3 \mathrel{*}= 1.5$;

    $ahat1.re \mathrel{*}= x3$;

    $ahat1.im \mathrel{*}= x3$;

    $bhat1.re \mathrel{*}= x3$;

    $bhat1.im \mathrel{*}= x3$;

    $ahat2.re \mathrel{*}= x3 * (5.0/3.0)$;

    $ahat2.im \mathrel{*}= x3 * (5.0/3.0)$;

    for $(j = 0;\ j < nangles;\ j\texttt{++})$ {

      $muj = mu[j]$;

      $angle = 2.0 * muj * muj - 1.0$;

      $s1[j].re = ahat1.re + (bhat1.re + ahat2.re) * muj$;

      $s1[j].im = ahat1.im + (bhat1.im + ahat2.im) * muj$;

      $s2[j].re = bhat1.re + ahat1.re * muj + ahat2.re * angle$;

      $s2[j].im = bhat1.im + ahat1.im * muj + ahat2.im * angle$;

    }

  }

This code is used in section 136.

143.   Small Perfectly Conducting Spheres.

144.   ⟨ Prototype for *small_conducting_Mie* 144 ⟩ ≡
  void *small_conducting_Mie*(**double** x, **struct c_complex** m, **double** $*mu$, **long** *nangles*, **struct**
    c_complex $*s1$, **struct c_complex** $*s2$, **double** $*qext$, **double** $*qsca$, **double** $*qback$, **double** $*g$)

This code is used in sections 116 and 145.

145.   ⟨ Definition for *small_conducting_Mie* 145 ⟩ ≡
  ⟨ Prototype for *small_conducting_Mie* 144 ⟩
  {
    struct c_complex *ahat1*, *ahat2*, *bhat1*, *bhat2*;
    struct c_complex *ss1*;
    double *x2*, *x3*, *x4*, *muj*, *angle*;
    long j;
    if $((s1 \equiv \Lambda) \vee (s2 \equiv \Lambda))$ *nangles* = 0;
    $m.re \mathrel{+}= 0.0$;   /∗ suppress warning ∗/
    $x2 = x * x$;
    $x3 = x2 * x$;
    $x4 = x2 * x2$;
    $ahat1 = c\_div(c\_set(0.0, 2.0/3.0 * (1.0 - 0.2 * x2)), c\_set(1.0 - 0.5 * x2, 2.0/3.0 * x3))$;
    $bhat1 = c\_div(c\_set(0.0, (x2 - 10.0)/30.0), c\_set(1 + 0.5 * x2, -x3/3.0))$;
    $ahat2 = c\_set(0.0, x2/30.)$;
    $bhat2 = c\_set(0.0, -x2/45.)$;
    $*qsca = 6.0 * x4 * (c\_norm(ahat1) + c\_norm(bhat1) + (5.0/3.0) * (c\_norm(ahat2) + c\_norm(bhat2)))$;
    $*qext = *qsca$;
    $*g = 6.0 * x4 * (ahat1.im * (ahat2.im + bhat1.im) + bhat2.im * (5.0/9.0 * ahat2.im + bhat1.im) +$
      $ahat1.re * bhat1.re)/(*qsca)$;
    $ss1.re = 1.5 * x2 * (ahat1.re - bhat1.re)$;
    $ss1.im = 1.5 * x2 * (ahat1.im - bhat1.im - (5.0/3.0) * (ahat2.im + bhat2.im))$;
    $*qback = 4 * c\_norm(ss1)$;
    $x3 \mathrel{*}= 1.5$;
    $ahat1.re \mathrel{*}= x3$;
    $ahat1.im \mathrel{*}= x3$;
    $bhat1.re \mathrel{*}= x3$;
    $bhat1.im \mathrel{*}= x3$;
    $ahat2.im \mathrel{*}= x3 * (5.0/3.0)$;
    $bhat2.im \mathrel{*}= x3 * (5.0/3.0)$;
    for $(j = 0;\ j < nangles;\ j{+}{+})$ {
      $muj = mu[j]$;
      $angle = 2.0 * muj * muj - 1.0$;
      $s1[j].re = ahat1.re + (bhat1.re) * muj$;
      $s1[j].im = ahat1.im + (bhat1.im + ahat2.im) * muj + bhat2.im * angle$;
      ;
      $s2[j].re = bhat1.re + (ahat1.re) * muj$;
      $s2[j].im = bhat1.im + (ahat1.im + bhat2.im) * muj + ahat2.im * angle$;
    }
  }

This code is used in section 115.

146.   Arbitrary Spheres.

Calculates the amplitude scattering matrix elements and efficiencies for extinction, total scattering and backscattering for a given size parameter and relative refractive index. The basic algorithm follows Bohren and Huffman originally written in Fortran. The code was translated into CWeb and documented by Scott Prahl.

Many improvements suggested by Wiscombe have been incorporated. In particular, either upward or downward iteration will be used to calculate the lograthmic derivative $D_n(z)$.

Routine preliminary checking suggests that everything is being calculated ok except g.

Space must have been allocated for the scattering amplitude angles *s1* and *s2* before this routine is called.

147.   ⟨Prototype for *Mie* 147⟩ ≡
  void *Mie*(**double** x, **struct c_complex** m, **double** $*mu$, **long** *nangles*, **struct c_complex** $*s1$, **struct**
    c_complex $*s2$, **double** $*qext$, **double** $*qsca$, **double** $*qback$, **double** $*g$)

This code is used in sections 116 and 148.

148.   ⟨Definition for *Mie* 148⟩ ≡
  ⟨Prototype for *Mie* 147⟩
  {
    ⟨Declare variables for *Mie* 149⟩
    ⟨Catch bogus input values 150⟩
    ⟨Deal with small spheres 151⟩
    ⟨Calculate *nstop* 153⟩
    ⟨Mie allocate and initialize angle arrays 152⟩
    if $(m.re > 0)$ ⟨Calculate the logarithmic derivatives 154⟩
    ⟨Prepare to sum over all *nstop* terms 155⟩
    for $(n = 1;\ n \leq nstop;\ n{+}{+})$ {
      ⟨Establish a_n and b_n 156⟩
      ⟨Calculate phase function for each angle 157⟩
      ⟨Increment cross sections 158⟩
      ⟨Prepare for the next iteration 159⟩
    }
    ⟨Calculate Efficiencies 160⟩
    ⟨Free allocated memory 161⟩
  }

This code is used in section 115.

149.
⟨Declare variables for *Mie* 149⟩ ≡
  struct c_complex $*D$;
  struct c_complex *z1*, *an*, *bn*, *bnm1*, *anm1*, *qbcalc*;
  double $*pi0$, $*pi1$, $*tau$;
  struct c_complex *xi*, *xi0*, *xi1*;
  double *psi*, *psi0*, *psi1*;
  double *alpha*, *beta*, *factor*;
  long n, k, *nstop*, *sign*;

  $*qext = -1$;
  $*qsca = -1$;
  $*qback = -1$;
  $*g = -1$;

This code is used in section 148.

150.

⟨ Catch bogus input values 150 ⟩ ≡
  if $(m.im > 0.0)$ {
    mie_error ("This␣program␣requires␣m.im>=0", 1);
    return;
  }
  if $(x \leq 0.0)$ {
    mie_error ("This␣program␣requires␣positive␣sphere␣sizes", 2);
    return;
  }
  if $(nangles < 0)$ {
    mie_error ("This␣program␣requires␣non-negative␣angle␣sizes", 3);
    return;
  }
  if $(nangles < 0)$ {
    mie_error ("This␣program␣requires␣non-negative␣angle␣sizes", 4);
    return;
  }
  if $((nangles > 0) \wedge (s1 \equiv \Lambda))$ {
    mie_error ("Space␣must␣be␣allocated␣for␣s1␣if␣nangles!=0", 5);
    return;
  }
  if $((nangles > 0) \wedge (s2 \equiv \Lambda))$ {
    mie_error ("Space␣must␣be␣allocated␣for␣s2if␣nangles!=0", 6);
    return;
  }
  if $(x > 20000)$ {
    mie_error ("Program␣not␣validated␣for␣spheres␣with␣x>20000", 7);
    return;
  }
This code is used in section 148.

151.

⟨ Deal with small spheres 151 ⟩ ≡
  if $((m.re \equiv 0) \wedge (x < 0.1))$ {
    $small\_conducting\_Mie$ $(x, m, mu, nangles, s1, s2, qext, qsca, qback, g)$;
    return;
  }
  if $((m.re > 0.0) \wedge (c\_abs(m) * x < 0.1))$ {
    $small\_Mie$ $(x, m, mu, nangles, s1, s2, qext, qsca, qback, g)$;
    return;
  }
This code is used in section 148.

152.   ⟨Mie allocate and initialize angle arrays 152⟩ ≡
  if (*nangles* > 0) {
    set_carray(*s1*, *nangles*, *c_set*(0.0, 0.0));
    set_carray(*s2*, *nangles*, *c_set*(0.0, 0.0));
    pi0 = *new_darray*(*nangles*);
    pi1 = *new_darray*(*nangles*);
    tau = *new_darray*(*nangles*);
    set_darray(*pi0*, *nangles*, 0.0);
    set_darray(*tau*, *nangles*, 0.0);
    set_darray(*pi1*, *nangles*, 1.0);
  }

This code is used in section 148.

153.   Calculate number of terms to be summed in series after Wiscombe

⟨Calculate *nstop* 153⟩ ≡
  nstop = *floor*(*x* + 4.05 ∗ *pow*(*x*, 0.33333) + 2.0);

This code is used in section 148.

154.   Allocate and initialize the space for the arrays. One noteworthy aspect is that the complex array D is allocated from 0 to *nstop*. This allows D to be a one-based array from 1 to *nstop* instead of a zero-based array from 0 to $nstop - 1$. Therefore $D[n]$ will directly correspond to D_n in Bohren. Furthermore, *an* and *bn* will correspond to a_n and b_n. The angular arrays are still zero-based.

  Use formula 7 from Wiscombe's paper to figure out if upwards or downwards recurrence should be used. Namely if
$$m_{\mathrm{Im}}x \leq 13.78m_{\mathrm{Re}}^2 - 10.8m_{\mathrm{Re}} + 3.9$$

the upward recurrence would be stable.

⟨Calculate the logarithmic derivatives 154⟩ ≡
  {
    struct c_complex *z*;
    z = *c_smul*(*x*, *m*);
    D = *new_carray*(*nstop* + 1);
    if (*D* ≡ Λ) {
      mie_error("Cannot␣allocate␣log␣array", 8);
      return;
    }
    if (*fabs*(*m.im* ∗ *x*) < ((13.78 ∗ *m.re* − 10.8) ∗ *m.re* + 3.9)) *Dn_up*(*z*, *nstop*, *D*);
    else *Dn_down*(*z*, *nstop*, *D*);
  }

This code is used in section 148.

155.   OK, Here we go. We need to start up the arrays. First, recall (page 128 Bohren and Huffman) that

$$\psi_n(x) = xj_n(x) \qquad \text{and} \qquad \xi_n(x) = xj_n(x) + ixy_n(x)$$

where j_n and y_n are spherical Bessel functions. The first few terms may be worked out as,

$$\psi_0(x) = \sin x \qquad \text{and} \qquad \psi_1(x) = \frac{\sin x}{x} - \cos x$$

and

$$\xi_0(x) = \psi_0 + i\cos x \qquad \text{and} \qquad \xi_1(x) = \psi_1 + i\left[\frac{\cos x}{x} + \sin x\right]$$

$\langle$ Prepare to sum over all *nstop* terms 155 $\rangle \equiv$
   $psi0 = sin(x);$
   $psi1 = psi0 / x - cos(x);$
   $xi0 = c\_set(psi0, cos(x));$
   $xi1 = c\_set(psi1, cos(x)/x + sin(x));$
   $*qsca = 0.0;$
   $*g = 0.0;$
   $*qext = 0.0;$
   $sign = 1;$
   $qbcalc = c\_set(0.0, 0.0);$
   $anm1 = c\_set(0.0, 0.0);$
   $bnm1 = c\_set(0.0, 0.0);$

This code is used in section 148.

156.   The main equations for a_n and b_n in Bohren and Huffman Equation (4.88).

$$a_n = \frac{\left[D_n(mx)/m + n/x\right]\psi_n(x) - \psi_{n-1}(x)}{\left[D_n(mx)/m + n/x\right]\xi_n(x) - \xi_{n-1}(x)}$$

and

$$b_n = \frac{\left[mD_n(mx) + n/x\right]\psi_n(x) - \psi_{n-1}(x)}{\left[mD_n(mx) + n/x\right]\xi_n(x) - \xi_{n-1}(x)}$$

$\langle$ Establish a_n and b_n 156 $\rangle \equiv$

```
if (m.re ≡ 0.0) {
    an = c_sdiv(n * psi1 /x − psi0 , c_sub(c_smul(n/x, xi1 ), xi0 ));
    bn = c_sdiv(psi1 , xi1 );
}
else if (m.im ≡ 0.0) {
    z1 .re = D[n].re/m.re + n/x;
    an = c_sdiv(z1 .re * psi1 − psi0 , c_sub(c_smul(z1 .re, xi1 ), xi0 ));
    z1 .re = D[n].re * m.re + n/x;
    bn = c_sdiv(z1 .re * psi1 − psi0 , c_sub(c_smul(z1 .re, xi1 ), xi0 ));
}
else {
    z1 = c_div(D[n], m);
    z1 .re += n/x;
    an = c_div(c_set(z1 .re * psi1 − psi0 , z1 .im * psi1 ), c_sub(c_mul(z1 , xi1 ), xi0 ));
    z1 = c_mul(D[n], m);
    z1 .re += n/x;
    bn = c_div(c_set(z1 .re * psi1 − psi0 , z1 .im * psi1 ), c_sub(c_mul(z1 , xi1 ), xi0 ));
}
```

This code is used in section 148.

157.   The scattering matrix is given by Equation 4.74 in Bohren and Huffman. Namely,

$$S_1 = \sum_n \frac{2n+1}{n(n+1)}(a_n \pi_n + b_n \tau_n)$$

and

$$S_2 = \sum_n \frac{2n+1}{n(n+1)}(a_n \tau_n + b_n \pi_n)$$

Furthermore, equation 4.47 in Bohren and Huffman states

$$\pi_n = \frac{2n-1}{n-1}\mu\pi_{n-1} - \frac{n}{n-1}\pi_{n-2}$$

and

$$\tau_n = n\mu\pi_n - (n+1)\pi_{n-1}$$

⟨ Calculate phase function for each angle 157 ⟩ ≡
```
  for (k = 0; k < nangles; k++) {
    factor = (2.0 * n + 1.0)/(n + 1.0)/n;
    tau[k] = n * mu[k] * pi1[k] − (n + 1) * pi0[k];
    alpha = factor * pi1[k];
    beta = factor * tau[k];
    s1[k].re += alpha * an.re + beta * bn.re;
    s1[k].im += alpha * an.im + beta * bn.im;
    s2[k].re += alpha * bn.re + beta * an.re;
    s2[k].im += alpha * bn.im + beta * an.im;
  }
  for (k = 0; k < nangles; k++) {
    factor = pi1[k];
    pi1[k] = ((2.0 * n + 1.0) * mu[k] * pi1[k] − (n + 1.0) * pi0[k])/n;
    pi0[k] = factor;
  }
```
This code is used in section 148.

158.   From page 120 of Bohren and Huffman the anisotropy is given by

$$Q_{\text{sca}}\langle\cos\theta\rangle = \frac{4}{x^2}\left[\sum_{n=1}^{\infty}\frac{n(n+2)}{n+1}\text{Re}\{a_n a_{n+1}^* + b_n b_{n+1}^*\} + \sum_{n=1}^{\infty}\frac{2n+1}{n(n+1)}\text{Re}\{a_n b_n^*\}\right]$$

For computation purposes, this must be rewritten as

$$Q_{\text{sca}}\langle\cos\theta\rangle = \frac{4}{x^2}\left[\sum_{n=2}^{\infty}\frac{(n^2-1)}{n}\text{Re}\{a_{n-1}a_n^* + b_{n-1}b_n^*\} + \sum_{n=1}^{\infty}\frac{2n+1}{n(n+1)}\text{Re}\{a_n b_n^*\}\right]$$

From page 122 we find an expression for the backscattering efficiency

$$Q_{\text{back}} = \frac{\sigma_b}{\pi a^2} = \frac{1}{x^2}\left|\sum_{n=1}^{\infty}(2n+1)(-1)^n(a_n - b_n)\right|^2$$

From page 103 we find an expression for the scattering cross section

$$Q_{\text{sca}} = \frac{\sigma_s}{\pi a^2} = \frac{2}{x^2}\sum_{n=1}^{\infty}(2n+1)(|a_n|^2 + |b_n|^2)$$

The total extinction efficiency is also found on page 103

$$Q_{\text{ext}} = \frac{\sigma_t}{\pi a^2} = \frac{2}{x^2}\sum_{n=1}^{\infty}(2n+1)\,\text{Re}(a_n + b_n)$$

⟨ Increment cross sections 158 ⟩ ≡

```
factor = 2.0 * n + 1.0;
*g += (n − 1.0/n) * (anm1.re * an.re + anm1.im * an.im + bnm1.re * bn.re + bnm1.im * bn.im);
*g += factor/n/(n + 1.0) * (an.re * bn.re + an.im * bn.im);
*qsca += factor * (c_norm(an) + c_norm(bn));
*qext += factor * (an.re + bn.re);
sign *= −1;
qbcalc.re += sign * factor * (an.re − bn.re);
qbcalc.im += sign * factor * (an.im − bn.im);
```

This code is used in section 148.

159.   The recurrence relations for ψ and ξ depend on the recursion relations for the spherical Bessel functions (page 96 equation 4.11)

$$z_{n-1}(x) + z_{n+1}(x) = \frac{2n+1}{x} z_n(x)$$

where z_n might be either j_n or y_n. Thus

$$\psi_{n+1}(x) = \frac{2n+1}{x} \psi_n(x) - \psi_{n-1}(x) \qquad \text{and} \qquad \xi_{n+1}(x) = \frac{2n+1}{x} \xi_n(x) - \xi_{n-1}(x)$$

Furthermore,

$\langle\,$Prepare for the next iteration $159\,\rangle \equiv$
   $factor = (2.0 * n + 1.0)/x;$
   $xi = c\_sub(c\_smul(factor, xi1), xi0);$
   $xi0 = xi1;$
   $xi1 = xi;$
   $psi = factor * psi1 - psi0;$
   $psi0 = psi1;$
   $psi1 = xi1.re;$
   $anm1 = an;$
   $bnm1 = bn;$
This code is used in section 148.

160. $\langle\,$Calculate Efficiencies $160\,\rangle \equiv$
   $*qsca *= 2/(x*x);$
   $*qext *= 2/(x*x);$
   $*g *= 4/(*qsca)/(x*x);$
   $*qback = c\_norm(qbcalc)/(x*x);$
This code is used in section 148.

161. $\langle\,$Free allocated memory $161\,\rangle \equiv$
   if $(m.re > 0)$ $free\_carray(D);$
   if $(nangles > 0)$ {
     $free\_darray(pi0);$
     $free\_darray(pi1);$
     $free\_darray(tau);$
   }
This code is used in section 148.

162.   Easy Mie.

Given the size and real index of refraction, calculate the scattering efficiency and the anisotropy for a non-absorbing sphere. If the sphere is totally reflecting, then let the index of refraction be equal to zero.

To recover the scattering coefficient μ_s from the efficiency *qsca* just multiply *qsca* by the geometric cross sectional area and the density of scatterers.

163.   The function *ez_Mie*.

⟨ Prototype for *ez_Mie* 163 ⟩ ≡
   void *ez_Mie*(**double** *x*, **double** *n*, **double** *∗qsca*, **double** *∗g*)

This code is used in sections 116, 117, and 164.

164.   ⟨ Definition for *ez_Mie* 164 ⟩ ≡
   ⟨ Prototype for *ez_Mie* 163 ⟩
   {
      long *nangles* = 0;
      double *∗mu* = Λ;
      struct c_complex *∗s1* = Λ;
      struct c_complex *∗s2* = Λ;
      struct c_complex *m*;
      double *qext*, *qback*;

      m.re = *n*;
      m.im = 0.0;
      Mie(*x*, *m*, *mu*, *nangles*, *s1*, *s2*, &*qext*, *qsca*, &*qback*, *g*);
   }

This code is used in section 115.

165.   The function *ez_Mie_Full*.   This is a simple interface to that provides complete access to Mie calculations. This function will return the scattering functions $S_1(\mu)$ and $S_2(\mu)$ for each of the angles in the array *mu*. Note that these are the cosines of the angles and not the angles in radians.

This routine assumes that memory has been allocated for the arrays *mu*, *s1_real*, *s1_imag*, *s2_real* and, *s2_imag*. The number of elements in these arrays is specified by *nangles*.

If you do not want to mess with angles then you probably want to call *ez_Mie* instead of this function.

⟨ Prototype for *ez_Mie_Full* 165 ⟩ ≡
   void *ez_Mie_Full*(**double** *x*, **double** *m_real*, **double** *m_imag*, **long** *nangles*, **double** *∗mu*, **double**
        ∗s1_real, **double** *∗s1_imag*, **double** *∗s2_real*, **double** *∗s2_imag*, **double** *∗qext*, **double** *∗qsca*, **double**
        ∗qback, **double** *∗g*)

This code is used in sections 116, 117, and 166.

166.   ⟨ Definition for ez_Mie_Full 166 ⟩ ≡
  ⟨ Prototype for ez_Mie_Full 165 ⟩
  {
      struct c_complex $*s1 = \Lambda$;
      struct c_complex $*s2 = \Lambda$;
      struct c_complex m;
      int i;

      $m.re = m\_real$;
      $m.im = m\_imag$;
      $s1 = new\_carray(nangles)$;
      $s2 = new\_carray(nangles)$;
      $Mie(x, m, mu, nangles, s1, s2, qext, qsca, qback, g)$;
      for $(i = 0;\ i < nangles;\ i{+}{+})$ {
          $s1\_imag[i] = s1[i].im$;
          $s1\_real[i] = s1[i].re$;
          $s2\_imag[i] = s2[i].im$;
          $s2\_real[i] = s2[i].re$;
      }
      $free\_carray(s1)$;
      $free\_carray(s2)$;
  }
This code is used in section 115.

167.   A driver program for spherical Mie scattering.

This program assumes a sphere in a medium with index of refraction 1.0. If this is not the case then the index of refraction of the sphere should be divided by the index of refraction of the medium. The wavelength should also be divided by the index of refraction of the medium as well.

This program is intended to provide a convenient means for calculating Mie scattering parameters. It reads from *stdin* and writes to *stdout*. Each line of *stdin* should contain one set of Mie parameters arranged as follows

```
radius wavelength index.real index.imag density num.angles
```

where

    `radius` is the radius of the sphere [μm]

    `wavelength` is the wavelength in the medium [μm]

    `index.real` is the real refractive index

    `index.imag` is the imaginary refraction index

    `density` is the sphere density per cubic micron [μm^{-3}]

    `num.angles` is the number of angles to generate

168.   The real program is here

$\langle$ `mie_main.c`   168 $\rangle \equiv$

  $\langle$ the include files 169 $\rangle$

  $\langle$ print version function 177 $\rangle$

  $\langle$ print usage function 178 $\rangle$

  int $main(\textbf{int}\ argc, \textbf{char}\ **argv)$

  $\{$

    $\langle$ Declare Mie variables 170 $\rangle$

    $\langle$ Handle options 171 $\rangle$

    $\langle$ Allocate angle based arrays 172 $\rangle$

    $\langle$ Print header 174 $\rangle$

    $mm.re = m.re/n\_medium;$

    $mm.im = m.im/n\_medium;$

    $lambda = lambda\_vac/n\_medium;$

    $x = 2 * 3.1415926 * radius * n\_medium/lambda\_vac;$

    $Mie(x, mm, mu, nangles, s1, s2, \&qext, \&qsca, \&qback, \&g);$

    $\langle$ Print summary 175 $\rangle$

    $\langle$ Print phase function 176 $\rangle$

    $\langle$ Free angle based arrays 173 $\rangle$

    return 0;

  $\}$

169. $\langle$ the include files 169 $\rangle \equiv$

#**include** `<stdio.h>`

#**include** `<math.h>`

#**include** `<stdlib.h>`

#**include** `<string.h>`

#**include** `"mie_array.h"`

#**include** `"mie_complex.h"`

#**include** `"mie.h"`

#**include** `"mygetopt.h"`

#**include** `"version.h"`

  extern char $*optarg;$

  extern int $optind;$

This code is used in section 168.

170.   Variables.

⟨ Declare Mie variables 170 ⟩ ≡
  char $*g\_out\_name = \Lambda$;
  double $pi = 3.14159265358979$;
  double $area$;
  long i;
  struct c_complex m, mm;
  struct c_complex $*s1 = \Lambda$;
  struct c_complex $*s2 = \Lambda$;
  double $*parallel = \Lambda$;
  double $*perpen = \Lambda$;
  double $*phasefn = \Lambda$;
  double $*mu = \Lambda$;
  double x, $qext$, $qsca$, $qback$, g;
  int $machine\_readable\_output = 0$;
  int $quiet = 0$;
  double $radius = 0.525$;
  double $lambda\_vac = 0.6328$;
  double $lambda\_vac\_last = 0.6328$;
  double $lambda = 0.6328$;
  long $nangles = 0$;
  long $nlambda = 0$;
  double $density = 1$;
  double $n\_medium = 1.0$;

  $m.re = 1.55$;
  $m.im = 0.00$;

This code is used in section 168.

171.   use the *mygetop* to process options.

⟨ Handle options 171 ⟩ ≡
```
{
    char c;
    double xopt;
    while ((c = my_getopt(argc, argv, "h?qvm:l:L:n:r:i:o:d:p:P:")) ≠ EOF) {
        switch (c) {
        case 'r': sscanf(optarg, "%lf", &xopt);
            if (xopt > 0) radius = xopt;
            break;
        case 'm': sscanf(optarg, "%lf", &xopt);
            if (xopt > 0) n_medium = xopt;
            break;
        case 'n': sscanf(optarg, "%lf", &xopt);
            if (xopt > 0) m.re = xopt;
            break;
        case 'l': sscanf(optarg, "%lf", &xopt);
            if (xopt > 0) lambda_vac = xopt;
            break;
        case 'L': sscanf(optarg, "%lf", &xopt);
            if (xopt > 0) lambda_vac_last = xopt;
            break;
        case 'i': sscanf(optarg, "%lf", &xopt);
            if (xopt ≤ 0) m.im = xopt;
            break;
        case 'p': sscanf(optarg, "%lf", &xopt);
            if (xopt ≥ 0) nangles = (long) xopt;
            nlambda = 0;
            break;
        case 'P': sscanf(optarg, "%lf", &xopt);
            if (xopt ≥ 0) nlambda = (long) xopt;
            nangles = 0;
            break;
        case 'd': sscanf(optarg, "%lf", &xopt);
            if (xopt ≥ 0) density = xopt;
            break;
        case 'o': g_out_name = strdup(optarg);
            break;
        case 'q': machine_readable_output = 1;
            quiet = 1;
            break;
        case 'v': print_version();
            break;
        default: case 'h': case '?': print_usage();
            break;
        }
    }
    argc −= optind;
    argv += optind;
    if (argc > 0) {
        fprintf(stderr, "No file support in this version.  Sorry.\n");
        exit(1);
```

```
    }
    if (g_out_name ≠ Λ) {
        if (freopen(g_out_name, "w", stdout) ≡ Λ) {
            fprintf(stderr, "Could␣not␣open␣file␣<%s>␣for␣output", g_out_name);
            exit(1);
        }
    }
}
```

This code is used in section 168.

172.

⟨ Allocate angle based arrays 172 ⟩ ≡
```
    if (nangles > 0) {
        mu = new_darray(nangles);
        for (i = 0; i < nangles; i++)  mu[i] = cos(2 * pi/nangles * i);
        parallel = new_darray(nangles);
        perpen = new_darray(nangles);
        phasefn = new_darray(nangles);
        s1 = new_carray(nangles);
        s2 = new_carray(nangles);
    }
```

This code is used in section 168.

173.

⟨ Free angle based arrays 173 ⟩ ≡
```
    if (nangles > 0) {
        free_darray(mu);
        free_darray(parallel);
        free_darray(perpen);
        free_darray(phasefn);
        free_carray(s1);
        free_carray(s2);
    }
```

This code is used in section 168.

174.   Print a header then the angles. Make sure everything lines up.

⟨ Print header 174 ⟩ ≡
```
    printf("#␣Mie␣Scattering␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣#␣Version␣%s\n", Version);
    printf("#␣Oregon␣Medical␣Laser␣Center␣␣␣#␣http://omlc.ogi.edu\n");
    printf("#␣by␣Scott␣Prahl␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣#␣prahls@ohsu.edu\n");
    printf("#\n");
```

This code is used in section 168.

175.   ⟨Print summary 175⟩ ≡
```
{
    double mut, mus, musp;

    area = 3.14159265358979 ∗ radius ∗ radius;
    mut = density ∗ qext ∗ area ∗ 1000;
    mus = density ∗ qsca ∗ area ∗ 1000;
    musp = mus ∗ (1.0 − g);
    printf("#␣radius␣␣␣␣␣\t%9.5f\t␣[microns]␣␣␣␣␣(sphere␣radius)\n", radius);
    printf("#␣n_medium␣␣␣\t%9.5f\t␣[---]␣␣␣␣␣␣␣␣␣(refractive␣index␣of␣medium)\n", n_medium);
    printf("#␣n_real␣␣␣␣␣\t%9.5f\t␣[---]␣␣␣␣␣␣␣␣␣(refractive␣index␣of␣sphere)\n", m.re);
    printf("#␣n_imag␣␣␣␣␣\t%9.5f\t␣[---]␣␣␣␣␣␣␣␣␣(absorption␣of␣sphere)\n", m.im);
    printf("#␣lambda_vac␣\t%9.5f\t␣[microns]␣␣␣␣␣(wavelength␣in␣vacuum)\n", lambda_vac);
    printf("#␣density␣␣␣␣\t%9.5f\t␣[#/micron^3]␣␣(spheres␣per␣cubic␣micron)\n", density);
    printf("#\n");
    printf("#␣lambda␣␣␣␣␣\t%9.5f\t␣[microns]␣␣␣␣␣(wavelength␣in␣medium)\n", lambda);
    printf("#␣X␣␣␣␣␣␣␣␣␣␣␣\t%9.5f\t␣[---]␣␣␣␣␣␣␣␣␣(size␣parameter)\n", x);
    printf("#␣g␣␣␣␣␣␣␣␣␣␣␣\t%9.5g\t␣[---]␣␣␣␣␣␣␣␣␣(average␣cosine␣of␣phase␣function)\n", g);
    printf("#␣Qsca␣␣␣␣␣␣␣\t%9.5g\t␣[---]␣␣␣␣␣␣␣␣␣(scattering␣efficiency)\n", qsca);
    printf("#␣Qext␣␣␣␣␣␣␣\t%9.5g\t␣[---]␣␣␣␣␣␣␣␣␣(extinction␣efficiency)\n", qext);
    printf("#␣Qback␣␣␣␣␣\t%9.5g\t␣[---]␣␣␣␣␣␣␣␣␣(backscattering␣efficiency)\n", qback);
    printf("#␣Csca␣␣␣␣␣␣␣\t%9.5g\t␣[micron^2]␣␣␣␣(scattering␣cross␣section)\n", qsca ∗ area);
    printf("#␣Cext␣␣␣␣␣␣␣\t%9.5g\t␣[micron^2]␣␣␣␣(extinction␣cross␣section)\n", qext ∗ area);
    printf("#␣Cback␣␣␣␣␣␣\t%9.5g\t␣[micron^2]␣␣␣␣(backscattering␣cross␣section)\n",
        qback ∗ area);
    printf("#␣mu_s␣␣␣␣␣␣␣\t%9.5g\t␣[1/mm]␣␣␣␣␣␣␣␣(scattering␣coefficient)\n", mus);
    printf("#␣mu_s'␣␣␣␣␣␣\t%9.5g\t␣[1/mm]␣␣␣␣␣␣␣␣(reduced␣scattering␣coefficient)\n", musp);
    printf("#␣mu_t␣␣␣␣␣␣␣\t%9.5g\t␣[1/mm]␣␣␣␣␣␣␣␣(total␣attenuation␣coefficient)\n", mut);
}
```
This code is used in section 168.

176.   ⟨Print phase function 176⟩ ≡
  if (*nangles* > 0) {
    int *j*;
    double *max_natural*, *max_perpen*, *max_parallel*;

    for (*i* = 0; *i* < *nangles*; ++*i*) {
      parallel[*i*] = *c_norm*(*s2*[*i*])/(*x* ∗ *x* ∗ *qsca*)/3.14159;
      perpen[*i*] = *c_norm*(*s1*[*i*])/(*x* ∗ *x* ∗ *qsca*)/3.14159;
      phasefn[*i*] = (*parallel*[*i*] + *perpen*[*i*])/2.0;
    }
    max_natural = *phasefn*[0];
    max_perpen = *perpen*[0];
    max_parallel = *parallel*[0];
    for (*i* = 0; *i* < *nangles*; ++*i*) {
      if (*phasefn*[*i*] > *max_natural*) *max_natural* = *phasefn*[*i*];
      if (*parallel*[*i*] > *max_parallel*) *max_parallel* = *parallel*[*i*];
      if (*perpen*[*i*] > *max_perpen*) *max_perpen* = *perpen*[*i*];
    }
    printf("#\n");
    printf("#␣␣␣The␣second␣column␣is␣normalized␣so␣that␣the␣integral␣of␣it␣over␣\n");
    printf("#␣␣␣4*pi␣steradians␣will␣be␣unity.␣␣The␣average␣of␣the␣3rd␣&␣4th\n");
    printf("#␣␣␣columns␣is␣the␣second.␣␣The␣next␣three␣columns␣are␣normalized\n");
    printf("#␣␣␣to␣the␣value␣at␣0␣degrees.␣\n");
    printf("#\n");
    printf("#␣␣␣␣␣␣␣natural␣␣␣␣␣␣=␣(|S1|^2+|S2|^2)/(pi␣X^2␣Qsca)\n");
    printf("#␣␣␣␣␣␣␣perpen␣␣␣␣␣␣␣=␣|S1|^2/(pi␣X^2␣Qsca)\n");
    printf("#␣␣␣␣␣␣␣parallel␣␣␣␣␣=␣|S2|^2/(pi␣X^2␣Qsca)\n");
    printf("#␣␣␣␣␣␣␣polarization␣=␣(|S1|^2-|S2|^2)/(|S1|^2+|S2|^2)\n");
    printf("#␣␣␣␣␣␣␣S33␣␣␣␣␣␣␣␣␣␣␣=␣␣Real(S2␣*␣S1^*)\n");
    printf("#␣␣␣␣␣␣␣S34␣␣␣␣␣␣␣␣␣␣␣=␣-Imag(S2␣*␣S1^*)\n");
    printf("#\n");
    printf("##theta\t␣natural␣\t␣perpen␣\t␣parallel");
    printf("\t␣natural␣\t␣perpen␣\t␣parallel\t␣polarization␣\t␣␣␣S33␣␣␣\t␣␣␣S34\n");
    for (*j* = 0; *j* < *nangles*; *j*++) {
      double *angle*, *d*, *polar*, *s33*, *s34*;
      struct **c_complex** *t*;

      i = *j* + *nangles*/2 + 1;
      if (*i* ≥ *nangles*) *i* −= *nangles*;
      if (*i* ≤ *nangles*/2) *angle* = 180.0/3.1415926 ∗ *acos*(*mu*[*i*]);
      else *angle* = −180.0/3.1415926 ∗ *acos*(*mu*[*i*]);
      t = *c_mul*(*s2*[*i*], *c_conj*(*s1*[*i*]));
      d = (*c_norm*(*s1*[*i*]) + *c_norm*(*s2*[*i*]))/2.0;
      polar = (*c_norm*(*s1*[*i*]) − *c_norm*(*s2*[*i*]))/2.0/*d*;
      s33 = (*t*.*re*)/*d*;
      s34 = −(*t*.*im*)/*d*;
      printf("%6.3f\t%8.5f\t%8.5f\t%8.5f", *angle*, *phasefn*[*i*], *perpen*[*i*], *parallel*[*i*]);
      printf("\t%␣6.5f\t%␣6.5f\t%␣6.5f", *phasefn*[*i*]/*max_natural*, *perpen*[*i*]/*max_perpen*,
          parallel[*i*]/*max_parallel*);
      printf("\t%␣8.5f\t%␣8.5f\t%␣8.5f\n", *polar*, *s33*, *s34*);
    }
  }

This code is used in section 168.

177.   ⟨ print version function 177 ⟩ ≡
  static void *print_version* (**void**)
  {
    fprintf (*stderr*, "mie␣%s\n\n", *Version*);
    fprintf (*stderr*, "Copyright␣(C)␣2012␣Free␣Software␣Foundation,␣Inc.\n");
    fprintf (*stderr*,
        "This␣is␣free␣software;␣see␣the␣source␣for␣copying␣conditions.␣␣There␣is␣NO\n");
    fprintf (*stderr*,
        "warranty;␣not␣even␣for␣MERCHANTABILITY␣or␣FITNESS␣FOR␣A␣PARTICULAR␣PURPOSE.");
    fprintf (*stderr*, "\n\nWritten␣by␣Scott␣Prahl\n");
    exit (0);
  }
This code is used in section 168.

178.   ⟨ print usage function 178 ⟩ ≡
  static void *print_usage* (**void**)
  {
    fprintf (*stderr*, "mie␣%s\n\n", *Version*);
    fprintf (*stderr*, "Calculates␣spherical␣Mie␣scattering␣phase␣function\n\n");
    fprintf (*stderr*, "Usage:\n");
    fprintf (*stderr*, "␣␣␣␣mie␣[-l␣lambda]␣[-r␣radius]␣[-n␣index]␣");
    fprintf (*stderr*, "[-i␣imag␣index]␣[-d␣density]␣[-p␣phase␣angles]\n\n");
    fprintf (*stderr*, "Options:\n");
    fprintf (*stderr*, "␣␣␣␣-o␣filename␣␣␣␣␣␣␣␣␣␣␣␣␣#␣explicitly␣specify␣filename␣for␣output\n");
    fprintf (*stderr*, "␣␣␣␣-q␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣#␣quiet␣---␣omit␣output␣to␣stderr\n\n");
    fprintf (*stderr*,
        "␣␣␣␣-d␣␣density␣␣␣␣␣␣␣␣␣␣␣#␣density␣(spheres/micron^3)␣␣[default=1.000]\n");
    fprintf (*stderr*,
        "␣␣␣␣-i␣␣imag_index␣␣␣␣␣␣␣␣#␣imag␣index␣of␣refraction␣␣␣␣[default=0.000]\n");
    fprintf (*stderr*,
        "␣␣␣␣-l␣␣lambda_vac␣␣␣␣␣␣␣␣#␣wavelength␣in␣vacuum␣␣␣␣␣␣␣␣␣[default=0.633]\n");
    fprintf (*stderr*,
        "␣␣␣␣-L␣␣last_lambda␣␣␣␣␣␣␣#␣last␣wavelength␣in␣vacuum␣␣␣[default=0.633]\n");
    fprintf (*stderr*,
        "␣␣␣␣-m␣␣index_of_medium␣␣␣#␣refractive␣index␣of␣medium␣␣[default=1.000]\n");
    fprintf (*stderr*,
        "␣␣␣␣-n␣␣real_index␣␣␣␣␣␣␣␣#␣real␣index␣of␣refraction␣␣␣␣[default=1.550]\n");
    fprintf (*stderr*,
        "␣␣␣␣-p␣␣num_of_angles␣␣␣␣␣#␣number␣of␣angles␣␣␣␣␣␣␣␣␣␣␣␣␣[default=0␣␣␣␣␣]\n");
    fprintf (*stderr*,
        "␣␣␣␣-P␣␣num_of_lambda␣␣␣␣␣#␣number␣of␣wavelengths␣␣␣␣␣␣␣␣[default=0␣␣␣␣␣]\n");
    fprintf (*stderr*,
        "␣␣␣␣-r␣␣radius␣␣␣␣␣␣␣␣␣␣␣␣␣#␣sphere␣radius␣[microns]␣␣␣␣␣␣[default=0.525]\n\n");
    fprintf (*stderr*, "␣␣␣␣-h␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣#␣display␣help\n");
    fprintf (*stderr*, "␣␣␣␣-v␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣␣#␣version␣information\n\n");
    fprintf (*stderr*, "Examples:\n");
    fprintf (*stderr*, "␣␣␣␣mie␣-p␣40␣␣␣␣␣␣␣␣␣␣#␣Bohren␣&␣Huffman␣Appendix␣A\n");
    fprintf (*stderr*, "␣␣␣␣mie␣-d␣1␣-i␣0␣-l␣0.6328␣-m␣1␣-n␣1.55␣-p␣40␣-r␣0.525\n\n");
    fprintf (*stderr*, "Report␣bugs␣to␣http://omlc.ogi.edu/people/prahl\n\n");
    exit (0);
  }
This code is used in section 168.

179.   Cylindrical Mie Algorithms.

Routines to calculate scattering form an infinitely long cylinder. Original Fortran version written by D. Mackowski. This version was translated by me into Pascal and then into C.

180.   Here, then, is an overview of document structure

⟨ `mie_cylinder.c`   180 ⟩ ≡
#include `<math.h>`
#include `<stdlib.h>`
#include `<stdio.h>`
#include `<stdarg.h>`
#include `"mie_array.h"`
#include `"mie_complex.h"`
#include `"mie_cylinder.h"`
#define `PI`   3.14159265358979
   ⟨ Definition for *bessj0* 183 ⟩
   ⟨ Definition for *bessj1* 187 ⟩
   ⟨ Definition for *bessy0* 185 ⟩
   ⟨ Definition for *bessy1* 189 ⟩
   ⟨ Definition for *jn_real* 191 ⟩
   ⟨ Definition for *jn_complex* 193 ⟩
   ⟨ Definition for *MieCylinderCoefficients* 195 ⟩
   ⟨ Definition for *MieCylinder* 197 ⟩

181.   And the header file

⟨ `mie_cylinder.h`   181 ⟩ ≡
   ⟨ Prototype for *MieCylinderCoefficients* 194 ⟩;
   ⟨ Prototype for *MieCylinder* 196 ⟩;

182.   Bessel function $J_0(x)$ for real x

⟨ Prototype for *bessj0* 182 ⟩ ≡
   static double *bessj0* (**double** x)

This code is used in section 183.

183. ⟨ Definition for *bessj0* 183 ⟩ ≡
  ⟨ Prototype for *bessj0* 182 ⟩
  {
    double ax, z;
    double xx, y, ans, $ans1$, $ans2$;
    if $((ax = fabs(x)) < 8.0)$ {
      $y = x * x$;
      $ans1 = 57568490574.0 + y * (-13362590354.0 + y * (651619640.7 + y * (-11214424.18 + y *$
        $(77392.33017 + y * (-184.9052456)))))$;
      $ans2 = 57568490411.0 + y * (1029532985.0 + y * (9494680.718 + y * (59272.64853 + y * (267.8532712 +$
        $y * 1.0))))$;
      $ans = ans1 / ans2$;
    }
    else {
      $z = 8.0 / ax$;
      $y = z * z$;
      $xx = ax - 0.785398164$;
      $ans1 = 1.0 + y * (-0.1098628627 \cdot 10^{-2} + y * (0.2734510407 \cdot 10^{-4} + y * (-0.2073370639 \cdot 10^{-5} + y *$
        $0.2093887211 \cdot 10^{-6})))$;
      $ans2 = -0.1562499995 \cdot 10^{-1} + y * (0.1430488765 \cdot 10^{-3} + y * (-0.6911147651 \cdot 10^{-5} + y *$
        $(0.7621095161 \cdot 10^{-6} - y * 0.934935152 \cdot 10^{-7})))$;
      $ans = sqrt(0.636619772 / ax) * (cos(xx) * ans1 - z * sin(xx) * ans2)$;
    }
    return ans;
  }
This code is used in section 180.

184.   Bessel function $Y_0(x)$ for positive x
⟨ Prototype for *bessy0* 184 ⟩ ≡
  static double *bessy0* (**double** x)
This code is used in section 185.

185.   ⟨ Definition for $bessy0$ 185 ⟩ ≡

⟨ Prototype for $bessy0$ 184 ⟩

```
{
    double z;
    double xx, y, ans, ans1, ans2;
    if (x < 8.0) {
```
$y = x * x;$

$ans1 = -2957821389.0 + y * (7062834065.0 + y * (-512359803.6 + y * (10879881.29 + y *$
    $(-86327.92757 + y * 228.4622733))));$

$ans2 = 40076544269.0 + y*(745249964.8 + y*(7189466.438 + y*(47447.26470 + y*(226.1030244 + y*1.0))));$

$ans = (ans1/ans2) + 0.636619772 * bessj0(x) * log(x);$

```
    }
    else {
```
$z = 8.0/x;$

$y = z * z;$

$xx = x - 0.785398164;$

$ans1 = 1.0 + y * (-0.1098628627 \cdot 10^{-2} + y * (0.2734510407 \cdot 10^{-4} + y * (-0.2073370639 \cdot 10^{-5} + y *$
    $0.2093887211 \cdot 10^{-6})));$

$ans2 = -0.1562499995 \cdot 10^{-1} + y * (0.1430488765 \cdot 10^{-3} + y * (-0.6911147651 \cdot 10^{-5} + y *$
    $(0.7621095161 \cdot 10^{-6} + y * (-0.934945152 \cdot 10^{-7}))));$

$ans = sqrt(0.636619772/x) * (sin(xx) * ans1 + z * cos(xx) * ans2);$

```
    }
    return ans;
}
```

This code is used in section 180.

186.   Bessel function $J_1(x)$ for real x

⟨ Prototype for $bessj1$ 186 ⟩ ≡

static double $bessj1$ (**double** x)

This code is used in section 187.

187.   ⟨Definition for *bessj1* 187⟩ ≡
  ⟨Prototype for *bessj1* 186⟩
  {
    double ax, z;
    double xx, y, ans, $ans1$, $ans2$;
    if $((ax = fabs(x)) < 8.0)$ {
      $y = x * x$;
      $ans1 = x * (72362614232.0 + y * (-7895059235.0 + y * (242396853.1 + y * (-2972611.439 + y *$
        $(15704.48260 + y * (-30.16036606)))))))$;
      $ans2 = 144725228442.0 + y * (2300535178.0 + y * (18583304.74 + y * (99447.43394 + y * (376.9991397 +$
        $y * 1.0))))$;
      $ans = ans1 / ans2$;
    }
    else {
      $z = 8.0 / ax$;
      $y = z * z$;
      $xx = ax - 2.356194491$;
      $ans1 = 1.0 + y * (0.183105 \cdot 10^{-2} + y * (-0.3516396496 \cdot 10^{-4} + y * (0.2457520174 \cdot 10^{-5} + y *$
        $(-0.240337019 \cdot 10^{-6}))))$;
      $ans2 = 0.04687499995 + y * (-0.2002690873 \cdot 10^{-3} + y * (0.8449199096 \cdot 10^{-5} + y * (-0.88228987 \cdot 10^{-6} +$
        $y * 0.105787412 \cdot 10^{-6})))$;
      $ans = sqrt(0.636619772 / ax) * (cos(xx) * ans1 - z * sin(xx) * ans2)$;
      if $(x < 0.0)$ $ans = -ans$;
    }
    return ans;
  }
This code is used in section 180.

188.   Bessel function $Y_1(x)$ for positive x

⟨Prototype for *bessy1* 188⟩ ≡
  static double *bessy1* (**double** x)

This code is used in section 189.

189. $\langle$ Definition for $\mathit{bessy1}$ $\ _{189}\,\rangle \equiv$

$\langle$ Prototype for $\mathit{bessy1}$ $\ _{188}\,\rangle$

{

    double z;

    double xx, y, ans, $ans1$, $ans2$;

    if $(x < 8.0)$ {

      $y = x * x$;

      $ans1 \ = x * (-0.4900604943 \cdot 10^{13} + y * (0.1275274390 \cdot 10^{13} + y * (-0.5153438139 \cdot 10^{11} + y *$
          $(0.7349264551 \cdot 10^{9} + y * (-0.4237922726 \cdot 10^{7} + y * 0.8511937935 \cdot 10^{4}))))$;

      $ans2 \ = 0.2499580570 \cdot 10^{14} + y * (0.4244419664 \cdot 10^{12} + y * (0.3733650367 \cdot 10^{10} + y *$
          $(0.2245904002 \cdot 10^{8} + y * (0.1020426050 \cdot 10^{6} + y * (0.3549632885 \cdot 10^{3} + y)))))$;

      $ans = (ans1\,/\,ans2\,) + 0.636619772 * (\mathit{bessj1}\,(x) * log(x) - 1.0/x)$;

    }

    else {

      $z = 8.0/x$;

      $y = z * z$;

      $xx = x - 2.356194491$;

      $ans1 \ = 1.0 + y * (0.183105 \cdot 10^{-2} + y * (-0.3516396496 \cdot 10^{-4} + y * (0.2457520174 \cdot 10^{-5} + y *$
          $(-0.240337019 \cdot 10^{-6}))))$;

      $ans2 = 0.04687499995 + y * (-0.2002690873 \cdot 10^{-3} + y * (0.8449199096 \cdot 10^{-5} + y * (-0.88228987 \cdot 10^{-6} +$
          $y * 0.105787412 \cdot 10^{-6})))$;

      $ans = sqrt(0.636619772/x) * (sin(xx) * ans1 + z * cos(xx) * ans2\,)$;

    }

    return ans;

  }

This code is used in section 180.

190.   Compute $(J_0[x], \ldots, J_n[x])$ and $(Y_0[x], \ldots, Y_n[x])$ for real x.

$\langle$ Prototype for $\mathit{jn\_real}$ $\ _{190}\,\rangle \equiv$

  static void $\mathit{jn\_real}(\textbf{double}\ x, \textbf{int}\ n, \textbf{double}\ *BesselJn, \textbf{double}\ *BesselYn)$

This code is used in section 191.

191.   ⟨Definition for jn_real 191⟩ ≡
  ⟨Prototype for jn_real 190⟩
  {
    const double $iacc = 40$;
    const double $bigno = 1.0 \cdot 10^{+20}$;
    const double $bigni = 1.0 \cdot 10^{-20}$;
    int j, m, $jsum$;
    double tox, bj, bjp, bjm, sum;
    $BesselJn[0] = bessj0(x)$;
    $BesselJn[1] = bessj1(x)$;
    $BesselYn[0] = bessy0(x)$;
    $BesselYn[1] = bessy1(x)$;
    $tox = 2./x$;
    for $(j = 1;\ j < n;\ j\texttt{++})\ BesselYn[j+1] = j * tox * BesselYn[j] - BesselYn[j-1]$;
    if $(x > n)$ {
       for $(j = 1;\ j < n;\ j\texttt{++})\ BesselJn[j+1] = j * tox * BesselJn[j] - BesselJn[j-1]$;
       return;
    }
    $m = 2 * floor((n + sqrt(iacc * n))/2)$;
    $jsum = 0$;
    $sum = 0.0$;
    $bjp = 0.0$;
    $bj = 1.0$;
    for $(j = m;\ j > 0;\ j\texttt{--})$ {
       $bjm = j * tox * bj - bjp$;
       $bjp = bj$;
       $bj = bjm$;
       if $(fabs(bj) > bigno)$ {
          int i;
          $bj = bj * bigni$;
          $bjp = bjp * bigni$;
          $sum = sum * bigni$;
          for $(i = j + 1;\ i \leq n;\ i\texttt{++})\ BesselJn[i]\mathrel{*}= bigni$;
       }
       if $(jsum)\ sum = sum + bj$;
       $jsum = 1 - jsum$;
       if $(j \leq n \land j \geq 2)\ BesselJn[j] = bjp$;
    }
    $sum = 2.0 * sum - bj$;
    for $(j = 2;\ j \leq n;\ j\texttt{++})\ BesselJn[j]\mathrel{/}= sum$;
  }
This code is used in section 180.

192.   Compute $(J_0[z], \ldots, J_n[z])$ for complex z.
⟨Prototype for $jn\_complex$ 192⟩ ≡
  static void $jn\_complex(\textbf{struct c\_complex}\ z, \textbf{int}\ n, \textbf{struct c\_complex}\ *Jn)$
This code is used in section 193.

193.   ⟨ Definition for $jn\_complex$ 193 ⟩ ≡
  ⟨ Prototype for $jn\_complex$ 192 ⟩
  {
    struct c_complex a, $*JnTmp$;
    int nd, i;
    $nd = 2 * floor((pow(101 + c\_abs(z), 0.499) + n)/2)$;
    $JnTmp = new\_carray((\textbf{long})\ nd + 1)$;
    $JnTmp[nd] = c\_set(0.0, 0.0)$;
    $JnTmp[nd - 1] = c\_set(1.0 \cdot 10^{-32}, 0.0)$;
    $a = c\_set(0.0, 0.0)$;
    for $(i = nd - 1;\ i \geq 3;\ i\ -= 2)$ {
       $JnTmp[i - 1] = c\_sub(c\_smul(2.0 * i, c\_div(JnTmp[i], z)), JnTmp[i + 1])$;
       $JnTmp[i - 2] = c\_sub(c\_smul(2.0 * (i - 1), c\_div(JnTmp[i - 1], z)), JnTmp[i])$;
       $a.re\ += JnTmp[i - 1].re$;
       $a.im\ += JnTmp[i - 1].im$;
    }
    $JnTmp[0] = c\_sub(c\_smul(2.0, c\_div(JnTmp[1], z)), JnTmp[2])$;
    $a.re = 2.0 * a.re + JnTmp[0].re$;
    $a.im = 2.0 * a.im + JnTmp[0].im$;
    for $(i = 0;\ i < n;\ i{+}{+})\ Jn[i] = c\_div(JnTmp[i], a)$;
    $free\_carray(JnTmp)$;
  }
This code is used in section 180.

194.   Calculates n_terms multipole coefficients for EM scattering by an infinite cylinder. Case 1 coefficients, $an1$ and $bn1$, corresponds to the incident electric field parallel to the x-z plane. Case 2 coefficients, $an2$ and $bn2$, corresponds to the case when the electric field is prependicular to the x-z plane. See §8.4 of Bohren and Huffman for details.

   x is the usual size parameter and m is the relative (complex) index of refraction of the cylinder. $zeta$ is the incident angle of radiation with respect to the z-axis (in radians). Normal incidence is when $zeta = \pi/2$.

⟨ Prototype for $MieCylinderCoefficients$ 194 ⟩ ≡
   void $MieCylinderCoefficients($**double** $x,$ **struct c_complex** $m,$ **double** $zeta,$ **int** $n\_terms,$ **struct**
      c_complex $an1[\,],$ **struct c_complex** $bn1[\,],$ **struct c_complex** $an2[\,],$ **struct c_complex** $bn2[\,])$
This code is used in sections 181 and 195.

195.   ⟨Definition for *MieCylinderCoefficients* 195⟩ ≡
  ⟨Prototype for *MieCylinderCoefficients* 194⟩
  {
    struct c_complex *$jn1$, ci, eta, $feta$, $m2xi$*;
    double *$*BesselJn$, $*BesselYn$, jnp, ynp, sin_zeta, xi, cos_zeta*;
    int i;
    long $size = n\_terms + 1$;

    $jn1 = new\_carray(size)$;
    $BesselJn = new\_darray(size)$;
    $BesselYn = new\_darray(size)$;
    $cos\_zeta = cos(zeta)$;
    $sin\_zeta = sqrt((1.0 + cos\_zeta) * (1.0 - cos\_zeta))$;
    $ci = c\_set(0.0, 1.0)$;
    $eta = c\_smul(x, c\_sqrt(c\_sub(c\_sqr(m), c\_set(cos\_zeta * cos\_zeta, 0.0))))$;
    $xi = x * sin\_zeta$;
    $feta = c\_mul(c\_smul(cos\_zeta, eta), c\_sadd(-1.0, c\_sdiv(xi * xi, c\_sqr(eta))))$;
    $jn\_real(xi, n\_terms + 1, BesselJn, BesselYn)$;
    $jn\_complex(eta, n\_terms + 1, jn1)$;
    $m2xi = c\_smul(xi, c\_sqr(m))$;
    for ($i = 0$; $i < n\_terms$; $i{+}{+}$) {
      struct c_complex hn, hnp, $dn1$, an, bn, cn, dn, vn, wn, den;

      $dn1 = c\_div(c\_sub(c\_div(c\_smul((\textbf{double})\ i, jn1[i]), eta), jn1[i+1]), jn1[i])$;
      $jnp = i * BesselJn[i]/xi - BesselJn[i+1]$;
      $ynp = i * BesselYn[i]/xi - BesselYn[i+1]$;
      $hn = c\_set(BesselJn[i], BesselYn[i])$;
      $hnp = c\_set(jnp, ynp)$;
      $dn = c\_smul((\textbf{double})\ i, c\_mul(hn, feta))$;
      $cn = c\_smul((\textbf{double})\ i, c\_smul(BesselJn[i], feta))$;
      $bn = c\_smul(xi, c\_sub(c\_smul(BesselJn[i], c\_mul(m2xi, dn1)), c\_smul(jnp, eta)))$;
      $vn = c\_smul(xi, c\_sub(c\_mul(hn, c\_mul(m2xi, dn1)), c\_mul(hnp, eta)))$;
      $wn = c\_mul(c\_smul(xi, ci), c\_sub(c\_mul(hnp, eta), c\_smul(xi, c\_mul(dn1, hn))))$;
      $an = c\_mul(c\_smul(-xi, ci), c\_sub(c\_smul(jnp, eta), c\_smul(xi * BesselJn[i], dn1)))$;
      $den = c\_add(c\_mul(wn, vn), c\_mul(ci, c\_sqr(dn)))$;
      $an1[i] = c\_div(c\_sub(c\_mul(cn, vn), c\_mul(bn, dn)), den)$;
      $bn1[i] = c\_div(c\_add(c\_mul(wn, bn), c\_mul(c\_mul(ci, dn), cn)), den)$;
      $an2[i] = c\_div(c\_sub(c\_mul(c\_mul(ci, dn), cn), c\_mul(an, vn)), den)$;
      $bn2[i] = c\_mul(c\_add(c\_mul(cn, wn), c\_mul(an, dn)), c\_div(ci, den))$;
      $bn2[i] = c\_smul(-1.0, bn2[i])$;
    }
    $free\_carray(jn1)$;
    $free\_darray(BesselJn)$;
    $free\_darray(BesselYn)$;
  }
This code is used in section 180.

196.   Here we calculate Mie scattering for a cylinder.

x is the usual size parameter and m is the relative (complex) index of refraction of the cylinder.

zeta is the incident angle (cf. figure 8.3 in Bohren and Huffman) of radiation with respect to the z-axis (in radians). Normal incidence is when $zeta = \pi/2$.

The vector *theta* is a list of length *nangles* that has the angles (in radians) for calculating the scattering phase function. If *theta* is Λ or if *nangles* is zero, no phase function angles are calculated.

The scattering matrix elements *t1*, *t2*, and *t3* are described on page 202 of Bohren and Huffman. Specifically

$$\begin{pmatrix} E_{\|s} \\ E_{\perp s} \end{pmatrix} = e^{i3\pi/4} \sqrt{\frac{2}{\pi kr \sin \zeta}} e^{ik(r \sin \zeta - z \cos \zeta)} \begin{pmatrix} T_1 & T_4 \\ T_3 & T_2 \end{pmatrix} \begin{pmatrix} E_{\|i} \\ E_{\perp i} \end{pmatrix}$$

$\langle$ Prototype for *MieCylinder* 196 $\rangle \equiv$

    void *MieCylinder* (**double** x, **struct c_complex** m, **double** *zeta*, **const double** *∗theta*, **int**
        nangles, **struct c_complex** *∗t1*, **struct c_complex** *∗t2*, **struct c_complex** *∗t3*, **struct**
        c_complex *∗qexpar*, **struct c_complex** *∗qexper*, **double** *∗qscpar*, **double** *∗qscper*)

This code is used in sections 181 and 197.

197.   ⟨Definition for *MieCylinder* 197⟩ ≡
  ⟨Prototype for *MieCylinder* 196⟩
  {
    struct c_complex *∗an1*, *∗bn1*, *∗an2*, *∗bn2*;
    int *i*, *k*, *n_stop_terms*;
    long *size*;
    n_stop_terms = $x + 4.0 * pow(x, 1.0/3.0) + 2.0$;
    size = *n_stop_terms* + 1;
    an1 = *new_carray*(*size*);
    bn1 = *new_carray*(*size*);
    an2 = *new_carray*(*size*);
    bn2 = *new_carray*(*size*);
    MieCylinderCoefficients(*x*, *m*, *zeta*, *n_stop_terms*, *an1*, *bn1*, *an2*, *bn2*);
    ∗qexpar = *c_smul*(0.5, *bn1*[0]);
    ∗qexper = *c_smul*(0.5, *an2*[0]);
    ∗qscpar = 0.5 ∗ *c_norm*(*bn1*[0]);
    ∗qscper = 0.5 ∗ *c_norm*(*an2*[0]);
    for (*i* = 1; *i* < *n_stop_terms*; *i*++) {
      qexpar→*re* += *bn1*[*i*].*re*;
      qexpar→*im* += *bn1*[*i*].*im*;
      qexper→*re* += *an2*[*i*].*re*;
      qexper→*im* += *an2*[*i*].*im*;
      ∗qscpar += *c_norm*(*an1*[*i*]) + *c_norm*(*bn1*[*i*]);
      ∗qscper += *c_norm*(*an2*[*i*]) + *c_norm*(*bn2*[*i*]);
    }
    ∗qscpar ∗= $4.0/x$;
    ∗qscper ∗= $4.0/x$;
    qexpar→*re* ∗= $4.0/x$;
    qexpar→*im* ∗= $4.0/x$;
    qexper→*re* ∗= $4.0/x$;
    qexper→*im* ∗= $4.0/x$;
    if (¬*theta*) *nangles* = 0;
    for (*i* = 0; *i* < *nangles*; *i*++) {
      double *t* = *theta*[*i*];

      t1[*i*] = *c_smul*(0.5, *bn1*[0]);
      t2[*i*] = *c_smul*(0.5, *an2*[0]);
      t3[*i*] = *c_set*(0.0, 0.0);
      for (*k* = 1; *k* ≤ *n_stop_terms*; *k*++) {
        double *ct* = *cos*(*k* ∗ *t*);
        double *st* = *sin*(*k* ∗ *t*);

        t1[*i*].*re* += *ct* ∗ *bn1*[*k*].*re*;
        t1[*i*].*im* += *ct* ∗ *bn1*[*k*].*im*;
        t2[*i*].*re* += *ct* ∗ *an2*[*k*].*re*;
        t2[*i*].*im* += *ct* ∗ *an2*[*k*].*im*;
        t3[*i*].*re* += *st* ∗ *an1*[*k*].*re*;
        t3[*i*].*im* += *st* ∗ *an1*[*k*].*im*;
      }
    }
    free_carray(*an1*);
    free_carray(*an2*);
    free_carray(*bn1*);

$free\_carray(bn2);$
}

This code is used in section 180.

198.   A driver program for the cylindrical Mie scattering code.

199.   Here, then, is an overview of document structure

⟨ `mie_cylinder_main.c`   199 ⟩ ≡
#**include** `<math.h>`
#**include** `<stdlib.h>`
#**include** `<stdio.h>`
#**include** `<stdarg.h>`
#**include** `"mie_array.h"`
#**include** `"mie_complex.h"`
#**include** `"mie_cylinder.h"`
#**define** `PI`   3.14159265358979
  ⟨ Definition for *mie_cylinder_main* 200 ⟩

200.   ⟨ Definition for *mie_cylinder_main* 200 ⟩ ≡
  int *main*(**int** *argc*, **char** ∗∗*argv*)
  {
    struct c_complex *m*, ∗*t1*, ∗*t2*, ∗*t3*, *qexpar*, *qexper*;
    double *qscpar*, *qscper*, *x*, *zeta*, *lambda*, *diameter*, *qsca*, *t1norm*, ∗*theta*;
    int *i*, *nangles*;
    long *size*;
    double *n_medium*, *n_cylinder*, *k_cylinder*;

    nangles = 21;
    size = *nangles*;
    t1 = *new_carray*(*size*);
    t2 = *new_carray*(*size*);
    t3 = *new_carray*(*size*);
    theta = *new_darray*(*size*);
    for (*i* = 0; *i* < *nangles*; *i*++) *theta*[*i*] = (**double**) *i* ∗ PI/(*nangles* − 1.0);
    lambda = 632.8;
    diameter = 1050;
    x = PI ∗ *diameter*/*lambda*;
    n_cylinder = 1.55;
    n_medium = 1.0;
    k_cylinder = 0.0;
    m = *c_set*(*n_cylinder*/*n_medium*, *k_cylinder*/*n_medium*);
    zeta = 90.0 ∗ PI/180.0;
    MieCylinder(*x*, *m*, *zeta*, *theta*, *nangles*, *t1*, *t2*, *t3*, &*qexpar*, &*qexper*, &*qscpar*, &*qscper*);
    qsca = 0.5 ∗ (*qscpar* + *qscper*);
    printf("zeta␣␣␣␣␣␣␣=␣%8.4f␣degrees\n", *zeta* ∗ 180/PI);
    printf("n_medium␣␣␣=␣%8.4f\n", *n_medium*);
    printf("n_cylinder␣=␣%8.4f␣+␣%8.4fi\n", *n_cylinder*, *k_cylinder*);
    printf("lambda␣␣␣␣␣=␣%8.1f␣nm\n", *lambda*);
    printf("diameter␣␣␣=␣%8.1f␣nm\n", *diameter*);
    printf("\n");
    printf("x␣␣␣␣␣␣␣␣␣␣␣=␣%8.4f\n", *x*);
    printf("qexpar␣␣␣␣␣=␣%8.4f␣+␣%8.4fi\n", *qexpar*.*re*, *qexpar*.*im*);
    printf("qscpar␣␣␣␣␣=␣%8.4f\n", *qscpar*);
    printf("qexper␣␣␣␣␣=␣%8.4f␣+␣%8.4fi\n", *qexper*.*re*, *qexper*.*im*);
    printf("qscper␣␣␣␣␣=␣%8.4f\n", *qscper*);
    printf("\n");
    t1norm = 0.5 ∗ *c_norm*(*t1*[0]) + 0.5 ∗ *c_norm*(*t2*[0]);
    for (*i* = 0; *i* < *nangles*; *i*++) {
      double *tpar*, *tper*, *t11*, *t12*, *pol*, *s1*, *s2*, *s3*, *t33*, *t34*;

      tpar = *c_norm*(*t1*[*i*]);
      tper = *c_norm*(*t2*[*i*]);
      t11 = 0.5 ∗ (*tpar* + *tper*);
      t12 = 0.5 ∗ (*tpar* − *tper*);
      t33 = *t1*[*i*].*re* ∗ *t2*[*i*].*re* + *t1*[*i*].*im* ∗ *t2*[*i*].*im*;
      t34 = *t1*[*i*].*im* ∗ *t2*[*i*].*re* − *t1*[*i*].*re* ∗ *t2*[*i*].*im*;
      t33 /= *t11*;
      t34 /= *t11*;
      pol = *t12*/*t11*;
      s1 = 4 ∗ *c_norm*(*t1*[*i*])/*qsca*;
      s2 = 4 ∗ *c_norm*(*t2*[*i*])/*qsca*;
      s3 = 4 ∗ *c_norm*(*t3*[*i*])/*qsca*;

$printf($ `"%8.3f␣\t␣%8.5f␣\t␣%8.5f␣\t␣%8.5f␣\t␣%8.5f\n"`, $theta[i] * 180/$`PI`$, t11/t1norm, pol,$
　　　$t33, t34);$
　}
$free\_carray(t1);$
$free\_carray(t2);$
$free\_carray(t3);$
return $(0);$
}

This code is used in section 199.

201.   Index.   Here is a cross-reference table for the Mie scattering program. All sections in which an identifier is used are listed with that identifier, except that reserved words are indexed only when they appear in format definitions, and the appearances of identifiers in section names are not indexed. Underlined entries correspond to where the identifier was declared. Error messages and a few other things like "ASCII code dependencies" are indexed here too.

⟨ Allocate angle based arrays 172 ⟩   Used in section 168.
⟨ Calculate $\hat{a}_1$ 137 ⟩   Used in section 136.
⟨ Calculate $\hat{a}_2$ 139 ⟩   Used in section 136.
⟨ Calculate $\hat{b}_1$ 138 ⟩   Used in section 136.
⟨ Calculate Efficiencies 160 ⟩   Used in section 148.
⟨ Calculate first *alpha* and *beta* 125 ⟩   Used in section 124.
⟨ Calculate next *ratio* 126 ⟩   Used in section 124.
⟨ Calculate phase function for each angle 157 ⟩   Used in section 148.
⟨ Calculate small Mie efficiencies and asymmetry 141 ⟩   Used in section 136.
⟨ Calculate small Mie scattering amplitudes 142 ⟩   Used in section 136.
⟨ Calculate the logarithmic derivatives 154 ⟩   Used in section 148.
⟨ Calculate *nstop* 153 ⟩   Used in section 148.
⟨ Catch bogus input values 150 ⟩   Used in section 148.
⟨ Deal with small spheres 151 ⟩   Used in section 148.
⟨ Declare Mie variables 170 ⟩   Used in section 168.
⟨ Declare variables for *Mie* 149 ⟩   Used in section 148.
⟨ Definition for *Dn_down* 133 ⟩   Used in section 115.
⟨ Definition for *Dn_up* 130 ⟩   Used in section 115.
⟨ Definition for *Lentz_Dn* 124 ⟩   Used in section 115.
⟨ Definition for *MieCylinderCoefficients* 195 ⟩   Used in section 180.
⟨ Definition for *MieCylinder* 197 ⟩   Used in section 180.
⟨ Definition for *Mie* 148 ⟩   Used in section 115.
⟨ Definition for *array_error* 7 ⟩   Used in section 3.
⟨ Definition for *bessj0* 183 ⟩   Used in section 180.
⟨ Definition for *bessj1* 187 ⟩   Used in section 180.
⟨ Definition for *bessy0* 185 ⟩   Used in section 180.
⟨ Definition for *bessy1* 189 ⟩   Used in section 180.
⟨ Definition for *c_abs* 41 ⟩   Used in section 31.
⟨ Definition for *c_acos* 84 ⟩   Used in section 31.
⟨ Definition for *c_add* 56 ⟩   Used in section 31.
⟨ Definition for *c_arg* 45 ⟩   Used in section 31.
⟨ Definition for *c_asinh* 97 ⟩   Used in section 31.
⟨ Definition for *c_asin* 82 ⟩   Used in section 31.
⟨ Definition for *c_atanh* 95 ⟩   Used in section 31.
⟨ Definition for *c_atan* 86 ⟩   Used in section 31.
⟨ Definition for *c_conj* 43 ⟩   Used in section 31.
⟨ Definition for *c_cosh* 89 ⟩   Used in section 31.
⟨ Definition for *c_cos* 78 ⟩   Used in section 31.
⟨ Definition for *c_div* 62 ⟩   Used in section 31.
⟨ Definition for *c_exp* 100 ⟩   Used in section 31.
⟨ Definition for *c_inv* 53 ⟩   Used in section 31.
⟨ Definition for *c_log10* 104 ⟩   Used in section 31.
⟨ Definition for *c_log* 102 ⟩   Used in section 31.
⟨ Definition for *c_mul* 60 ⟩   Used in section 31.
⟨ Definition for *c_norm* 47 ⟩   Used in section 31.
⟨ Definition for *c_polarset* 39 ⟩   Used in section 31.
⟨ Definition for *c_rdiv* 64 ⟩   Used in section 31.
⟨ Definition for *c_rmul* 66 ⟩   Used in section 31.
⟨ Definition for *c_sadd* 71 ⟩   Used in section 31.
⟨ Definition for *c_sdiv* 73 ⟩   Used in section 31.
⟨ Definition for *c_set* 37 ⟩   Used in section 31.
⟨ Definition for *c_sinh* 91 ⟩   Used in section 31.

⟨ Definition for *c_sin* 76 ⟩   Used in section 31.
⟨ Definition for *c_smul* 69 ⟩   Used in section 31.
⟨ Definition for *c_sqrt* 49 ⟩   Used in section 31.
⟨ Definition for *c_sqr* 51 ⟩   Used in section 31.
⟨ Definition for *c_sub* 58 ⟩   Used in section 31.
⟨ Definition for *c_tanh* 93 ⟩   Used in section 31.
⟨ Definition for *c_tan* 80 ⟩   Used in section 31.
⟨ Definition for *complex_error* 35 ⟩   Used in section 31.
⟨ Definition for *copy_carray* 111 ⟩   Used in section 31.
⟨ Definition for *copy_darray* 13 ⟩   Used in section 3.
⟨ Definition for *ez_Mie_Full* 166 ⟩   Used in section 115.
⟨ Definition for *ez_Mie* 164 ⟩   Used in section 115.
⟨ Definition for *free_carray* 109 ⟩   Used in section 31.
⟨ Definition for *free_darray* 11 ⟩   Used in section 3.
⟨ Definition for *jn_complex* 193 ⟩   Used in section 180.
⟨ Definition for *jn_real* 191 ⟩   Used in section 180.
⟨ Definition for *mie_cylinder_main* 200 ⟩   Used in section 199.
⟨ Definition for *mie_error* 119 ⟩   Used in section 115.
⟨ Definition for *min_max_darray* 17 ⟩   Used in section 3.
⟨ Definition for *new_carray* 107 ⟩   Used in section 31.
⟨ Definition for *new_darray* 9 ⟩   Used in section 3.
⟨ Definition for *print_darray* 23 ⟩   Used in section 3.
⟨ Definition for *set_carray* 113 ⟩   Used in section 31.
⟨ Definition for *set_darray* 15 ⟩   Used in section 3.
⟨ Definition for *small_Mie* 136 ⟩   Used in section 115.
⟨ Definition for *small_conducting_Mie* 145 ⟩   Used in section 115.
⟨ Definition for *sort_darray* 20 ⟩   Used in section 3.
⟨ Establish a_n and b_n 156 ⟩   Used in section 148.
⟨ Free allocated memory 161 ⟩   Used in section 148.
⟨ Free angle based arrays 173 ⟩   Used in section 168.
⟨ Handle options 171 ⟩   Used in section 168.
⟨ Increment cross sections 158 ⟩   Used in section 148.
⟨ Mie allocate and initialize angle arrays 152 ⟩   Used in section 148.
⟨ Prepare for the next iteration 159 ⟩   Used in section 148.
⟨ Prepare to sum over all *nstop* terms 155 ⟩   Used in section 148.
⟨ Print header 174 ⟩   Used in section 168.
⟨ Print phase function 176 ⟩   Used in section 168.
⟨ Print summary 175 ⟩   Used in section 168.
⟨ Prototype for *Dn_down* 132 ⟩   Used in sections 116 and 133.
⟨ Prototype for *Dn_up* 129 ⟩   Used in sections 116 and 130.
⟨ Prototype for *Lentz_Dn* 123 ⟩   Used in sections 116 and 124.
⟨ Prototype for *MieCylinderCoefficients* 194 ⟩   Used in sections 181 and 195.
⟨ Prototype for *MieCylinder* 196 ⟩   Used in sections 181 and 197.
⟨ Prototype for *Mie* 147 ⟩   Used in sections 116 and 148.
⟨ Prototype for *array_error* 6 ⟩   Used in section 7.
⟨ Prototype for *bessj0* 182 ⟩   Used in section 183.
⟨ Prototype for *bessj1* 186 ⟩   Used in section 187.
⟨ Prototype for *bessy0* 184 ⟩   Used in section 185.
⟨ Prototype for *bessy1* 188 ⟩   Used in section 189.
⟨ Prototype for *c_abs* 40 ⟩   Used in sections 32 and 41.
⟨ Prototype for *c_acos* 83 ⟩   Used in sections 32 and 84.
⟨ Prototype for *c_add* 55 ⟩   Used in sections 32 and 56.

⟨ Prototype for *c_arg* 44 ⟩   Used in sections 32 and 45.
⟨ Prototype for *c_asinh* 96 ⟩   Used in sections 32 and 97.
⟨ Prototype for *c_asin* 81 ⟩   Used in sections 32 and 82.
⟨ Prototype for *c_atanh* 94 ⟩   Used in sections 32 and 95.
⟨ Prototype for *c_atan* 85 ⟩   Used in sections 32 and 86.
⟨ Prototype for *c_conj* 42 ⟩   Used in sections 32 and 43.
⟨ Prototype for *c_cosh* 88 ⟩   Used in sections 32 and 89.
⟨ Prototype for *c_cos* 77 ⟩   Used in sections 32 and 78.
⟨ Prototype for *c_div* 61 ⟩   Used in sections 32 and 62.
⟨ Prototype for *c_exp* 99 ⟩   Used in sections 32 and 100.
⟨ Prototype for *c_inv* 52 ⟩   Used in sections 32 and 53.
⟨ Prototype for *c_log10* 103 ⟩   Used in sections 32 and 104.
⟨ Prototype for *c_log* 101 ⟩   Used in sections 32 and 102.
⟨ Prototype for *c_mul* 59 ⟩   Used in sections 32 and 60.
⟨ Prototype for *c_norm* 46 ⟩   Used in sections 32 and 47.
⟨ Prototype for *c_polarset* 38 ⟩   Used in sections 32 and 39.
⟨ Prototype for *c_rdiv* 63 ⟩   Used in sections 32 and 64.
⟨ Prototype for *c_rmul* 65 ⟩   Used in sections 32 and 66.
⟨ Prototype for *c_sadd* 70 ⟩   Used in sections 32 and 71.
⟨ Prototype for *c_sdiv* 72 ⟩   Used in sections 32 and 73.
⟨ Prototype for *c_set* 36 ⟩   Used in sections 32 and 37.
⟨ Prototype for *c_sinh* 90 ⟩   Used in sections 32 and 91.
⟨ Prototype for *c_sin* 75 ⟩   Used in sections 32 and 76.
⟨ Prototype for *c_smul* 68 ⟩   Used in sections 32 and 69.
⟨ Prototype for *c_sqrt* 48 ⟩   Used in sections 32 and 49.
⟨ Prototype for *c_sqr* 50 ⟩   Used in sections 32 and 51.
⟨ Prototype for *c_sub* 57 ⟩   Used in sections 32 and 58.
⟨ Prototype for *c_tanh* 92 ⟩   Used in sections 32 and 93.
⟨ Prototype for *c_tan* 79 ⟩   Used in sections 32 and 80.
⟨ Prototype for *complex_error* 34 ⟩   Used in section 35.
⟨ Prototype for *copy_carray* 110 ⟩   Used in sections 32 and 111.
⟨ Prototype for *copy_darray* 12 ⟩   Used in sections 4 and 13.
⟨ Prototype for *ez_Mie_Full* 165 ⟩   Used in sections 116, 117, and 166.
⟨ Prototype for *ez_Mie* 163 ⟩   Used in sections 116, 117, and 164.
⟨ Prototype for *free_carray* 108 ⟩   Used in sections 32 and 109.
⟨ Prototype for *free_darray* 10 ⟩   Used in sections 4 and 11.
⟨ Prototype for *jn_complex* 192 ⟩   Used in section 193.
⟨ Prototype for *jn_real* 190 ⟩   Used in section 191.
⟨ Prototype for *mie_error* 118 ⟩   Used in section 119.
⟨ Prototype for *min_max_darray* 16 ⟩   Used in sections 4 and 17.
⟨ Prototype for *new_carray* 106 ⟩   Used in sections 32 and 107.
⟨ Prototype for *new_darray* 8 ⟩   Used in sections 4 and 9.
⟨ Prototype for *print_darray* 22 ⟩   Used in sections 4 and 23.
⟨ Prototype for *set_carray* 112 ⟩   Used in sections 32 and 113.
⟨ Prototype for *set_darray* 14 ⟩   Used in sections 4 and 15.
⟨ Prototype for *small_Mie* 135 ⟩   Used in sections 116 and 136.
⟨ Prototype for *small_conducting_Mie* 144 ⟩   Used in sections 116 and 145.
⟨ Prototype for *sort_darray* 19 ⟩   Used in sections 4 and 20.
⟨ Test Copy Routine 27 ⟩   Used in section 25.
⟨ Test Min/Max Routine 29 ⟩   Used in section 25.
⟨ Test Set Routine 26 ⟩   Used in section 25.
⟨ Test Sort Routine 28 ⟩   Used in section 25.

⟨ `libmie.h` 117 ⟩
⟨ `mie.c` 115 ⟩
⟨ `mie.h` 116 ⟩
⟨ `mie_array.c` 3 ⟩
⟨ `mie_array.h` 4 ⟩
⟨ `mie_complex.c` 31 ⟩
⟨ `mie_complex.h` 32 ⟩
⟨ `mie_cylinder.c` 180 ⟩
⟨ `mie_cylinder.h` 181 ⟩
⟨ `mie_cylinder_main.c` 199 ⟩
⟨ `mie_main.c` 168 ⟩
⟨ print usage function 178 ⟩   Used in section 168.
⟨ print version function 177 ⟩   Used in section 168.
⟨ `test_mie_array.c` 25 ⟩
⟨ the include files 169 ⟩   Used in section 168.

Mie Scattering

Version 2-3-4