



# CorrectAnswers.pdf Content

Only questions marked wrong on the quiz are included: Q1, Q3, Q4, and Q6.

| Question                                                                                    | Math Concept             | Ethan's Answer | Correct Answer | What Went Wrong                                                                                         | Explanation                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------|--------------------------|----------------|----------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Q1. $3(2x - 5) - 4 = 2x + 9$                                                                | Multi-Step Equations     | $x = 5$        | $x = 7$        | Ethan distributed correctly to $6x - 15$ , but then combined $-15$ and $-4$ as $-11$ instead of $-19$ . | Distribute: $6x - 15 - 4 = 2x + 9$ . Combine constants: $6x - 19 = 2x + 9$ . Subtract $2x$ : $4x - 19 = 9$ . Add $19$ : $4x = 28$ , so $x = 7$ .                             |
| Q3. Taxi: \$4.50 start fee + \$1.75 per mile, \$25 budget — greatest whole number of miles? | Inequality Word Problems | 12 miles       | 11 miles       | He rounded 11.71 up to 12, but a budget limit means you cannot round up past what the money will cover. | Use $4.50 + 1.75m \leq 25$ . Then $1.75m \leq 20.50$ , so $m \leq 11.71$ . The greatest whole number within the budget is 11; 12 miles costs \$25.50.                        |
| Q4. $x + y = 11$ ; $2x - y = 7$                                                             | Systems of Equations     | (6, 6)         | (6, 5)         | Ethan correctly found $x = 6$ , but did not substitute it back into $x + y = 11$ to find $y$ .          | Add the equations: $3x = 18$ , so $x = 6$ . Substitute: $6 + y = 11$ , so $y = 5$ . The solution is (6, 5).                                                                  |
| Q6. $(2^3 \cdot 2^{-5}) / 2^{-1}$                                                           | Exponent Rules           | 1/4            | 1/2            | He mishandled subtracting the negative exponent in the denominator.                                     | First combine the numerator: $2^3 \cdot 2^{-5} = 2^{-2}$ . Divide by $2^{-1}$ by subtracting exponents: $2^{-2} - (-1) = 2^{-1}$ . Since $2^{-1} = 1/2$ , the answer is 1/2. |

# StudySchedule.md Content

| Week                 | Date                 | Time         | Topic                                      |
|----------------------|----------------------|--------------|--------------------------------------------|
| Week of May 18, 2026 | Monday, May 18, 2026 | 6:30–7:00 PM | Multi-step equations                       |
| Week of May 25, 2026 | Monday, May 25, 2026 | 6:30–7:00 PM | Inequality word problems and budget limits |
| Week of Jun 1, 2026  | Monday, Jun 1, 2026  | 6:30–7:00 PM | Systems of equations                       |
| Week of Jun 8, 2026  | Monday, Jun 8, 2026  | 6:30–7:00 PM | Exponent rules                             |

# PDF Preview

## Response B

---

## Response B

---

## Response B

---