F!TZ Entity Summary (Tables + Purpose + Keys + Relationships)

Table (Entity)	Purpose (What it stores)	Primary Key	Foreign Keys (FK → Parent)	Main Relationships
users	App users (account/profile)	`id` (UUID) *(or `user_id`)*	—	1 user → many items, outfits, tags, logs, locations, suggestion_requests
users.username *(column)*	Human-friendly unique handle	—	—	UNIQUE attribute (no FK)
clothing_items	Each clothing item in a user's closet	`item_id`	`user_id → users`, `category_id → categories`, `brand_id → brands`, *(optional)* `material_id → materials`	Many items belong to one user; item references lookup tables
item_photos	Photos/images for a clothing item	`photo_id` *(or `id`)*	`item_id → clothing_items`	1 item → many photos
categories	Lookup list of clothing categories (Tops, Shoes, etc.)	`category_id`	—	1 category → many clothing_items
brands	Lookup list of brands (Nike, Zara, etc.)	`brand_id`	—	1 brand → many clothing_items *(often ON DELETE SET NULL)*
colors	Lookup list of colors (+ optional hex)	`color_id`	—	Many items ↔ many colors via `item_colors`
materials	Lookup list of materials (Cotton, Denim, etc.)	`material_id`	—	1 material → many clothing_items *(if used)*
seasons	Lookup list of seasons (Spring, Fall…)	`season_id`	—	Many items ↔ many seasons via `item_seasons`; many requests → 1 season

F!TZ Entity Summary (Tables + Purpose + Keys + Relationships)

Table (Entity)	Purpose (What it stores)	Primary Key	Foreign Keys (FK → Parent)	Main Relationships
occasions	Lookup list of occasions (Work, Casual…)	`occasion_id`	—	Many items ↔ many occasions via `item_occasions`; many requests → 1 occasion
locations	User-defined storage locations (Main closet, Drawer)	`location_id`	`user_id → users`	1 user → many locations
tags	User-owned tags (streetwear, classic…)	`tag_id`	`user_id → users`	1 user → many tags; many items ↔ many tags via `item_tags`
item_tags *(join)*	Connects items to tags	*(composite recommended)* (`item_id`,`tag_id`) or `id`	`item_id → clothing_items`, `tag_id → tags`	Many-to-many: clothing_items ↔ tags
item_colors *(join)*	Connects items to colors	*(composite recommended)* (`item_id`,`color_id`) or `id`	`item_id → clothing_items`, `color_id → colors`	Many-to-many: clothing_items ↔ colors
item_seasons *(join)*	Connects items to seasons	*(composite recommended)* (`item_id`,`season_id`) or `id`	`item_id → clothing_items`, `season_id → seasons`	Many-to-many: clothing_items ↔ seasons
item_occasions *(join)*	Connects items to occasions	*(composite recommended)* (`item_id`,`occasion_id`) or `id`	`item_id → clothing_items`, `occasion_id → occasions`	Many-to-many: clothing_items ↔ occasions
outfits	Saved outfits (manual or AI-generated)	`outfit_id`	`user_id → users`	1 user → many outfits; outfits ↔ items via `outfit_items`
outfit_items *(join)*	Items included in an outfit (+ role like “top/shoes”)	*(composite recommended)* (`outfit_id`,`item_id`) or `id`	`outfit_id → outfits`, `item_id → clothing_items`	Many-to-many: outfits ↔ clothing_items

F!TZ Entity Summary (Tables + Purpose + Keys + Relationships)

Table (Entity)	Purpose (What it stores)	Primary Key	Foreign Keys (FK → Parent)	Main Relationships
wear_log	Track when an item was worn	`wear_log_id` *(or `id`)*	`user_id → users`, `item_id → clothing_items`	1 user → many wear logs; 1 item → many wear logs
wash_log	Track when an item was washed/cleaned	`wash_log_id` *(or `id`)*	`user_id → users`, `item_id → clothing_items`	1 user → many wash logs; 1 item → many wash logs
suggestion_requests	A request for outfit suggestions (filters like season/occasion/color)	`request_id`	`user_id → users`, `season_id → seasons` *(optional)*, `occasion_id → occasions` *(optional)*, `color_preference → colors` *(optional if FK)*	1 user → many requests; request may reference lookup filters
suggestion_results	Results generated for a request (often points to an outfit + score)	`result_id`	`request_id → suggestion_requests`, `outfit_id → outfits` *(optional)*	1 request → many results; result may reference an outfit