

# Shopify App Requirements Checklist (2026)

The 2026 Shopify App Store requirements checklist — Customer Privacy API, managed install, token exchange, and the review gates a listing must pass.

---

A comprehensive, downloadable checklist for building, submitting, and maintaining a Shopify App Store app. Based on [Shopify's official App Store requirements](#) and the latest platform changes through May 2026.

---

## How to Use

---

Copy this file into your project and check off items as you complete them. Items marked **(mandatory)** will block your App Store submission if unmet. Items marked **(recommended)** are best practices that improve approval odds and app quality.

---

## 1. Dev Dashboard & Project Setup

---

### 1.1 Organization & Access

- ☐ **Create app in Dev Dashboard** — [dev.shopify.com](https://dev.shopify.com), not the legacy Partner Dashboard **(mandatory)**

- ❑ **Set up RBAC roles** — assign Organization Owner + Admins; use system roles or create custom roles (March 2026+)
- ❑ **Create dev store** — use Dev Dashboard to create a dev store on the plan tier you need (any plan including Plus)
- ❑ **Install Shopify CLI 3.84.1+** — required for CLI-managed extensions and  
`shopify app deploy`

## 1.2 App Configuration (TOML)

- ❑ `shopify.app.toml` **has correct** `client_id` — from Dev Dashboard > App > Settings
- ❑ `application_url` **set** — your app's primary URL (must not contain "Shopify" or "Example")
- ❑ `embedded = true` — if your app renders in Shopify Admin (most apps)
- ❑ `[access_scopes]` **lists only required scopes** — Shopify reviews for unnecessary scopes (Feb 2025+) (**mandatory**)
- ❑ `use_legacy_install_flow = false` — or omit entirely; use Shopify managed installation
- ❑ `[auth] redirect_urls` **configured** — OAuth callback URLs for your worker/app
- ❑ `[webhooks] api_version` **set** — use a supported API version (e.g., `2026-07`)
- ❑ **Compliance webhooks declared** — `customers/data_request`, `customers/redact`, `shop/redact` (**mandatory**)

## 1.3 Extensions

- ❑ **All extensions managed via CLI** — dashboard-managed extensions are deprecated; use `shopify app deploy`
- ❑ **Extensions have** `uid` **identifiers** — run `shopify app deploy` after migration to assign UIDs
- ❑ `.env` **files map extension handles** — `SHOPIFY_<HANDLE_SNAKE_CASE>_ID` for each extension

---

## 2. Authentication & Tokens

---

### 2.1 OAuth Installation Flow

- ☐ **OAuth initiates immediately on install** — no UI interaction before OAuth handshake (**mandatory**)
- ☐ **OAuth initiates immediately on reinstall** — even if merchant previously uninstalled (**mandatory**)
- ☐ **Redirect to app UI after OAuth** — not to a blank page or external site (**mandatory**)
- ☐ **Installation starts from Shopify-owned surface** — do not ask merchants to manually enter `.myshopify.com` URLs (**mandatory**)
- ☐ **Test OAuth on a fresh dev store** — verify install → approve → redirect works cleanly

### 2.2 Expiring Offline Tokens (April 1, 2026+)

- ☐ **Send** `expiring=1` **in token exchange** — required for all new public apps (**mandatory**)
- ☐ **Store** `access_token` (60-min TTL) — `shpua_` prefix
- ☐ **Store** `refresh_token` (90-day TTL) — `shprt_` prefix; encrypt at rest
- ☐ **Store** `expires_in` / **compute** `expires_at` — track token expiry
- ☐ **Implement proactive token refresh** — refresh 5 minutes before expiry, not after 401
- ☐ **Handle 401 as fallback refresh trigger** — in case proactive refresh fails
- ☐ **Update stored tokens on every refresh** — both access token and new refresh token

- ❑ **Monitor refresh failures** — log and alert; fall back to new OAuth authorization if refresh token expires
- ❑ **Remove assumptions that tokens never expire** — audit all code paths that use the admin token

### 2.3 Session Tokens (Embedded Apps)

- ❑ **Use session tokens for authentication** — not third-party cookies or localStorage (**mandatory**)
  - ❑ **App works in Chrome incognito** — verify no dependency on cookies for embedded context (**mandatory**)
  - ❑ **Session tokens are short-lived** — do not cache or persist; fetch fresh token per request
- 

## 3. Security & User Data Scoping

---

### 3.1 Access Scopes

- ❑ **Request minimum scopes needed** — Shopify removes unnecessary scopes on review (**mandatory**)
- ❑ **Document why each scope is needed** — be prepared to justify during review
- ❑ **Handle redacted fields gracefully** — unapproved fields return `null`, not errors
- ❑ **No deprecated or legacy scope usage** — check against current API version

## 3.2 Protected Customer Data

| LEVEL | ACCESS                                           | YOUR ACTION                                                   |
|-------|--------------------------------------------------|---------------------------------------------------------------|
| 0     | No customer data                                 | No action required                                            |
| 1     | Customer data excluding name/email/phone/address | Request in Partner Dashboard + implement Level 1 requirements |
| 2     | Customer data including name/email/phone/address | Request + Level 1 & 2 requirements + data protection review   |

- ☐ **Determine your data level** – most CRM/sync apps are Level 2
- ☐ **Request protected customer data access** – Partner Dashboard > App > API access > Protected customer data
- ☐ **Request specific field access** – `read_customer_name`, `read_customer_email`, `read_customer_phone`, `read_customer_address` as needed
- ☐ **Complete Data Protection details** – required for Level 2 review
- ☐ **Handle null for unapproved fields** – API returns `null` with error message for redacted fields
- ☐ **Test on non-development store** – dev stores always have access; production enforces scoping

## 3.3 Data Security

- ☐ **Encrypt tokens at rest** – access tokens, refresh tokens, API keys
- ☐ **Never expose secrets in client-side code** – no tokens in HTML, JS, or frontend bundles
- ☐ **HTTPS everywhere** – all OAuth redirects, webhooks, and API calls over TLS
- ☐ **Validate webhook HMAC signatures** – return 401 for invalid Shopify HMAC headers (mandatory)
- ☐ **Secrets stored securely** – use environment secrets (e.g., `wrangler secret put`), not config files

- ❑ **No sensitive data in logs** – mask tokens, passwords, PII in console output
- 

## 4. Privacy & GDPR Compliance

---

### 4.1 Mandatory Compliance Webhooks

- ❑ `customers/data_request` **handler** – compile and return all stored data for a customer (**mandatory**)
- ❑ `customers/redact` **handler** – delete/anonymize customer personal data (**mandatory**)
- ❑ `shop/redact` **handler** – delete all customer data for an uninstalled shop (48h after uninstall) (**mandatory**)
- ❑ **All handlers accept POST with JSON body** – `Content-Type: application/json` (**mandatory**)
- ❑ **All handlers validate HMAC** – return 401 for invalid signatures (**mandatory**)
- ❑ **All handlers return 200-series status** – acknowledge receipt (**mandatory**)
- ❑ **Webhook URLs registered in TOML** – `compliance_topics` in `[[webhooks.subscriptions]]`

### 4.2 Privacy Policy

- ❑ **Privacy policy URL provided** – required for app submission (**mandatory**)
- ❑ **Policy covers what data you collect** – via Shopify APIs and directly from merchants/customers
- ❑ **Policy covers how data is used** – purposes beyond providing app services
- ❑ **Policy covers data retention** – how long you store collected data
- ❑ **Policy covers data storage location** – especially if outside Europe

- ☐ **Policy covers contact information** — how merchants can reach you; physical address if required by jurisdiction

#### 4.3 Data Minimization

- ☐ **Collect only data your app needs** — Shopify reviews for over-collection
  - ☐ **Delete data when no longer needed** — honor retention periods
  - ☐ **Respond to data subject requests** — within regulatory timeframes (GDPR: 30 days)
- 

## 5. App Store Listing

---

#### 5.1 Required Information

- ☐ **App name** — unique, not containing "Shopify" or misspellings (**mandatory**)
- ☐ **App icon** — 1200x1200px, JPEG or PNG (**mandatory**)
- ☐ **Primary language** — at least one listing in the primary language (**mandatory**)
- ☐ **App card subtitle** — concise value proposition; no keyword stuffing (**mandatory**)
- ☐ **App details** — clear explanation of functionality with enough feature information (**mandatory**)
- ☐ **Category** — correctly classified; Sales Channels must use Sales Channel category (**mandatory**)
- ☐ **Contact email** — must not contain "Shopify"; API contact email for emergencies (**mandatory**)
- ☐ **Emergency contact** — email and phone number for critical technical issues (**mandatory**)

## 5.2 Media Assets

- ☐ **Screenshots** — 1600x900px (16:9); 3-6 desktop screenshots minimum (**mandatory**)
- ☐ **Screenshots show actual UI** — no desktop backgrounds, browser windows, or logo-only images (**mandatory**)
- ☐ **Each screenshot is unique** — different features, views, or states; no duplicates (**mandatory**)
- ☐ **No Shopify trademarks in graphics** — not in icon, banner, or screenshots (**mandatory**)
- ☐ **No reviews or testimonials in listing** — Shopify adds reviews from merchant feedback (**mandatory**)
- ☐ **Feature image** — 1600x900px if provided; solid background, good contrast
- ☐ **Demo screencast** — English or English subtitles; shows onboarding + core features (**mandatory**)

## 5.3 Pricing & Billing

- ☐ **All charges use Shopify Billing API** — no external payment processing for app charges (**mandatory**)
- ☐ **Billing tested with** `"test": true` — verify on dev store without real charges
- ☐ **Change** `"test": false` **before submission** — or merchants won't be charged
- ☐ **Merchants can upgrade/downgrade without reinstalling** — plan changes in-app (**recommended**)
- ☐ **Geographic requirements noted** — if app only works in certain regions (**mandatory if applicable**)

## 5.4 Submission

- ☐ **Test credentials included** — functional login credentials for reviewers (**mandatory**)



- ☐ **Demo store URL provided** — link to page demonstrating app functionality (**recommended**)
  - ☐ **Run AI self-review** — available in Partner Dashboard; catches obvious issues pre-submission (**recommended**)
  - ☐ **OAuth install flow tested** — verify redirect URLs work before submitting
- 

## 6. Installation & Onboarding

---

- ☐ **App works immediately after install** — no broken states or blank screens (**mandatory**)
  - ☐ **Clear onboarding flow** — guide merchants through setup steps (**recommended**)
  - ☐ **No manual URL entry required** — shop domain is provided by OAuth context (**mandatory**)
  - ☐ **App handles reinstallation** — preserve merchant data or explain what's reset (**mandatory**)
  - ☐ **Clean uninstall** — app doesn't leave orphaned scripts, webhooks, or assets (**recommended**)
- 

## 7. App Functionality & Quality

---

### 7.1 Platform Rules

- ☐ **Use Shopify checkout** — no offsite or third-party checkout bypass (**mandatory**)

- ☐ **Direct merchants to Shopify Theme Store** — no theme downloads (**mandatory**)
- ☐ **Factual information only** — no fake reviews, false notifications, or falsified data (**mandatory**)
- ☐ **Unique app** — not identical to other apps you've published (**mandatory**)
- ☐ **Single-merchant storefronts only** — marketplaces must be Sales Channels (**mandatory**)
- ☐ **No upselling in Shopify Admin UI** — don't use admin UI extensions or admin links to promote apps (**mandatory**)
- ☐ **Max modal requires merchant interaction** — can't auto-launch fullscreen mode (**mandatory**)

## 7.2 Performance

- ☐ **App loads quickly** — Shopify measures impact on admin/storefront/checkout performance
- ☐ **Minimal storefront impact** — if app injects scripts, keep them lightweight
- ☐ **Test at scale** — verify with realistic data volumes (many customers, orders, products)

## 7.3 Reliability

- ☐ **Handle API rate limits** — implement retry with backoff for Shopify API 429 responses
  - ☐ **Handle webhook delivery failures** — idempotent handlers; Shopify retries failed deliveries
  - ☐ **Monitor app health** — webhook delivery rates, function execution, error rates via Dev Dashboard
-

## 8. Webhooks & Real-Time Sync

---

- ❑ **Register webhooks via GraphQL** — use `webhookSubscriptionCreate` mutation, not legacy REST
  - ❑ **Webhook handlers are idempotent** — same event delivered twice produces same result
  - ❑ **Verify HMAC on all webhooks** — Shopify signs payloads with your app secret
  - ❑ **Handle webhook payload changes** — new fields may be added; don't fail on unknown fields
  - ❑ **Stay within subrequest limits** — Cloudflare Workers: 50 subrequests per invocation
  - ❑ **Process webhooks quickly** — respond 200 within 5 seconds; do heavy work asynchronously
- 

## 9. Post-Launch & Maintenance

---

- ❑ **Keep scopes up to date** — deploy scope changes via `shopify app deploy`
- ❑ **Monitor for new requirements** — Shopify App Excellence Team checks regularly
- ❑ **Respond to review feedback** — new dashboard shows per-requirement status and reviewer comments
- ❑ **Keep API version current** — deprecated versions are removed; migrate before sunset
- ❑ **Keep credentials current** — review test credentials provided to Shopify; update if expired

❑ **App reflects listed functionality** — apps re-evaluated if core functionality changes

---

## Quick Reference: Key Dates

---

| DATE               | REQUIREMENT                                                  |
|--------------------|--------------------------------------------------------------|
| Feb 2025           | Scopes reviewed for necessity on every submission            |
| Dec 2025           | Protected customer data scopes enforced for web pixels       |
| Dec 2025           | Expiring offline tokens available (optional)                 |
| <b>Apr 1, 2026</b> | <b>Expiring offline tokens mandatory for new public apps</b> |
| Mar 2026           | RBAC and org management for partners                         |
| Mar 2026           | Clearer image standards enforced (4.4.4, 4.4.5)              |
| Apr 2026           | New app submission experience in Partner Dashboard           |

---

## Resources

---

- [App Store Requirements](#)
- [Best Practices for Apps](#)
- [Protected Customer Data](#)
- [Expiring Offline Tokens](#)
- [Privacy Requirements](#)

- [Dev Dashboard](#)
  - [Migrate from Partner Dashboard](#)
  - [Submit App for Review](#)
  - [About Billing](#)
  - [AI Self-Review Tool](#)
- 

*Last updated: May 2026. Requirements are subject to change — always check [shopify.dev](#) for the latest.*

---