CRM Sync — Feature Specification

Version 1.0 · 2026-07-06 · Public · Parent CRM-FUNC-SPEC-001. The **Accessibility & Machine-Index Score** — WCAG-derived accessibility scoring paired with an answer-engine machine-index score — is the measurable foundation of the accessibility core offer.

Accessibility & Machine-Index Score — the measurable foundation of the accessibility offer

Document ID: CRM-FEAT-003 **Version:** 1.0 **Date:** 2026-07-06 **Status:** Published **Classification:** Public **Parent:** CRM-FUNC-SPEC-001

1. Executive Summary

The core offer of CRM Sync is **accessibility**: making connected commerce data usable by every enterprise team **and** by AI agents, through one governed gateway. Accessibility is only a credible promise if it is **measured**. This feature specifies the **Accessibility & Machine-Index Score** — a repeatable, automated quality gate that scores every published surface on two dimensions:

- **Accessibility Score (human reach)** — conformance of a surface to the automatable items of the Webflow Accessibility Checklist (WCAG-aligned):

language, structure, landmarks, alternative text, keyboard and form semantics, media captioning.

- **Machine-Index Score (agent reach)** — how readable a surface is to search and **answer engines**, per the automatable items of the Webflow AEO Checklist: crawlability, structured data, metadata, semantic sectioning, scannable formats, freshness and authorship signals.

These are two faces of one objective. A surface that a screen-reader user cannot navigate and a surface that an LLM cannot parse are the **same failure** — data that is present but not *accessible*. This feature makes that failure visible, ranked, and fixable before publication.

---

2. Why this is foundational, not cosmetic

BUSINESS CLAIM	WITHOUT THIS FEATURE	WITH THIS FEATURE
"Your data is accessible to every enterprise team"	Asserted, unverified	Scored per surface, per release, against a public standard
"Your content is accessible to AI agents / answer engines"	Hope	A Machine-Index grade with a ranked gap list
"Governed, auditable delivery"	Data-plane only	Extends access-governance to the **presentation layer**

The platform already governs **access to data** at the data plane (scoped, revocable, PII-free by construction). This feature governs **accessibility of the rendered surface** — the last mile where humans and agents actually consume the data. It is the presentation-layer complement to the access-governance substrate: the same discipline (measurable, repeatable, fail-toward-safe), applied to reach.

3. Functional Requirements

FR-AXI-01 — Two-dimensional score. Every evaluated surface receives an **Accessibility Score** and a **Machine-Index Score**, each 0–100 with a letter grade (A ≥90 · B ≥80 · C ≥70 · D ≥60 · F <60).

FR-AXI-02 — Standards-anchored checks. Scored checks are drawn only from the **automatable** items of the two published checklists (§1). Each check records its source criterion (WCAG or AEO reference) so a score is defensible and auditable, not a black box.

FR-AXI-03 — Weighted, severity-aware scoring. Each check carries a severity (critical / high / medium / low) that weights its contribution. A score is the weighted proportion of applicable checks that pass — so a missing image alternative (critical) moves the score more than a missing social-preview tag (low).

FR-AXI-04 — Scope awareness (page vs. fragment). Whole-page requirements (document title, canonical URL, structured data) are evaluated only on full pages. Embeddable fragments are **not penalized** for lacking them; a fragment therefore receives a meaningful Accessibility Score and a Machine-Index result of *n/a*, because answer-engine indexing is a whole-page property.

FR-AXI-05 — Ranked remediation. Output includes a **Top Gaps** list ordered by severity × prevalence across surfaces — a fix-first worklist, not an undifferentiated dump.

FR-AXI-06 — Honest boundary (manual-review carve-out). Items that cannot be decided from static markup — colour contrast, visible focus, target size, caption *content* quality, answer accuracy in live AI engines, E-E-A-T truthfulness

— are **listed as manual review and never scored**. The score never overstates what automation can prove.

FR-AXI-07 — Continuous evaluation. The score runs in continuous integration on every change, and can also be run on demand against local files or against **live URLs** (real rendered HTML). It emits a machine-readable report suitable for dashboards and trend tracking.

FR-AXI-08 — Promotable gate. The score begins as a **non-gating baseline** (reported, not enforced) and is promotable to a **required release gate** at chosen thresholds (default: Accessibility ≥ 80, Machine-Index ≥ 70). This mirrors the platform's forward-deploy posture: measure first, tighten to fail-closed as the baseline is raised — never a hard stop dropped without warning.

---

4. Scoring Model (summary)

```
score(dimension) = Σ weight(passing applicable checks)
                   ──────────────────────────────────── × 100
                   Σ weight(applicable checks)

weight:  critical 3 · high 2 · medium 1 · low 0.5
grade:   A ≥90 · B ≥80 · C ≥70 · D ≥60 · F <60
n/a:     no applicable checks in that dimension (expected for fragments on Machine-Index)
```

An **overall** figure per dimension is the weight-aggregate across all evaluated surfaces, so a portfolio can be tracked as a single number over time.

---

5. What each dimension checks (automatable set)

Accessibility (human reach) — document language; unique, descriptive title; skip-to-content link; landmark regions; zoom not disabled; image alternative text; decorative graphics hidden from assistive tech; no autofocus; no autoplaying media; captions/subtitles on video; logical heading order; a single top-level heading; no empty links; descriptive link text; table header cells; labelled form fields.

Machine-Index (agent / answer-engine reach) — indexable (not blocked); meta description; descriptive title; canonical URL; structured data (JSON-LD) with a recognized type; FAQ content carrying FAQ structured data; social/preview metadata; semantic sectioning; descriptive subheadings; scannable formats (lists / tables / disclosure); internal linking; freshness (dated content); author / authority attribution.

Manual review (informational, unscored) — colour and border/icon contrast; visible focus states; minimum target size; caption/audio-description content quality; harmful-motion review; plain-language review; live answer-engine accuracy; BLUF summary quality; E-E-A-T verification; citation share in AI answers.

---

6. Relationship to the platform

- **Access-governance parity.** The data plane governs *who may reach the data*; this feature governs *whether the delivered surface is reachable* — by people and by agents. Together they make "accessible, governed data" a testable claim end to end.

- **Forward-deploy alignment.** Non-destructive and additive: surfaces are scored as they are, gaps are surfaced as a worklist, and enforcement is tightened only as the baseline improves.
- **AEO substrate.** The Machine-Index dimension is the acceptance test for the semantic-structure work (semantic sectioning, structured data, scannable formats) that makes connected content answerable by AI engines — the machine half of accessibility.

---

7. Non-Goals

- Not a certification of legal WCAG conformance; it is an automated pre-flight that raises the floor and routes the remainder to manual review (FR-AXI-06).
- Not a live AI-answer-quality monitor; it measures **machine readability**, the precondition for good AI answers, not the answers themselves.
- Ships **no** customer data and requires **no** credentials to run against public surfaces — it reads only rendered markup.

CRM Sync is a governed Shopify ⇄ Xano ⇄ Webflow gateway. This feature makes the accessibility of every delivered surface measurable, ranked, and enforceable — the foundation under the promise that connected data is genuinely accessible to enterprise teams and to AI agents alike.
