

Webflow App Requirements Checklist (2026)

The 2026 Webflow App requirements checklist — Designer Extension review, OAuth scopes, and the deploy-guard gates that must pass before publish.

A comprehensive, downloadable checklist for building, submitting, and maintaining a Webflow Marketplace app. Based on [Webflow's official Marketplace guidelines](#) and the latest platform changes through May 2026.

Companion: for the build side of the same app — Vite + TypeScript monorepo, shared types, and the 11ty/Astro islands site setup — see [The Webflow App Stack](#).

How to Use

Copy this file into your project and check off items as you complete them. Items marked **(mandatory)** will block your Marketplace submission if unmet. Items marked **(recommended)** are best practices that improve approval odds and app quality.

1. App Registration & Setup

1.1 Workspace & Access

- ☐ **Create app in Workspace Settings** — Apps & Integrations > Develop (mandatory)
- ☐ **Enable 2FA on workspace admin account** — required before submission (mandatory)
- ☐ **Select app type** — Designer Extension, Data Client, or Hybrid (mandatory)
- ☐ **Select installation scope** — single-site restriction or broad workspace access
- ☐ **Install Webflow CLI** — `npm i -g @webflow/webflow-cli` (Designer Extensions only)

1.2 App Configuration

- ☐ **App name set** — max 30 characters, unique, clear, memorable (mandatory)
- ☐ **Client ID obtained** — from Workspace Settings > Apps & Integrations (mandatory)
- ☐ **Client Secret stored securely** — never in source control (mandatory)
- ☐ **Redirect URI configured** — exact match required (trailing slashes matter) (mandatory)
- ☐ **OAuth scopes selected** — minimum required; locked after publication (mandatory)
- ☐ **Installation URL set** — for Data Client and Hybrid apps (mandatory)

1.3 Designer Extension Manifest (webflow.json)

- ☐ `name` **set** — descriptive, unique app identifier (mandatory)
- ☐ `apiVersion` **set to** `"2"` — current Designer API version (recommended)

- ☐ `size` **configured** — `default` (240×360), `comfortable` (320×460), or `large` (800×600)
 - ☐ `publicDir` **set** — build output directory (defaults to `/public`)
 - ☐ `appIntents` **defined** — if app connects to canvas elements
 - ☐ `featureFlags` **set** — `expandedAppModes: true` for persistent visibility across Designer modes
-

2. Authentication & OAuth

2.1 OAuth 2.0 Flow (Authorization Code Grant)

- ☐ **Authorization URL correct** — `https://webflow.com/oauth/authorize` (**mandatory**)
- ☐ **Required parameters sent** — `client_id`, `response_type=code`, `redirect_uri`, `scope` (**mandatory**)
- ☐ `state` **parameter included** — CSRF protection token (**recommended**)
- ☐ **Token exchange implemented** — `POST https://api.webflow.com/oauth/access_token` (**mandatory**)
- ☐ **Authorization code used once** — codes are single-use, valid 15 minutes (**mandatory**)
- ☐ **Redirect URI exact match** — must match app settings precisely (**mandatory**)
- ☐ **Token revocation implemented** — `POST https://webflow.com/oauth/revoke_authorization` (**recommended**)

2.2 Token Management

- ☐ **Access tokens stored securely** — database or environment variables, not plain text (**mandatory**)

- ☐ **Tokens never in client-side code** — no tokens in HTML, JS, or frontend bundles (**mandatory**)
- ☐ **Separate tokens per use case** — do not reuse tokens across different purposes (**recommended**)
- ☐ **Token rotation implemented** — regular rotation schedule (**recommended**)
- ☐ **Compromised tokens revoked immediately** — incident response plan in place (**mandatory**)

2.3 Scope Management

- ☐ **Minimum scopes requested** — principle of least privilege (**mandatory**)
 - ☐ **Scopes in OAuth URL match app settings** — must be equal to or subset (**mandatory**)
 - ☐ **Scope changes planned** — adding scopes after publication requires re-approval (**mandatory**)
 - ☐ **Document why each scope is needed** — prepared to justify during review (**recommended**)
-

3. Security & Data Protection

3.1 Secrets Management

- ☐ **Client secret not in source control** — use environment variables or secrets manager (**mandatory**)
- ☐ **API keys stored securely** — environment variables or dedicated secrets management (**mandatory**)
- ☐ **All connections over HTTPS** — API calls, redirect URLs, webhooks (**mandatory**)

- ☐ **Tokens named descriptively** – for auditability (**recommended**)
- ☐ **Rotate exposed secrets immediately** – incident response procedure (**mandatory**)

3.2 Webhook Security

- ☐ **Webhook HMAC signatures verified** – SHA-256 using `client_secret` (**mandatory**)
- ☐ **Timestamp validated** – `x-webflow-timestamp` within 5 minutes (300,000ms) (**mandatory**)
- ☐ **HMAC format correct** – compute over `timestamp:request_body` string (**mandatory**)
- ☐ **Webhooks return HTTP 200** – acknowledge receipt promptly (**mandatory**)

3.3 Code Security (Designer Extensions)

- ☐ **No `eval()` statements** – avoid vulnerability-prone patterns (**mandatory**)
- ☐ **No direct DOM manipulation** – use Webflow APIs only (**mandatory**)
- ☐ **No excessive global variables** – scope variables properly (**mandatory**)
- ☐ **No externally hosted iframes** – except for authentication flows (**mandatory**)
- ☐ **CSS scoped/namespaced** – prevent conflicts with Webflow native styles (**mandatory**)
- ☐ **Only official Webflow APIs used** – no separate packages manipulating Webflow (**mandatory**)
- ☐ **Proper CORS policies implemented** – for backend communications (**recommended**)

3.4 Security Headers (Data Clients)

- ☐ `X-Content-Type-Options` – set to `nosniff` (**recommended**)

- ☐ `X-Frame-Options` — set appropriately (**recommended**)
 - ☐ `Strict-Transport-Security` — HSTS enabled (**recommended**)
-

4. Privacy & Compliance

4.1 Privacy Requirements

- ☐ **Privacy Policy URL provided** — valid, accessible URL (**mandatory**)
- ☐ **Terms of Service URL provided** — valid, accessible URL (**mandatory**)
- ☐ **Policy covers data collected** — what data, how obtained (**mandatory**)
- ☐ **Policy covers data usage** — purposes and processing (**mandatory**)
- ☐ **Policy covers data storage** — location, security measures (**mandatory**)
- ☐ **Policy covers data transfers** — third-party sharing, international transfers (**mandatory**)
- ☐ **Policy covers contact information** — how users can reach you (**mandatory**)

4.2 Data Protection

- ☐ **Sensitive data encrypted** — in transit and at rest (**mandatory**)
- ☐ **Unauthorized access prevented** — security measures in place (**mandatory**)
- ☐ **Consent requested for personal data** — clear opt-in mechanisms (**mandatory**)
- ☐ **Data subject requests handled** — respond within 30 days (GDPR) (**mandatory**)
- ☐ **Minimal data collected** — only what app needs (**recommended**)

4.3 Content Compliance

- ☐ **Content properly licensed** – rights and permissions for all content (mandatory)
 - ☐ **No trademark infringement** – no unauthorized use of others' marks (mandatory)
 - ☐ **No offensive content** – nothing offensive, insensitive, or illegal (mandatory)
 - ☐ **Accurate affiliations** – honestly indicate partnerships/endorsements (mandatory)
-

5. App Store Listing

5.1 Required Text

- ☐ **App name** – max 30 characters, unique (mandatory)
- ☐ **Publisher name** – max 20 characters (mandatory)
- ☐ **Short description** – max 100 characters, action-oriented value proposition (mandatory)
- ☐ **Long description** – max 10,000 characters, Markdown supported, no hyperlinks (mandatory)
- ☐ **Feature list** – max 5 key capabilities (mandatory)
- ☐ **Website URL** – valid link to app's main website (mandatory)
- ☐ **Support email** – valid contact email (mandatory)
- ☐ **Categories selected** – up to 5 from 19 available categories (mandatory)

5.2 Visual Assets

- ☐ **App logo** — 900×900px, 1:1 ratio, logomark only (no text logotypes) (mandatory)
- ☐ **App avatar** — 512×512px, 1:1 ratio (for submission form) (mandatory)
- ☐ **Publisher logo** — 20×20px, recognizable at small size (mandatory)
- ☐ **Screenshots** — 1280×846px, minimum 4 recommended (mandatory)
- ☐ **Screenshots show actual workflows** — core features, readable text (mandatory)
- ☐ **Consistent screenshot styling** — cohesive look across all images (mandatory)
- ☐ **Promo video** — 1-2 minutes, YouTube-hosted (recommended)

5.3 Monetization

- ☐ **All fees disclosed** — subscriptions, in-app purchases, charges (mandatory)
- ☐ **No hidden charges** — transparent, honest pricing (mandatory)
- ☐ **No ads displayed** — apps must not show advertisements (mandatory)
- ☐ **No deceptive practices** — no misleading pricing (mandatory)

5.4 Branding

- ☐ **No unauthorized trademarks** — no others' logos or copyrighted materials (mandatory)
 - ☐ **Accurate company identity** — no impersonation (mandatory)
 - ☐ **Accurate contact information** — valid, real contact details (mandatory)
 - ☐ **One developer account only** — multiple accounts prohibited (mandatory)
-

6. Designer Extension Quality

6.1 UI Design

- ☐ **Vertical layout** — stack components vertically in narrow panel (**mandatory**)
- ☐ **Full-width elements** — buttons and inputs span panel width (**mandatory**)
- ☐ **No horizontal scrolling** — all content fits within iframe width (**mandatory**)
- ☐ **4px spacing rhythm** — consistent spacing in multiples of 4 (**recommended**)
- ☐ **Sentence case** — all text, headings, and buttons (**recommended**)
- ☐ **No keyboard shortcuts** — do not invoke app via keyboard (**mandatory**)
- ☐ **Follow Webflow design patterns** — no confusing new UI conventions (**mandatory**)
- ☐ **Component icons for components only** — proper icon usage (**mandatory**)
- ☐ **Webflow Figma UI Kit referenced** — consistent with platform look (**recommended**)

6.2 Accessibility

- ☐ **WCAG best practices followed** — W3C accessibility guidelines (**recommended**)
- ☐ **Alternative text for images** — screen reader support (**recommended**)
- ☐ **Keyboard navigation supported** — all features keyboard-accessible (**recommended**)
- ☐ **Sufficient color contrast** — readable in all conditions (**recommended**)

6.3 Bundle Requirements

- ☐ **Bundle size under 5MB** — `bundle.zip` file size limit (**mandatory**)
- ☐ **Relative asset paths** — e.g., `./styles.css` not absolute paths (**mandatory**)

- ☐ **Build before bundle** — pre-compile frameworks before `webflow extension bundle` (mandatory)
- ☐ **Version notes included** — with each bundle upload (**recommended**)

6.4 Code Quality

- ☐ **Meaningful variable/function names** — clear, descriptive identifiers (mandatory)
 - ☐ **Proper indentation** — consistent code formatting (**mandatory**)
 - ☐ **Well-organized source** — readable, maintainable structure (**mandatory**)
 - ☐ `webflow.notify()` **for errors** — user-facing error messages use Webflow API (**recommended**)
 - ☐ `webflow.canForAppMode()` **checked** — verify actions allowed before executing (**recommended**)
 - ☐ **Event listeners cleaned up** — unsubscribe when no longer needed (**recommended**)
-

7. Data Client Quality

7.1 API Usage

- ☐ **API v2 used** — v1 deprecated March 2025; v1 apps delisted August 2024 (mandatory)
- ☐ **Version number in write requests** — required since September 2025 (mandatory)
- ☐ **Rate limits handled** — implement retry with backoff for 429 responses (mandatory)
- ☐ **Webhooks preferred over polling** — reduce API usage (**recommended**)

- ❑ **Webflow SDK used** – includes built-in exponential backoff (**recommended**)

7.2 Rate Limits

PLAN	REQUESTS/MINUTE
Starter & Basic	60
CMS, eCommerce & Business	120
Enterprise	Custom

- ❑ **Rate limit headers monitored** – `X-RateLimit-Remaining`, `Retry-After` (**mandatory**)
- ❑ **Site publish limited** – max 1 successful publish per minute (**mandatory**)

7.3 Webhooks

- ❑ **HTTPS destination URLs** – webhooks must accept HTTPS (**mandatory**)
- ❑ **HTTP 200 returned promptly** – confirm receipt (**mandatory**)
- ❑ **Idempotent handlers** – same event twice produces same result (**recommended**)
- ❑ **Retry tolerance** – Webflow retries max 3 times, 10-minute intervals (**mandatory**)
- ❑ **Max 75 webhooks per trigger type** – respect subscription limits (**mandatory**)

7.4 Error Handling

- ❑ **Standard HTTP codes handled** – 400, 401, 404, 429, 500 (**mandatory**)
 - ❑ **Structured error responses parsed** – use cause tags and messages (**mandatory**)
 - ❑ **Graceful degradation** – app doesn't crash on API errors (**mandatory**)
-

8. Submission & Review

8.1 Pre-Submission Checklist

- ☐ **2FA enabled** — on workspace admin account (**mandatory**)
- ☐ **App fully functional** — all features working end-to-end (**mandatory**)
- ☐ **Backend services operational** — all APIs accessible during review (**mandatory**)
- ☐ **OAuth flow tested** — approve and deny paths both work (**mandatory**)
- ☐ **Installation/onboarding flow tested** — fresh install experience verified (**mandatory**)
- ☐ **Error handling complete** — clear, helpful error messages (**mandatory**)
- ☐ **Documentation prepared** — clear setup and usage guides (**recommended**)

8.2 Demo Requirements

- ☐ **Demo account provided** — active account with all features enabled (**mandatory**)
- ☐ **Premium features accessible** — gated/paid features unlocked for reviewer (**mandatory**)
- ☐ **Test credentials included** — API keys, login details as needed (**mandatory**)
- ☐ **Sample data available** — realistic data for evaluating features (**mandatory**)
- ☐ **Demo video** — 2-5 minutes, shows install through usage (Data Client/Hybrid) (**mandatory**)
- ☐ **Demo video shows OAuth flow** — both approve and deny paths (**mandatory**)
- ☐ **Demo video format** — Loom (private), YouTube (unlisted), or Google Drive (**mandatory**)

8.3 Common Rejection Reasons

- Security/safety concerns
 - Offensive or inappropriate content
 - Intellectual property infringement
 - Impersonation of another company
 - Multiple developer accounts
 - Non-functional backend during review
 - Performance issues
 - Incomplete submissions or missing demo video
 - Deceptive or hidden pricing
 - Text-based logos (must use logomarks)
 - Hyperlinks in long description
 - v1 API usage
 - OAuth scope mismatches
-

9. Post-Launch & Maintenance

9.1 Updates

- ☐ **Updates submitted via same form** — select "App Update" type (**mandatory**)
- ☐ **Only App Name + Client ID required** — modify only changed fields (**mandatory**)
- ☐ **All updates reviewed** — same process as initial submission (**mandatory**)
- ☐ **Designer Extension bundles versioned** — upload new bundle versions separately (**mandatory**)

- ☐ **Version notes maintained** — with each bundle upload (**recommended**)

9.2 API Version

- ☐ **Stay on API v2** — v1 endpoints scheduled for full removal late 2026 (**mandatory**)
- ☐ **Version numbers in write requests** — required since September 2025 (**mandatory**)
- ☐ **Monitor deprecation notices** — migrate before sunset (**mandatory**)

9.3 Quality

- ☐ **Performance monitored** — address issues promptly; persistent problems cause removal (**mandatory**)
- ☐ **User feedback incorporated** — gather feedback, conduct usability testing (**recommended**)
- ☐ **Support email maintained** — responsive to user inquiries (**mandatory**)
- ☐ **Documentation kept current** — reflects latest app functionality (**recommended**)
- ☐ **App reflects listed functionality** — listing must match actual features (**mandatory**)

9.4 Grounds for Removal

- Persistent performance issues
 - Error-prone or unmaintained apps
 - Privacy/data protection non-compliance
 - Policy violations (false info, plagiarism, data manipulation)
 - Failure to migrate to current API versions
 - Deceptive practices
-

Quick Reference: Key Dates

DATE	REQUIREMENT
Aug 2024	Apps using v1 auth delisted from Marketplace
Mar 2025	Webflow API v1 fully deprecated
Apr 2025	Webhook signature verification required for site tokens
Sep 2025	Version numbers required in all write requests
Late 2026	V1 endpoints scheduled for full removal

Resources

- [Marketplace Overview](#)
- [Marketplace Guidelines](#)
- [Listing Your App](#)
- [Submitting Your App](#)
- [OAuth Reference](#)
- [Scopes Reference](#)
- [Rate Limits](#)
- [Designer Extensions](#)
- [Design Guidelines](#)
- [Register an App](#)
- [Working with Webhooks](#)
- [Marketing Your App](#)

- [Submit Your App](#)

Last updated: May 2026. Requirements are subject to change — always check developers.webflow.com for the latest.
