





i-0cd0fe1796b556985


CloudWatch > Alarms > JEISSONCPU60
Alarms (47)
JEISSONCPU60
Metric alarm
Insufficient data
exam-mod2-darr-alarm60CPU_90_Alerta_Rojaec2
exam-mod2-darr-alarm60ec2
Alarma-Critica-90
JEISSONCPU60
Graph
CPUUtilization
CPUUtilization >= 60 for 1 datapoints within 5 minutes
CPUUtilization >= 60 for 1 datapoints within 5 minutes - (60)
Details
Tags
Mute rules - new
Actions
History
Parent alarms


CloudWatch > Alarms > JEISSONCPU90
Alarms (46)
JEISSONCPU90
Metric alarm
Insufficient data
AndresOrtiz90
AndresOrtiz
JEISSONCPU60
Graph
CPUUtilization
CPUUtilization >= 90 for 1 datapoints within 5 minutes
CPUUtilization >= 90 for 1 datapoints within 5 minutes - (90)
Details
Tags
Mute rules - new
Actions
History
Parent alarms


CloudWatch > Metrics
Metrics
CPUUtilization, NetworkIn, StatusCheckFailed
NetworkIn
StatusCheckFailed
CPUUtilization
Browse (19)
Multi source query
Graphed metrics (3)
Options
Source
Instance name 19/19
InstanceId
Metric name
Alarms
JEISSONP2
i-0cd0fe1796b556...
StatusCheckFailed_Instance
CPUSurplusCreditsCharged
CPUCreditUsage
No alarms

Desde qué dirección IP o servicio se originó la creación de la instancia según el JSON?

autoscaling.amazonaws.com






AWS Console Home
JEISSONPRUEBA2
Successfully created the function JEISSONPRUEBA2. You can now change its code and configuration. To invoke your function with a test event, choose "Test".
JEISSONPRUEBA2
Throttle
Copy ARN
Actions
Function overview Info
Export to Infrastructure Composer
Download
Diagram
Template
JEISSONPRUEBA2
Layers (0)
Add trigger
Add destination
Description
-
Last modified
42 seconds ago
Function ARN
arn:aws:lambda:us-east-1:654654478122:function:JEISSONPRUEBA2
Code
Test
Monitor
Configuration
Aliases
Versions
Code source Info
Open in Visual Studio Code
Upload from
We couldn't set up the code editor because your browser is blocking a sandboxed HTML iframe. This sandboxed iframe gives the editor the access it needs to scripts and same-origin content. Check with your administrator if you have any security plugins or browser extensions that might be blocking this iframe, or try using a different browser.
Diagnose with Amazon Q
Info
Tutorials
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
Invoke your function through its function URL
Learn more
Start tutorial


Lambda > Functions > JEISSONPRUEBA2
JEISSONPRUEBA2
lambda_function.py
import json
import boto3
ec2 = boto3.client('ec2')
def lambda_handler(event, context):
response = ec2.describe_instances(MaxResults=10)
instancias = []
for reservation in response.get('Reservations', []):
for instance in reservation.get('Instances', []):
instancias.append({
"InstanceId": instance.get("InstanceId"),
"State": instance.get("State", {}).get("Name"),
"InstanceType": instance.get("InstanceType")
})
print(json.dumps(instancias))
return {
"statusCode": 200,
"body": json.dumps(instancias)
}
DEPLOY
Deploy (Ctrl+Shift+U)
Test (Ctrl+Shift+I)
TEST EVENTS [SELECTED: TEST1]
Create new test event
Private saved events
TEST1
ENVIRONMENT VARIABLES
PROBLEMS
OUTPUT
CODE REFERENCE LOG
TERMINAL
Execution Results
The area below shows the last 4 KB of the execution log.
Code properties Info
Package size
SHA256 hash
Last modified


Lambda > Functions > JEISSONPRUEBA2
lambda_function.py
def lambda_handler(event, context):
PROBLEMS OUTPUT CODE REFERENCE LOG TERMINAL
Execution Results
Status: Succeeded
Test Event Name: TEST1
Response:
{
"statusCode": 200,
"body": "[{\"InstanceId\": \"i-062141ce6ab8fcae2\", \"State\": \"terminated\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-03fe2d1aa17eab532\", \"State\": \"running\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-011304f8efc06a564\", \"State\": \"terminated\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-0f533d38d18e72e31\", \"State\": \"running\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-08c114d69dc4439fd\", \"State\": \"terminated\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-09187b583e30ec308\", \"State\": \"running\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-0eab40ff246f0c054\", \"State\": \"running\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-0522d5418fc40988c\", \"State\": \"running\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-0f95d90cf0ff78277\", \"State\": \"terminated\", \"InstanceType\": \"t2.micro\"},
{\"InstanceId\": \"i-0b8fbc9b55a8e8c32\", \"State\": \"terminated\", \"InstanceType\": \"t2.micro\"}]"
}
The area below shows the last 4 KB of the execution log.
Function Logs:
START RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025 Version: $LATEST
[{"InstanceId": "i-062141ce6ab8fcae2", "State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId":
"i-03fe2d1aa17eab532", "State": "running", "InstanceType": "t2.micro"}, {"InstanceId": "i-011304f8efc06a564",
"State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId": "i-0f533d38d18e72e31", "State": "running",
"InstanceType": "t2.micro"}, {"InstanceId": "i-08c114d69dc4439fd", "State": "terminated", "InstanceType": "t2.
micro"}, {"InstanceId": "i-09187b583e30ec308", "State": "running", "InstanceType": "t2.micro"}, {"InstanceId":
DEPLOY Current
Deploy (Ctrl+Shift+U)
Test (Ctrl+Shift+I)
TEST EVENTS [SELECTED: TEST1]
Create new test event
Private saved events
TEST1
ENVIRONMENT VARIABLES
Lambda Deployed
Amazon Q
Ln 24, Col 6 Spaces: 4 UTF-8 CRLF Python Lambda Layout: US
Info
Tutorials
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
Invoke your function through its function URL
Learn more
Start tutorial
Code properties Info


Lambda > Functions > JEISSONPRUEBA2
"body": json.dumps(instancias)
}
PROBLEMS OUTPUT CODE REFERENCE LOG TERMINAL
Execution Results
The area below shows the last 4 KB of the execution log.
Function Logs:
START RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025 Version: $LATEST
[{"InstanceId": "i-062141ce6ab8fcae2", "State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId": "i-03fe2d1aa17eab532",
"State": "running", "InstanceType": "t2.micro"}, {"InstanceId": "i-011304f8efc06a564", "State": "terminated", "InstanceType": "t2.
micro"}, {"InstanceId": "i-0f533d38d18e72e31", "State": "running", "InstanceType": "t2.micro"}, {"InstanceId":
"i-08c114d69dc4439fd", "State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId": "i-09187b583e30ec308", "State":
"running", "InstanceType": "t2.micro"}, {"InstanceId": "i-0eab40ff246f0c054", "State": "running", "InstanceType": "t2.micro"},
{"InstanceId": "i-0522d5418fc40988c", "State": "running", "InstanceType": "t2.micro"}, {"InstanceId": "i-0f95d90cf0ff78277",
"State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId": "i-0b8fbc9b55a8e8c32", "State": "terminated", "InstanceType":
"t2.micro"}]
END RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025
REPORT RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025 Duration: 546.64 ms Billed Duration: 1256 ms Memory Size: 128 MB Max
Memory Used: 100 MB Init Duration: 709.33 ms
Request ID: 7c8d29b7-9945-4834-a39e-e40c2cf5a025
DEPLOY Current
Deploy (Ctrl+Shift+U)
Test (Ctrl+Shift+I)
TEST EVENTS [SELECTED: TEST1]
Create new test event
Private saved events
TEST1
ENVIRONMENT VARIABLES
Lambda Deployed
Amazon Q
Ln 24, Col 6 Spaces: 4 UTF-8 CRLF Python Lambda Layout: Latin American
Info
Tutorials
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
Invoke your function through its function URL
Learn more
Start tutorial
Code properties Info
Package size
425 byte
SHA256 hash
YByx5yq74mHtxSzoeQ8E5iQgwt5nzHF9RSm9blxM2qc=
Last modified
3 minutes ago
Runtime settings Info
Edit
Edit runtime management configuration


Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
jshb3110@gmail.com
Amazon Q
You don't have sufficient permissions to chat with Amazon Q.
You or your AWS administrator can grant access by attaching the AmazonQDeveloperAccess policy to your IAM identity. For more information, see the Amazon Q Developer documentation.
How can I help you today?
Describe what you want to do with AWS e.g., 'List all S3 buckets'.
Max 10000 characters
Graph RDS costs by instance type by month for the last 6 months
Track database spending patterns across instance types over time.
Visualization
Help us improve Amazon Q by providing feedback.
CloudWatch > Log management > /aws/lambda/JEISSONPRUEBA2 > 2026/03/17/[$LATEST]b7f2e99f5a7643fd9f5e359cebb9736e
CloudWatch
Favorites and recents
Ingestion
Dashboards
Alarms 0 12 15
AI Operations
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs
Log Management
Log Anomalies
Live Tail
Logs Insights
Contributor Insights
Metrics
All metrics
Explorer
Streams
Network Monitoring
Log events
Actions
Start tailing
Create metric filter
You can use the filter bar below to search for and match terms, phrases, or values in your log events. Learn more about filter patterns
Filter events - press enter to search
1m 1h
UTC timezone
Display
Timestamp
Message
No older events at this moment. Retry
2026-03-17T03:11:18.350Z INIT_START Runtime Version: python:3.14.v35 Runtime Version ARN: arn:aws:lambda:us-east-1::runtime:6e4c2…
2026-03-17T03:11:19.062Z START RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025 Version: $LATEST
2026-03-17T03:11:19.547Z [{"InstanceId": "i-062141ce6ab8fcae2", "State": "terminated", "InstanceType": "t2.micro"}, {"InstanceId"…
2026-03-17T03:11:19.610Z END RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025
2026-03-17T03:11:19.611Z REPORT RequestId: 7c8d29b7-9945-4834-a39e-e40c2cf5a025 Duration: 546.64 ms Billed Duration: 1256 ms Memo…
No newer events at this moment. Auto retry paused. Resume