

**PRACTICE** 

COMPETE

JOBS

**LEADERBOARD** 

**Q** Search



pruthvishalcodi1 >

All Contests > ALCoding Summer long challenge 3 > Alguru's World Tour

# Alguru's World Tour

locked



Problem

Submissions

Leaderboard

Discussions

Alguru is planning a trip to N different countries numbered 1 to N, and he needs your help to apply visas for each of them.

For every country i, Alguru knows three things: - The number of the day Si on which he wants to go to the country. - The number of days Li he wants to stay in the country, and - The number of days Ti it will take to process a visa application to the country and stick a visa in Alguru's passport. Alguru has  $P(1 \le P \le 2)$  valid passports and can decide which visa he wants to put in which passport.

For each country, Alguru will have a flight to that country on day Si and will return back on day Si + Li - 1. When Alguru is not in any of the N countries, he will be in his hometown.

Alguru can apply for a visa only if he is in his hometown. The earliest Alguru can apply for a visa is day 1. While applying for a visa of country i on day D, Alguru also has to send his passport for verification. So he cannot use that passport till day D+Ti.

After applying for a visa of country i on day D, Alguru will get his passport back on day D+ Ti. Since the passport will be couriered back to Alguru, he can get his passport back even if he is not in his hometown on this day. Alguru can apply for another visa on the same day he received his passport back, if he is in his hometown on this day.

Alguru will not be able to start his trip on day Si if he does not have a passport with a visa for the corresponding country on that day. In particular, the passport should be couriered back to him atleast by day Si-1.

Help Alguru to decide which visas he needs to receive in which passport, and when he should apply for each visa.

## **Input Format**

In the first line of the input there are two integers N and P — the number of trips and the number of passports Alguru has, respectively.

The next N lines contain three positive integers Si, Li, Ti — the first day of the visit to country i, the length of the visit and number of days required to process the visa application for country i, respectively.

It is guaranteed that no two trips intersect.

### Constraints

- 1 ≤ N ≤ 22
- 1 ≤ P ≤ 2
- 1 ≤ Si, Li, Ti ≤ 10^9

## **Output Format**

Print "NO" if Alguru cannot get visas for all the countries. If he can, print "YES" and N following lines. The ith line should contain two integers, first the passport number on which Alguru should put the ith country's visa in, and second, the number of the day on which Alguru should apply for it. The order of the visas should be the same as the order of the countries in the input. Days start from number 1, and passports can either be 1 or 2.

**Note**: If there are several possible answers, print any one of them.

## Sample Input 0

- 2 1
- 3 1 1
- 6 1 1

# Sample Output 0

YES

1 1

1 4

## Explanation 0

Alguru can apply for a visa to country 1 only on day 1, and the passport arrives back on day 2. On day 3, Alguru flies to country 1 and returns on the same day.

Then, Alguru can apply for a visa to country 2 on day 4, and the passport arrives back on day 5. On day 6, Alguru flies to country 2 and returns on the same day.

## Sample Input 1

3 1 13 2 2 7 3 1

19 3 4

## Sample Output 1

YES

1 10

1 1

1 2

#### **Explanation 1**

Alguru applies for a visa to country 2 first, as it is the first country he wants to visit. The passport arrives on day 2, and he applies for a visa to country 3 on the same day. It takes 4 days to process the visa, and the passport arrives on day 6.

On day 7, Alguru flies to country 2, and returns on day 9. He applies for a visa to country 1 on day 10, and the passport arrives on day 12. He later flies to country 1 on day 13, and to country 3 on day 19.

f in
Submissions: 2
Max Score: 25
Rate This Challenge:
☆☆☆☆
More
Admin Options

# Edit Challenge
View Submissions

Current Buffer (saved locally, editable) 🦞 🔨



```
1 ▼#include <cmath>
   2 #include <cstdio>
   3 #include <vector>
   4 | #include <iostream>
   5 #include <algorithm>
   6 using namespace std;
   7
   8
   9 vint main() {
          /\star Enter your code here. Read input from STDIN. Print output to STDOUT \star/
  10 🔻
  11
          return 0;
  12 }
  13
                                                                                                     Line: 1 Col: 1
<u>♣ Upload Code as File</u> Test against custom input
                                                                                                    Submit Code
                                                                                       Run Code
```

Contest Calendar | Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature