

Data Networking Final Revision

Networking Question Bank - 73 Items

1. Hosts in Class A network?

- A) 126
- B) 16777214
- C) 254
- D) 65534

2. Which of the following is an example of a logical address?

- A) 192.168.1.1
- B) 00:1A:28:3C:4D:5E
- C) 80:00:20:0A:B1:2D
- D) COM1

3. TCP/IP is only concerned with

- A) All of the above
- B) transport layer
- C) network layer
- D) Application layer

4. The port Address is used at the

- A) data-link layer
- B) network layer
- C) transport layer
- D) physical layer

5. When a station sends an RTS frame, it includes the..... that it needs to occupy the channel

- A) Data size
- B) no. of Frames
- C) duration of time
- D) no. of packets

6. In an optical fiber, the inner core is the cladding.

- A) less dense than
- B) another name for
- C) the same density as
- D) denser than

7. An address 11.22.33.44 is given. What is the size of its classful block?

- A) 16777214
- B) 65536
- C) 16777216
- D) 256

8. A repeater is a device that operates only in the..... layer

- A) Application
- B) physical
- C) Network
- D) datalink

9. The Layer is responsible for movement of individual bits from one hop to the next is

- A) Application
- B) Physical
- C) Data link
- D) Transportation

10. Find the network ID for 192.168.1.1.

- A) 192.168.0.0
- B) 192.168.1.1
- C) 192.0.0.0
- D) 192.168.1.0

11. The unit of communication at the physical layer is

- A) packet
- B) frame
- C) message
- D) bit

12. An extended service set (ESS) is made up of

- A) only one BSS with 2 APs
- B) Ad hoc network
- C) only one infrastructure
- D) two or more BSS with APs

13. This is the physical path over which a message travels.

- A) medium
- B) protocol
- C) signal
- D) simplex

14. Delivery of message from one process to another is the responsibility of. Layer

- A) Transport
- B) Data link
- C) Network
- D) Application

15. Half-Duplex is a

- A) None of the above
- B) Communication method between two devices
- C) Transmission Protocol
- D) A network Topology

16. Determine the broadcast address for 192.168.1.1.

- A) 192.255.255.255
- B) 192.168.1.0
- C) 192.168.1.255
- D) 192.168.255.255

17. Find the last address of the block for 220.10.10.10.

- A) 220.10.10.255
- B) 220.255.255.255
- C) 220.10.10.0
- D) 220.10.255.255

18. A device has IP 172.16.5.4. How many IPs are in its network?

- A) 256
- B) 65536
- C) 65534
- D) 16777216

19. Routing is the responsibility of the Layer

- A) Network
- B) Data link
- C) Transport
- D) Application

20. Which of the following is an example of a port number?

- A) 192.168.1.1
- B) 255.255.255.0
- C) 80
- D) 00:1A:2B:3C:4D:5E

21. A company is assigned 150.10.20.5. What is the network ID?

- A) 150.10.255.0
- B) 150.10.0.0
- C) 150.10.20.0
- D) 150.0.0.0

22. a bridge regenerates the signal it receives, if its working in the..... Layer

- A) datalink
- B) Network
- C) physical
- D) Application

23. Find the broadcast address of 190.20.30.40.

- A) 190.20.30.255
- B) 190.255.255.255
- C) 190.20.255.255
- D) 190.20.0.255

24. A host uses IP 200.15.10.1. How many addresses exist?

- A) 256
- B) 65536
- C) 255
- D) 254

25. What is the last address in the block of 200.15.10.1?

- A) 200.255.255.255
- B) 200.15.10.255
- C) 200.15.255.255
- D) 200.15.10.0

26. Which of the following is not a guided medium?

- A) fiber-optic cable
- B) twisted-pair cable
- C) atmosphere
- D) coaxial cable

27. Broadcast of 192.168.5.64/26?

- A) 192.168.5.64
- B) 192.168.5.255
- C) 192.168.5.63
- D) 192.168.5.127

28. Number of hosts in Class C network?

- A) 256
- B) 126
- C) 65534
- D) 254

29. Last host of 10.0.0.0/8?

- A) 10.255.255.255
- B) 10.0.0.0
- C) 10.255.255.254
- D) 10.0.0.1

30. Default subnet mask of Class B?

- A) 255.0.0.0
- B) 255.255.255.0
- C) 255.255.255.255
- D) 255.255.0.0

31. An IP 130.25.60.1 is given. What is the total number of addresses?

- A) 65534
- B) 256
- C) 16777216
- D) 65536

32. What is the broadcast address of 130.25.60.1?

- A) 130.25.0.255
- B) 130.25.255.255
- C) 130.25.60.255
- D) 130.255.255.255

33. In an Ethernet LAN frame, the minimum and maximum payload of data are.... byets.

- | | |
|---------------|-------------|
| A) 64, 1024 | B) 46, 2048 |
| C) 1500, 2048 | D) 46, 1500 |

34. What is the network address of 130.25.60.1?

- | | |
|-----------------|----------------|
| A) 130.25.255.0 | B) 130.25.60.0 |
| C) 130.0.0.0 | D) 130.25.0.0 |

35. A host is assigned 220.10.10.10. How many addresses are in its block?

- | | |
|----------|--------|
| A) 256 | B) 255 |
| C) 65536 | D) 254 |

36. First usable IP of 192.168.1.0/24?

- | | |
|------------------|------------------|
| A) 192.168.1.1 | B) 192.168.1.0 |
| C) 192.168.1.255 | D) 192.168.1.254 |

37. What is the ending address for the block of 10.5.6.7?

- | | |
|-------------------|-----------------|
| A) 10.5.6.255 | B) 10.5.255.255 |
| C) 10.255.255.255 | D) 10.0.0.0 |

38. Find the network base address for 172.16.5.4.

- | | |
|-----------------|---------------|
| A) 172.16.0.0 | B) 172.0.0.0 |
| C) 172.16.255.0 | D) 172.16.5.0 |

39. which of the following addresses is not a multicast address

- | | |
|----------------------|----------------------|
| A) 4A:3010::21:10:1A | B) 4B:3010::21:10:1A |
| C) 4D:3010::21:10:1A | D) 49:30:10:21:10:1A |

40. An organization uses IP 10.5.6.7. How large is its default network?

- | | |
|----------|-------------|
| A) 256 | B) 16777216 |
| C) 65536 | D) 16777214 |

41. What is the main function of a MAC address?

- | | |
|-------------------------|-------------------------------|
| A) Encrypt network data | B) Determine IP addresses |
| C) Control data flow | D) Uniquely identify a device |

42. What is the speed of Fast Ethernet?

- | | |
|------------|-------------|
| A) 10 Mbps | B) 10 Gbps |
| C) 1 Gbps | D) 100 Mbps |

43. A source address is always a.....

- | | |
|--------------|------------|
| A) multicast | B) allcast |
| C) broadcast | D) unicast |

44. Determine the first address of the block for 220.10.10.10.

- A) 220.10.10.0
- B) 220.10.0.0
- C) 220.10.10.10
- D) 220.0.0.0

45. In an Ethernet LAN frame, the preamble is.....

- A) 56 bits of alternating 1s and 0s.
- B) 6 bytes
- C) 2 bytes
- D) 2048 bits of alternating 1s and 0s.

46. what is the type of the following address 4A:30:10:21:10:1A

- A) anycast
- B) incast
- C) multicast
- D) unicast

47. The Ad hoc network

- A) (BSS with an AP)
- B) (BSS without an AP)
- C) (BSS with two AP)
- D) (BSS with three AP)

48. The Logical Address is used at the

- A) physical layer
- B) data-link layer
- C) network layer
- D) transport layer

49. The Incast is Communication model.

- A) Any to one
- B) many to one
- C) one to many
- D) one to many

50. What is the broadcast address for 172.16.5.4?

- A) 172.16.5.255
- B) 172.16.255.255
- C) 172.16.0.255
- D) 172.255.255.255

51. Which of the following is NOT a function of Ethernet?

- A) Data Transmission
- B) Error Detection
- C) Addressing
- D) Routing between networks

52. Each time a station accesses the system and sends a frame, other stations start their

- A) CTS, ACK
- B) RTS, NAV
- C) CTS, NAV
- D) RTS, ACK

53. The Infrastructure is a

- A) (BSS with two AP)
- B) (BSS without an AP)
- C) (BSS with an AP)
- D) (BSS with three AP)

54. Which class does IP 10.25.67.9 belong to?

- A) Class C
- B) Class B
- C) Class D
- D) Class A

55. The physical Address is used at the

- A) physical layer
- B) data-link layer
- C) network layer
- D) transport layer

56. How many bytes are there in a standard Ethernet MAC address?

- A) 8
- B) 10
- C) 6
- D) 4

57. The address space of IPv4 is.....

- A) 16 bits
- B) 8 bytes
- C) 4 bytes
- D) any of the above

58. The sent address 11100010 00000100 11011000 01110100 00010000 01110111 belong to

- A) 47:20:18:2E:08:EE
- B) 57:20:18:2E:08:EE
- C) 48:2018::2E:08:EE
- D) 4C:20:18:2E:08:EE

59. In an ethernet, the preamble field length is

- A) 1518 bytes
- B) 6 bytes
- C) 56 bytes
- D) 7 bytes

60. Given IP 150.10.20.5, what is the broadcast address?

- A) 150.10.20.255
- B) 150.255.255.255
- C) 150.10.255.255
- D) 150.10.0.255

61. What is the purpose of the Frame Check Sequence (FCS) in Ethernet?

- A) To ensure delivery
- B) To encrypt data
- C) To assign priority
- D) To detect errors

62. The port Address is used at the

- A) network layer
- B) transport layer
- C) physical layer
- D) data-link layer

63. First host of 10.0.0.0/8?

- A) 10.255.255.255
- B) 10.0.0.1
- C) 10.0.0.0
- D) 10.255.255.254

64. performance, reliability, and security are

- A) All of the above
- B) A network Criteria
- C) A protocol criteria
- D) A physical layers criteria

65. The network layer is responsible for delivery of individual..... from source to destination

- A) Payload
- B) Bits
- C) Packets
- D) Frames

66. Which of the following best describes a port address?

- A) An address used by routers to forward packets
- B) A unique identifier assigned to a network interface
- C) A unique identifier assigned to a process in communication
- D) A physical address of a device on a LAN

67. Which transmission medium is used in remote controls?

- A) Fiber-Optic Cable
- B) Microwaves
- C) Radio Waves
- D) Infrared

68. What is the network identifier of 190.20.30.40?

- A) 190.20.255.0
- B) 190.20.0.0
- C) 190.20.30.0
- D) 190.0.0.0

69. Last usable IP of 192.168.1.0/24?

- A) 192.168.1.0
- B) 192.168.1.254
- C) 192.168.1.255
- D) N/A

70. ...regenerates and retimes the original bit pattern

- A) three layer switch
- B) a repeater
- C) gateway
- D) two layer switch

71. A PC has IP 192.168.1.1. How many addresses are in its network?

- A) 255
- B) 256
- C) 254
- D) 65536

72. Determine the starting address of the block containing 10.5.6.7.

- A) 10.5.0.0
- B) 10.0.0.0
- C) 10.255.255.255
- D) 10.5.6.0

73. Given IP 190.20.30.40, determine total addresses in its block.

- A) 65536
- B) 16777216
- C) 65534
- D) 256