


부록3

시험평가 개별 데이터


0.7~1.3m	RMSE (deg)	최대각도 (deg)	Sway Energy (deg ² ·s)	CtrlEffortEnergy (cmd ² ·s)	총임무시간 (0~1.985m)(s)
제어OFF1	3.81	10.14	629.64	159.99e+06	136.35
제어OFF2	2.97	8.77	383.69	159.95e+06	136.28
제어OFF3	2.35	9.45	238.96	159.81e+06	136.30
SMCON1	2.18	6.70	204.90	160.19e+06	135.87
SMCON2	2.93	8.71	376.98	158.81e+06	135.32
SMCON3	2.73	8.48	318.20	163.07e+06	134.89
tinyMLON1	2.16	6.36	200.07	159.34e+06	133.08
tinyMLON2	2.11	7.68	191.94	159.56e+06	134.09
tinyMLON3	2.41	8.25	252.41	160.43e+06	136.18

1.3m ~ 1.985m	RMSE (deg)	최대각도 (deg)	Sway Energy (deg ² ·s)	CtrlEffortEnergy (cmd ² ·s)	총임무시간 (0~1.985m)(s)
제어OFF1	3.40	6.93	531.38	181.44e+06	136.35
제어OFF2	4.24	11.00	822.64	181.37e+06	136.28
제어OFF3	1.97	5.27	178.30	181.51e+06	136.30
SMCON1	2.44	6.19	270.89	182.13e+06	135.87
SMCON2	3.44	10.31	527.57	187.95e+06	135.32
SMCON3	2.92	7.96	383.12	185.53e+06	134.89
tinyMLON1	2.63	8.08	300.81	174.98e+06	133.08
tinyMLON2	3.00	8.53	400.88	186.47e+06	134.09
tinyMLON3	2.61	6.88	312.01	182.09e+06	136.18


Run: test1_smcoeff1_winch_log_2608211624.csv [SMC_OFF] (Eval: 0.7m ~ 1.3m)




Run: test1_smcoeff2_winch_log_2608211629.csv [SMC_OFF] (Eval: 0.7m ~ 1.3m)




Run: test1_smcoff3_winch_log_2608211633.csv [SMC_OFF] (Eval: 0.7m ~ 1.3m)




Run: test1_smcon1_winch_log_2608211705.csv [SMC_ON] (Eval: 0.7m ~ 1.3m)




Run: test1_smcon2_winch_log_2608211713.csv [SMC_ON] (Eval: 0.7m ~ 1.3m)




Run: test1_smcon3_winch_log_2608212231.csv [SMC_ON] (Eval: 0.7m ~ 1.3m)



Run: test1_tinyml1_winch_log_2608211732.csv [TINYML_ON] (Eval: 0.7m ~ 1.3m)



Run: test1_tinyml2_winch_log_2608211736.csv [TINYML_ON] (Eval: 0.7m ~ 1.3m)



Run: test1_tinyml3_winch_log_2608212239.csv [TINYML_ON] (Eval: 0.7m ~ 1.3m)

