


Project Development Phase

This phase covers the step-by-step implementation, configuration, and code artifacts required to build the **Implement Client Script & UI Policy (Incident)** solution in ServiceNow.

1. Component Implementation Overview



2. Step-by-Step Configuration Steps

Step 1: UI Policy Creation

1. Navigate to **System UI** → **UI Policies** and click **New**.
2. Set **Short description / Name**: High Impact Control.
3. Set **Table**: Incident [incident].
4. Set **Active**: true.
5. Set **Reverse if false**: true.
6. Set **Condition**: [Impact] [is] [1 - High].
7. Click **Submit**.

Step 2: UI Policy Action Configuration

1. Re-open the **High Impact Control** UI Policy record.
2. In the **UI Policy Actions** related list, click **New**.
3. Set **Field name**: Urgency (urgency).
4. Set **Read-only**: true.
5. Leave **Visible** as Leave alone / default.
6. Click **Submit**.

3. Client Scripts Source Code

Script 1: onChange Client Script

- **Name:** Auto set urgency for high impact
- **Table:** Incident [incident]
- **UI Type:** All or Desktop
- **Type:** onChange
- **Field name:** Impact (impact)
- **Active:** true

```
function onChange(control, oldValue, newValue, isLoading) {  
    // Exit script execution during form loading or when newValue is  
empty  
    if (isLoading || newValue == '') {  
        return;  
    }  
  
    // Automatically set Urgency to High (1) when Impact is set to  
High (1)  
    if (newValue == '1') {  
        g_form.setValue('urgency', '1');  
        g_form.addInfoMessage('Urgency set to High for High impact  
incident.');    }  
}
```

Script 2: onSubmit Client Script

- **Name:** Prevent save if Assigned To missing
- **Table:** Incident [incident]
- **UI Type:** All or Desktop
- **Type:** onSubmit
- **Active:** true

```
function onSubmit() {  
    // Validate if Impact is High and Assigned To field is unpopulated  
    if (g_form.getValue('impact') == '1' &&  
g_form.getValue('assigned_to') == '') {  
        g_form.showErrorMessage(  
            'assigned_to',  
            'Assigned To is mandatory for High impact incidents.'  
        );  
        // Cancel record submission  
        return false;  
    }  
    return true;  
}
```

Script 3: onCellEdit Client Script

- **Name:** Prevent state change via list edit
- **Table:** Incident [incident]
- **UI Type:** All or Desktop
- **Type:** onCellEdit
- **Field name:** State (state)
- **Active:** true

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
    // Notify user that direct list edits on State are prohibited  
    alert('State cannot be updated using list editing. Please open the  
Incident.');
```



```
    // Pass false to the callback function to discard list edits  
    callback(false);  
}
```