



OFFP

DLH0154 24DEC2025 EDDV-EHAM T154 RA85684 RELEASE 1310 24DEC25
OFFP 1 HANNOVER-SCHIPHOL
WX PROG 2412 2415 OBS 2406 2406

ATC C/S DLH154 EDDV/HAJ EHAM/AMS CRZ SYS M.76
24DEC2025 RA85684 1335/1355 1428/1436 GND DIST 190
TUPOLEV TU-154M-100 / D-30KU-154 STA 1445 AIR DIST 159
CTOT:.... G/C DIST 180

MAXIMUM TOW 100000 LAW 78500 ZFW 71860 AVG WIND 070/058
ESTIMATED TOW 80790 LAW 77535 ZFW 71860 AVG W/C P055
AVG ISA M008
AVG FF KGS/HR 5792
FUEL BIAS M05.0
TKOF ALTN

ALTN EHEH
FL STEPS EDDV/0260/

DISP RMKS TUPOLEV TU-154M-100 UNS
PAYLOAD/CARGO LIMITED BY MZFW

PLANNED FUEL

FUEL ARPT FUEL TIME

TRIP AMS 3255 0033
CONT 15 MIN 1448 0015
ALTN EIN 2288 0022
FINRES 1939 0030

MINIMUM T/OFF FUEL 8930 0141

EXTRA 0 0000

T/OFF FUEL 8930 0141
TAXI HAJ 907 0020

BLOCK FUEL HAJ 9837
PIC EXTRA
TOTAL FUEL
REASON FOR PIC EXTRA

FMC INFO:
FINRES+ALTN 4227
TRIP+TAXI 4162

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER GARRY SIMMONS

PILOT NAME SCHWAKE, PETER

TEL: +1 800 555 0199

PILOT SIGNATURE .. *Schwake*...



ALTERNATE ROUTE TO:					FINRES			1939
APT	TRK	DST	VIA		FL	WC	TIME	FUEL
EHEH/03	156	56	LOPIK2P	LOPIK LOPIK2E	070	P000	0022	2288

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
EDDV/27R VAXEV1S VAXEV DCT OSN DCT RKN DCT PAM DCT SPL DCT EHAM/27

DEPARTURE ATC CLEARANCE:

.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE	UP	1.0	TRIP	P	0038 KGS	TIME	M	0000
WEIGHT CHANGE	DN	1.0	TRIP	M	0045 KGS	TIME	M	0000
FL CHANGE	UP	FL1	NOT AVAILABLE					
FL CHANGE	DN	FL1	TRIP	M	0055 KGS	TIME	P	0000
FL CHANGE	DN	FL2	TRIP	M	0142 KGS	TIME	M	0000
SPD CHANGE	CI	0	NOT AVAILABLE					
SPD CHANGE	CI	150	NOT AVAILABLE					

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1335Z/1435L	1335Z/1435L	Z
OFF	1355Z/1455L	1355Z/1455L	Z
ON	1428Z/1528L	1437Z/1537L	Z
IN	1436Z/1536L	1445Z/1545L	Z
BLOCK TIME	0101	0110	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	160			
BAG/CARGO	3.9			
PAYLOAD	16.6			
ZFW	71.9	71.9		
FUEL	9.8	10.8		POSS EXTRA 1.0
TOW	80.8	81.8	LDG.....	
STAB TRIM				
LAW	77.5	78.5		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 03000 FEET AT OSN///MXSHR 01 AT TOC

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
HANNOVER EDDV	N5227.6 E00941.0	...	...	23	276 277 190	283	P028		8.9	0.9
VAXEV1S DV204 DV204	N5228.2 E00933.5	0001 0001	...	032 25 5	247 251 185	.40 283	075/030 P028	M07 M16 344	8.7	1.1
VAXEV1S DV206 DV206	N5224.2 E00913.8	0002 0003	...	085 24 13	262 265 172	.44 323	077/044 P044	M11 M09 344	8.3	1.6
VAXEV1S VAXEV VAXEV	N5223.7 E00905.3	0001 0004	...	103 29 5	245 248 167	.54 388	076/045 P044	M15 M09 344	8.1	1.7
DCT OSNABRUECK OSN 114.30	N5212.0 E00817.1	0004 0008	...	194 30 32	263 266 135	.66 474	069/073 P073	M31 M07 348	7.4	2.5
LANGEN FIR -EDGG	N5211.3 E00800.0	0001 0009	...	10	125					
DCT T O C	N5210.2 E00731.6	0002 0011	...	260 25 18	264 265 107	.76 449 527	069/082 P078 1	M44 M07 348	6.8	3.0
DCT T O D	N5208.8 E00702.4	0002 0013	...	260 22 18	264 265 89	.76 450 530	067/085 P080 1	M43 M06 345	6.6	3.2
AMSTERDAM FIR -EHAA	N5208.3 E00652.4	0000 0013	...	6	83					
DCT REKKEN RKN 116.80	N5208.0 E00645.8	0001 0014	...	230 23 4	279 281 79	.71 501	066/079 P074	M37 M06 345	6.6	3.2
DCT PAMPUS PAM 117.80	N5220.1 E00505.5	0013 0027	...	044 20 63	267 269 16	.40 297	073/040 P035	M03 M09 343	6.1	3.8



LH 154/24 DEC/HAJ-AMS

Page 5

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN

DCT				025	158	.39	073/037	M03	6.0	3.9
SCHIPHOL (A	N5219.9	0003	...	20	160		P035	M13		
SPL	E00445.0	0030	...	13	3	288		343		
108.40										
DCT									5.7	4.2
SCHIPHOL	N5218.5	0003	...							
EHAM	E00445.9	0033	...	3						

-----
WIND INFORMATION

CLIMB			T O C			T O D			DESCENT		
350	070/070	-56	300	070/082	-51	300	067/084	-51	350	068/073	-56
310	070/080	-52	280	070/082	-47	280	067/085	-47	310	067/082	-52
200	069/075	-32	260	069/082	-44	260	067/085	-43	200	067/074	-31
150	071/056	-25	240	069/080	-40	240	066/081	-39	150	064/060	-23
100	079/043	-15	220	069/079	-35	220	066/078	-35	100	067/047	-13

**[ATC Flight Plan]**-----
ICAO FLIGHT PLAN

FF EDWWZQZX EDGGZQZX EDVVZQZX EHAAZQZX
241310 CYULSBFP
(FPL-DLH154-IS
-T154/M-SDGRWY/S
-EDDV1335
-N0450F260 VAXEV1S VAXEV DCT OSN DCT RKN DCT PAM DCT SPL DCT
-EHAM0023 EHEH
-PBN/B2B4 DOF/251224 REG/RA85684 EET/EDGG0009 EDVV0012 EHAA0013
OPR/DLH PER/C RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O LH0154 EDDV/EHAM

**[Airport WX List]**

EDDV --> EHAM LH 154 / 24DEC2025
LIDO/WEATHER SERVICE DATE : 24Dec2025 TIME : 13:10 UTC

AIRMETs:

No Wx data available

SIGMETs:

EDGG LANGEN FIR
WS SIGMET I02 VALID 241000/241400 EDZF- EDGG LANGEN FIR
SEV ICE FCST AT 1000Z WI N4747 E00933 - N4743 E00855 -
N4748 E00837 - N4734 E00741 - N4733 E00732 - N4903
E00820 - N4859 E00907 - N4850 E01000 - N4838 E00940 -
N4747 E00933 3000FT/FL080 STNR WKN=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Departure:

EDDV/HAJ HANNOVER
SA 241250 AUTO 07012KT 9999 FEW024 01/M05 Q1034 NOSIG
FT 241149Z 2412/2512 07015KT 9999 SCT025
BECMG 2419/2421 07010KT

Destination:

EHAM/AMS SCHIPHOL
SA 241255 05018KT 020V080 9999 FEW024 03/M03 Q1033 NOSIG
FT 241219Z 2412/2518 06015G25KT CAVOK
TEMPO 2412/2424 06020G30KT

Destination Alternates:

EHEH/EIN EINDHOVEN
SA 241255 AUTO 05016KT 010V100 9999 NCD 02/M04 Q1031 BLU TEMPO
06015G25KT RMK TREND REMOTE BY EHWX
FT 241201Z 2412/2518 06015G25KT 9999 FEW025
BECMG 2506/2509 06010KT

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2512241335 - 2512241759 STD(EOBT)+TRIP+ALTN+3HRS
DLH 154 /24DEC OFP-NR: 1
ROUTE: EDDV - EHAM ALTN: EHEH
N0450F260 VAXEV1S VAXEV DCT OSN DCT RKN DCT PAM DCT SPL DCT

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

EDDV/HAJ HANNOVER

+++++ AIRPORT +++++

A6593/25

OCA(H) VALUES RAISED AS FOLLOWS:

LOC RWY 09R: ALL ACFT CATEGORIES 570 (400)FT DUE TO CHG OF MISSED
APCH POINT **LOC RWY 09R.** AIP **AD 2** EDDV 4-2-7 REFERS.

A6494/25

GAT REFUELING PSN 1 AND REFUELING PSN 2 LIMITED.

A6492/25

ACFT STAND 77 LIMITED.

A6489/25

TAXIING **DIRECTION** CHANGED,

ACFT STAND 74-77 AND REFUELING PSN 1 AND PSN 2 CAN ONLY BE USED IN
WESTWARD **DIRECTION.**

A4555/18

LEINE **VOR/DME** DLE FREQ 115.2MHZ CH99X **OUT OF SERVICE.**

+++++ APPROACH PROCEDURES +++++

A6592/25

MAPCH CHANGED DUE TO INSUFFICIENT NAV AID COVERAGE OF HAD **DME: ILS**
X CAT II OR **III** OR **LOC RWY27R:** AMEND 7.5DME HAD ON TRACK 036DEG TO
READ R095 NIE. NIE DVORDME FREQUENCY 109.25 MHZ CH29Y. REF **AD 2**
EDDV 4-2-18 DATED 27 NOV 2025.

A6499/25

ILS MM RWY 27R WITHOUT REMOTE CONTROL, CHECK **DME** READING ADDN.

A6465/25

APCH PROC CHANGED DUE TO INSUFFICIENT NAV AID COVERAGE OF HBD **DME:**
ILS X CAT I OR **LOC RWY 09R** - AMEND 0.1 **DME** HBD TO READ
0.3 **DME** E OF HBD/0.5 **DME** IHSE.
REF **AD 2** EDDV 4-2-7 EFF 27 NOV 2025.

+++++ STAR +++++

A6591/25

STAR CHG AS FOLLOWS:

ROBEG 1L: AMEND ALTITUDE AT ROBEG AND DV485 TO READ 4000.

GITEX 1Z, WRB 1Z: AMEND ALTITUDE AT ROBEG TO READ 4000.

WERRA 1Z: AMEND ALTITUDE AT TOLTA TO READ 5000 AND AT ROBEG TO
READ 4000. CHANGES ARE PERMANENT.

REF AIP **AD 2** EDDV 3-1-1 THRU 3-1-6 ALL EFF 27 NOV 2025.



=====

DESTINATION AIRPORT - DETAILED INFO

=====

EHAM/AMS SCHIPHOL

+++++ AIRPORT +++++

A3025/25

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 18C** (LNAV) INCREASED TO 690 (701). REF AIP AD2.EHAM-IAC-18C.2

A3013/25

CHANGE OF CIRCLING MINIMA OCA/H DUE TO CRANE. **CAT A** INCREASED TO 739(750).

A3004/25

TWY A BTN **TWY A28** AND **TWY A29** ACFT WITH WINGSPAN MORE THAN 69M MUST BE GUIDED BY MARSHALLER.

A3001/25

ACFT VACATING **RWY 27** VIA N3: ON ATC DISCRETION ONLY, DIVERGE LEFT ON N3 TO FOLLOW TEMPORARY CL MARKING BTN N3 AND **TWY B** EASTBOUND. NO CL LGT **AVBL**, ACFT MAX SPAN 36M ONLY. ROUTING NOT APPLICABLE IF RVR 350M OR LESS.

A2912/25

OBST LIGHT **U/S** CONCRETE TOWER HAARLEM,
PSN 522317.0N 0044010.9E. ELEVATION 479FT AMSL.
REF AIP THE NETHERLANDS ENR 5.4 ID 066.

A2907/25

ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO BY ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS APPLICABLE.

A2873/25

INCREASED BIRD ACTIVITY ON AND AROUND **AD**. AN INCREASED POTENTIAL FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.

A2844/25

2 CRANES ERECTED AT PSN 521747.9N 0044218.1E. TRUE BEARING FROM ARP 252 DEG AND DISTANCE 4200M. 233FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED. REF AIP NETHERLANDS EHAM **AD** 2.10.

A2835/25

TWY A12 BTN **TWY A** AND **TWY A13** ACFT WITH WINGSPAN MORE THAN 65M WILL BE GUIDED BY MARSHALLER.

A2834/25

TWY A12 BTN **TWY A** AND **TWY A13** **CLSD** FOR ACFT TYPE A380 DUE TO OBST ON **TAXIWAY**.

A2811/25

MON-FRI 0530-1530
REF AIP SUP 07/2025 CRANE 3021 M BEYOND TORA **RWY 22** AND 270 M LEFT OF EXTD RCL STILL ERECTED.

A2807/25

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 27** DUE TO CRANE.

LOC ACFT **CAT A-D** INCREASED TO 617(627).

REF AIP **AD** 2.24 IAC **ILS CAT II** AND **III** OR **LOC RWY 27**.

A2551/25

CRANE ERECTED AT PSN 521720.9N 0044222.5E. TRUE BEARING FROM ARP 242 DEG AND DISTANCE 4420M. 148FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.

A2470/25

START OF CONSTRUCTION PHASE 25.3. SEVERAL **TWYS**, ACFT STANDS AND HOLDING POSITIONS **CLSD**. FOR DETAILS SEE AIP SUP 02/2025.

**A2437/25**

CRANE ERECTED AT PSN 521744.8N 0044205.1E. TRUE BEARING FROM ARP 252DEG AND DISTANCE 4360M. 273FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.
REF AIP EHAM AD 2.10.

+++++ RUNWAY +++++

A2421/25

LDG **RWY 18L** AND TKOF **RWY 36R** PROHIBITED FOR ALL TRAFFIC.
REF AIP NETHERLANDS EHAM AD 2.21 PARA 5.1.

+++++ APPROACH PROCEDURES +++++

A2981/25

ILS RWY 36C DOWNGRADED TO III/E/3 (SUPPORTS **CAT III** OPERATIONS).

A2592/25

RWY 04 RNP APPROACH MOCA ON INTERMEDIATE SEGMENT FROM NELFE TO AM204 INCREASED TO 1100FT AMSL. DUE TO WINDMILLS IN FINAL APPROACH AREA. (REF AIP AD2.EHAM-IAC-04.1).

=====

DESTINATION ALTERNATE AIRPORT(S)

=====

EHEH/EIN EINDHOVEN

+++++ AIRPORT +++++

A2892/25

ADS-B DATA FOR ECRA (EUROPEAN CONNECTED REGIONAL AIRPORTS PROGRAMME) OPERATIONS. 1.1.IN ORDER TO COOPERATE WITH ADS-B RECEIVER USED BY AIRPORT OPERATOR AND EUROCONTROL FOR USE OF THE ECRA PROGRAMME AT EINDHOVEN AIRPORT,PILOTS OF MODE S EQUIPPED ACFT WITH ADS-B FUNCTIONALITIES WHEN OPERATING ON THE GROUND SHALL:
A)SELECT AUTO MODE AND THE ASSIGNED MODE A CODE OR B)IF AUTOMODE IS **NOT AVAILABLE**, SELECT ON (E.G.XPDR) AND THE ASSIGNED MODE A CODE. -FROM THE REQUEST FOR TOWER PUSH-BACK OR TAXI,WHICHEVER IS EARLIER -AFTER LANDING,CONTINUOUSLY UNTIL THE ACFT IS FULLY PARKED IN ITS STAND. -WHEN THE ACFT IS FULLY PARKED, FLT CREW SHALL SELECT STBY. 1.1.2.WHENEVER THE ACFT IS CAPABLE OF REPORTING ACFT IDENTIFICATION (I.E.CALLSIGN USED IN FLT), THIS SHOULD BE ENTERED (THROUGH THE FMS OR THE TRANSPONDER CONTROL PANEL) AT THE TIME OF THE REQUEST FOR TOWER PUSH-BACK OR TAXI, WHICHEVER IS EARLIER. 1.1.3.AIR CREW MUST USE THE ICAO DEFINED FORMAT TO ENTER THE ACFT IDENTIFICATION. 1.1.4.TO ENSURE THAT THE PERFORMANCE OF SYSTEMS BASED ON SSR FREQ (INCLUDING AIRBORNE TCAS AND SSR RADARS) IS NOT COMPROMISED, TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND SHOULD BE DESELECTED AFTER VACATING THE **RWY**.

A2566/25

CHANGE OF OPERATING MINIMA OCA(OCH) RNP Y **RWY 21** DUE TO CRANE.
LNAV ACFT **CAT A-D** INCREASED TO 520(453).
LNAV/VNAV **CAT A-D** INCREASED TO:
CAT A 401(334), **CAT B** 413(346),
CAT C 421(354), **CAT D** 432(365)
REF AIP AD 2.EHEH 2.24 IAC CDO APPROACHES RNP Y **RWY 21**.



+++++ APPROACH PROCEDURES +++++

A2309/25

ILS OR LOC Y RWY 03 ALTITUDE AT EH550 SHOULD READ AS
RECOMMENDED INSTEAD OF MANDATORY. REF AIP AD 2.EHEH-IAC-03.1.

A2308/25

ILS OR LOC Y RWY 21 ALTITUDE AT EH558 SHOULD READ AS
RECOMMENDED INSTEAD OF MANDATORY. REF AIP AD 2.EHEH-IAC-21.1.

=====
EXTENDED AREA AROUND DEPARTURE
=====

EDWW BREMEN FIR

+++++ FIR/UIR +++++

B0917/25

GPS UNRELIABLE AND POSSIBLY **NOT AVBL** IN EASTERN PART OF BREMEN
FIR.

B0858/25

NO APP BY BREMEN ACC FOR OAT ARR AND DEP WO PPR TO/FM SCHLESWIG
(ETNS), NORDHOLZ (ETMN) AND HOHN (ETNH) WHEN CORRESPONDING MIL APP
IS NOT ACT. PPR CAN BE RECEIVED ON DAY BEFORE FLT FM LOCAL MIL
ATC.

B0854/25

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL.

B0805/25

KARLSRUHE UAC USES THE EUROCONTROL LOGON LIST TO STABILIZE CPDLC
PERFORMANCE. ALL LOGON LISTED ACFT SHALL LOG ON TO KARLSRUHE UAC.
DATA LINK ADDRESS OF KARLSRUHE UAC IS EDUU. NOT LOGON LISTED ACFT
SHALL NOT TRY TO LOGON TO EDUU. LOGON FORWARDING FOR NOT LOGON
LISTED ACFT WILL NOT BE PERFORMED. ALL OPERATORS ARE INVITED TO
APPLY FOR LOGON LIST ENTRY VIA THE PUBLISHED EUROCONTROL PROCESS
(AIP GERMANY PAGES GEN 3.4-64 THRU GEN 3.4-69 REFER).

B0720/25

VOLMET SERVICES **SUSPENDED**.
FURTHER INFO SEE AIP AIC IFR 10/25 WEF 02 OCT 2025.

B0686/25

FLIGHTS FROM EDXB, EDHK, EDXF, EDXW, EDXY, EDXR, EDXK, EDXJ AND
EDXM TO EKTD ARE NO LONGER EXEMPT FROM THE OBLIGATION TO SUBMIT A
FLIGHT PLAN.
REF AIP VFR ENR 1-53.

+++++ RESTRICTED AIRSPACE +++++

B0909/25

RESTRICTED AREA EDR10AB (TODENDORF-PUTLOS) DEACTIVATED.
F) GND G) 40000FT AMSL

B0910/25

DANGER AREA EDD19A (TODENDORF-PUTLOS) DEACTIVATED.
F) 0FT AMSL G) 40000FT AMSL

B0935/25

RESTRICTED AREA EDR201 A-F (TRA-FRIESLAND) DEACTIVATED.
F) FL080 G) FL245

**B0937/25**

RESTRICTED AREA EDR202 A-E (TRA-WESER 1) DEACTIVATED.
F) FL080 G) FL245

B0946/25

RESTRICTED AREA EDR302 (TRA-WESER 2) INCLUDING ALL SECTORS
DEACTIVATED.
F) FL245 G) FL660

B0945/25

RESTRICTED AREA EDR301 (TRA FRIESLAND 2) INCLUDING ALL SECTORS
DEACTIVATED.
F) FL245 G) FL660

B0951/25

RESTRICTED AREA EDR401 INCLUDING ALL BASIC AND MORE MODULES AND
VPA (MILITARY VARIABLE PROFILE AREA) NORTH EAST DEACTIVATED.
F) FL100 G) FL660

B0889/25

RESTRICTED AREA EDR17 JAEGERBRUECK DEACTIVATED.
F) GND G) 16500FT AMSL

B0890/25

RESTRICTED AREA EDR71 (KLIETZ) DEACTIVATED.
F) GND G) 16600FT AMSL

B0926/25

RESTRICTED AREA EDR73AD (ALTENGRABOW) DEACTIVATED.
F) GND G) 18000FT AMSL

B0886/25

RESTRICTED AREA EDR32A (MUNSTER) DEACTIVATED.
F) GND G) 14000FT AMSL

B0888/25

RESTRICTED AREA EDR32B MUNSTER DEACTIVATED.
F) GND G) 10500FT AMSL

B0923/25

RESTRICTED AREA EDR31 BERGEN DEACTIVATED.
F) GND G) 14000FT AMSL

B0884/25

RESTRICTED AREA EDR33A UNTERLUSS DEACTIVATED.
F) GND G) 24000FT AMSL

B0929/25

RESTRICTED AREA EDR112A+B (SENNE) DEACTIVATED.
F) GND G) FL140

B0907/25

RESTRICTED AREA EDR13B MELDORFER BUCHT DEACTIVATED.
F) GND G) 24500FT AMSL

=====
EXTENDED AREA AROUND DESTINATION
=====

EHAA AMSTERDAM FIR

+++++ FIR/UIR ++++++

B1255/25

SEVERAL OBSTACLE LIGHTS **U/S** AT WINDPARK PRINSES AMALIA,
PSN 523434.2N 0041302.5E, 331FT AMSL, REF AIP ENR 5.4 (ID317).

B1253/25

SEVERAL OBSTACLE LIGHTS **U/S** AT OFFSHORE WINDPARK EGMOND AAN ZEE,
PSN 5236N 00424E. 378FT AMSL. REF AIP ENR 5.4 (ID 206).

**B1203/25**

SEVERAL OBSTACLE LGTS **U/S** AT NOORDZEE TRIANEL WINDPARK BORKUM, PSN 5403N 00624E, RADIUS 5NM. ELEV 584FT AMSL.
REF AIP THE NETHERLANDS ENR 5.4 ID 420.

B1190/25

SEVERAL OBSTACLE LIGHTS **U/S** AT WINDPARK VEJA MATE.
PSN 5420N 00553E, 590FT AMSL.
REF AIP ENR 5.4 (ID 498).

B1144/25

SEVERAL OBSTACLE LIGHTS **U/S** AT NOORDZEE WINDPARK BORKUM RIFFGRUND 2, PSN 5357N 00628E RADIUS 3NM. ELEV 649FT AMSL.
REF AIP THE NETHERLANDS ENR 5.4 ID 518.

B1142/25

OBST LIGHTS WIND FARM BARD OFFSHORE 1 PARTLY **U/S**.
ELEVATION 492FT AMSL. REF AIP THE NETHERLANDS ENR 5.4 ID 333.

B1118/25

OBST LIGHTS **U/S** ONE WINDTURBINE NIEUWLEUSEN, PSN 523414N 0061354E, 666FT AGL. REF AIP ENR 5.4, ID 625.

B1116/25

WHEN EXPERIENCING REDUCED RADIO COVERAGE IN NORTH SEA AREA
AMSTERDAM SOUTH ON AMSTERDAM INFORMATION FREQ. 128.500 MHZ, REVERT
TO 124.300 MHZ.

B1025/25

SEVERAL OBSTACLE LIGHTS **U/S** AT WINDPARK NOORDZEE HOLLANDSE KUST
ZUID. 738 AMSL. REF AIP ENR 5.4 (ID 595).

B0986/25

NIGHT OBSTACLE LIGHTS OF SEVERAL WIND TURBINES **U/S** AT WINDPARK
NORTH SEA HE DREIHT. 859FT AMSL.
REF AIP ENR 5.4 (ID 637).

A2390/25

AMSTERDAM INFORMATION 124.300MHZ, EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT BETWEEN EHRD CTR AND EHSE.

B0968/25

SEVERAL OBST LIGHTS NOORDZEE RIFFGAT **U/S**. 487FT AMSL.
REF AIP NETHERLANDS ENR 5.4 ID 415.

B0914/25

NIGHT OBST LIGHTING OF MOST WIND TURBINES AT WINDFARM GT 1 **U/S**.
REF AIP NETHERLANDS ENR 5.4 ID 419.

+++++ RESTRICTED AIRSPACE +++++

A2919/25

TUE-THU 1600-2100, FRI-SAT 1600-2300, SUN 1600-2200
LIGHTSHOW AT BEVERWIJK, PSN 522837N 0044020E.
F) GND G) UNL

=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

EHAA AMSTERDAM FIR

Please see section EXTENDED AREA AROUND DESTINATION



=====

AREA ENROUTE DEPARTURE - DESTINATION

=====

EDGG LANGEN FIR

+++++ FIR/UIR +++++

B0854/25

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL.

B0847/25

PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN
TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1 EVEN SO
CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA
AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE
NOT VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUUCHI 14-44,
EDMMZUG, EDMMTEG, EDMMTRU AND EDMMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-84FF REFER).

B0805/25

KARLSRUHE UAC USES THE EUROCONTROL LOGON LIST TO STABILIZE CPDLC
PERFORMANCE. ALL LOGON LISTED ACFT SHALL LOG ON TO KARLSRUHE UAC.
DATA LINK ADDRESS OF KARLSRUHE UAC IS EDUU. NOT LOGON LISTED ACFT
SHALL NOT TRY TO LOGON TO EDUU. LOGON FORWARDING FOR NOT LOGON
LISTED ACFT WILL NOT BE PERFORMED. ALL OPERATORS ARE INVITED TO
APPLY FOR LOGON LIST ENTRY VIA THE PUBLISHED EUROCONTROL PROCESS
(AIP GERMANY PAGES GEN 3.4-64 THRU GEN 3.4-69 REFER).

B0720/25

VOLMET SERVICES **SUSPENDED**.
FURTHER INFO SEE AIP AIC IFR 10/25 WEF 02 OCT 2025.

+++++ WAYPOINT +++++

C1537/22

HAMM **DVOR/DME** HMM 115.65 / CH103Y RANGE OF **DVOR** R199 LIMITED TO
39NM.

+++++ RESTRICTED AIRSPACE +++++

B0941/25

RESTRICTED AREA EDR205 SECTOR A-D (TRA LAUTER 1) DEACTIVATED.
F) FL100 G) FL245

B0947/25

RESTRICTED AREA EDR305 (TRA LAUTER 2) INCLUDING ALL SECTORS
DEACTIVATED.
F) FL245 G) FL660

B0939/25

RESTRICTED AREA EDR203B (TRA MUENSTERLAND) DEACTIVATED.
F) FL150 G) FL200

B0938/25

RESTRICTED AREA EDR203A (TRA MUENSTERLAND) DEACTIVATED.
F) FL080 G) FL150

B0924/25

RESTRICTED AREA EDR97A SCHWARZENBORN DEACTIVATED.
F) GND G) 12000FT AMSL

**B0921/25**

RESTRICTED AREA EDR134 WILDFLECKEN DEACTIVATED.

F) GND G) 18000FT AMSL

B0922/25

RESTRICTED AREA EDR132A HEUBERG DEACTIVATED.

F) GND G) 18000FT AMSL

B0925/25

RESTRICTED AREA EDR116 (BAUMHOLDER) DEACTIVATED.

F) GND G) 23000FT AMSL

B0929/25

RESTRICTED AREA EDR112A+B (SENNE) DEACTIVATED.

F) GND G) FL140

EDWW**BREMEN FIR**

Please see section EXTENDED AREA AROUND DEPARTURE

EHAA**AMSTERDAM FIR**

Please see section EXTENDED AREA AROUND DESTINATION

**[Company NOTAM]**
-----=====
CREW ALERT
=====**SB007/14**

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13


SUBJECT: FLIGHT RELEASE UNITS


ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.


=====
CREW BULLETIN
=====


NIL


===== END OF LIDO-NOTAM-BULLETIN =====



















End of Document
Total Number of Pages 26