



[OFP]

0154 14JUL2025 EDDV-EHAM T154 RA85684 RELEASE 1426 14JUL25
OFP 1 HANNOVER-SCHIPHOL
WX PROG 1415 1418 OBS 1406 1406

ATC C/S 154 EDDV/HAJ EHAM/AMS CRZ SYS M.72
14JUL2025 RA85684 1455/1515 1552/1600 GND DIST 202
TUPOLEV TU-154M / D-30KU-154 STA 1605 AIR DIST 216
CTOT:.... G/C DIST 180

MAXIMUM TOW 100000 LAW 78500 ZFW 71860 AVG WIND 263/026
ESTIMATED TOW 81072 LAW 77489 ZFW 71860 AVG W/C M023
AVG ISA P007
AVG FF KGS/HR 5779
FUEL BIAS M05.0
TKOF ALTN

ALTN EHEH
FL STEPS EDDV/0240/

DISP RMKS FELIS TUPOLEV TU-154M FOR X-PLANE 11

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	AMS	3583	0037
CONT 15 MIN		1445	0015
ALTN	EIN	2245	0021
FINRES		1939	0030

MINIMUM T/OFF FUEL 9212 0144

EXTRA 0 0000

T/OFF FUEL 9212 0144
TAXI HAJ 907 0020

BLOCK FUEL HAJ 10119
PIC EXTRA
TOTAL FUEL
REASON FOR PIC EXTRA

FMC INFO:
FINRES+ALTN 4184
TRIP+TAXI 4490

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: ANTONIA MCKENZIE

PIC NAME: SCHWAKE, PETER

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO:					FINRES			1939
APT	TRK	DST	VIA		FL	WC	TIME	FUEL
EHEH/21	156	56	LOPIK2P	LOPIK LOPIK2E	070	P000	0021	2245

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
EDDV/27R VAXEV1S VAXEV Y347 WEZTE DCT BLUFA BLUFA1A EHAM/27

DEPARTURE ATC CLEARANCE:

.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE UP 1.0	TRIP P 0032 KGS	TIME P 0000
WEIGHT CHANGE DN 1.0	TRIP M 0049 KGS	TIME M 0000
FL CHANGE UP FL1	NOT AVAILABLE	
FL CHANGE DN FL1	TRIP M 0002 KGS	TIME P 0000
FL CHANGE DN FL2	TRIP M 0009 KGS	TIME P 0000
SPD CHANGE CI 0	NOT AVAILABLE	
SPD CHANGE CI 150	NOT AVAILABLE	

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1455Z/1655L	1455Z/1655L	Z
OFF	1515Z/1715L	1515Z/1715L	Z
ON	1552Z/1752L	1557Z/1757L	Z
IN	1600Z/1800L	1605Z/1805L	Z
BLOCK TIME	0105	0110	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	160			
CARGO	3.9			
PAYLOAD	16.6			
ZFW	71.9	71.9		
FUEL	10.1	11.1		POSS EXTRA 1.0
TOW	81.1	82.1	LDG.....	
STAB TRIM				
LAW	77.5	78.5		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 02600 FEET AT VAXEV///MXSHR 01 AT TOC

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
HANNOVER EDDV	N5227.6 E00941.0	...	...	23	276 277 202	249	M018		9.2	0.9
VAXEV1S DV204 DV204	N5228.2 E00933.5	0001 0001	...	035 25 5	247 251 197	.40 249	266/018 M018	15 P07 366	9.0	1.1
VAXEV1S DV206 DV206	N5224.2 E00913.8	0002 0003	...	102 24 13	262 265 184	.54 335	277/023 M021	03 P08 366	8.5	1.6
VAXEV1S VAXEV VAXEV	N5223.7 E00905.3	0001 0004	...	124 26 5	270 274 179	.57 345	277/023 M023	M01 P09 366	8.3	1.8
Y347 EDWOC EDWOC	N5225.9 E00812.0	0005 0009	...	239 24 33	265 268 146	.72 414	266/031 M031	M26 P07 368	7.4	2.7
Y347 T O C	N5225.9 E00811.9	0000 0009	...	240 25 0	266 268 146	.72 446 415	266/031 M031 1	M26 P07 369	7.4	2.7
Y347 WEZTE WEZTE	N5224.3 E00703.7	0006 0015	...	240 23 42	311 314 104	.72 446 419	261/027 M027 1	M26 P07 371	6.9	3.2
BREMEN FIR -EDWW	N5227.4 E00658.3	0000 0015	...	4	100					
AMSTERDAM FIR -EHAA	N5236.3 E00643.3	0002 0017	...	13	87					
DCT BLUFA BLUFA	N5250.2 E00620.0	0003 0020	...	240 20 20	232 235 67	.72 445 427	260/029 M018 1	M27 P06 368	6.5	3.6
BLUFA1A T O D	N5247.9 E00614.6	0000 0020	...	240 21 4	234 235 63	.72 445 418	259/029 M027 1	M27 P06 368	6.5	3.6
BLUFA1A ARTIP ARTIP	N5230.7 E00534.1	0006 0026	...	124 20 30	245 247 33	.57 350	261/020 M018	M01 P09 368	6.3	3.8



AWY				FL	IMT	MN	WIND	OAT	EFOB	PBRN
POSITION	LAT	EET	ETO	MORA	ITT	TAS	COMP	TDV		
IDENT	LONG	TTLT	ATO	DIS	RDIS	GS	SHR	TRP	AFOB	ABRN
FREQ										
BLUFA1A									5.6	4.5
SCHIPHOL	N5218.5	0011	...							
EHAM	E00445.9	0037	...	33						

-----
WIND INFORMATION

CLIMB			T O C			WEZTE			BLUFA		
350	252/033	-51	280	261/029	-35	280	250/028	-36	280	258/031	-36
310	257/031	-43	260	264/028	-30	260	255/026	-31	260	259/029	-31
200	278/027	-17	240	266/031	-26	240	260/027	-26	240	259/029	-27
150	276/024	-06	220	269/030	-21	220	263/028	-21	220	258/027	-22
100	273/022	+02	200	270/027	-17	200	265/027	-17	200	258/025	-18

T O D			DESCENT		
280	258/031	-36	350	257/029	-51
260	259/029	-31	310	257/033	-43
240	259/029	-27	200	258/024	-18
220	258/027	-22	150	265/021	-06
200	258/025	-18	100	257/018	+02

**[ATC Flight Plan]**-----
ICAO FLIGHT PLAN

FF EDWWZQZX EHAAZQZX

141426 CYULSBFP

(FPL-154-IS

-T154/M-SDGRWY/S

-EDDV1455

-N0446F240 VAXEV1S VAXEV Y347 WEZTE DCT BLUFA BLUFA1A

-EHAM0027 EHEH

-PBN/B2B4 DOF/250714 REG/RA85684 EET/EDWW0015 EHAA0017 PER/C
RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O 0154 EDDV/EHAM

**[Airport WX List]**

EDDV --> EHAM 154 / 14JUL2025
LIDO/WEATHER SERVICE DATE : 14Jul2025 TIME : 14:26 UTC

AIRMETs:
No Wx data available

SIGMETs:
No Wx data available

Tropical Cyclone SIGMETs:
No Wx data available

Volcanic Ash SIGMETs:
No Wx data available

Departure:
EDDV/HAJ HANNOVER
SA 141420 AUTO 30011KT 260V340 CAVOK 27/15 Q1013 NOSIG
FT 141100 1412/1512 28008KT CAVOK
PROB40 TEMPO 1413/1417 SHRA SCT040CB
BECMG 1417/1420 VRB03KT
TEMPO 1420/1423 SHRA SCT040CB
BECMG 1503/1505 26008KT
TEMPO 1506/1510 SHRA BKN020CB
PROB30 TEMPO 1507/1509 TSRA

Destination:
EHAM/AMS SCHIPHOL
SA 141355 25016KT 220V280 9999 FEW019 23/17 Q1014 NOSIG
FT 141056 1412/1518 25011KT 9999 SCT030
PROB30 TEMPO 1414/1418 25015G25KT
PROB30 TEMPO 1516/1518 25015G25KT 7000 SHRA FEW020CB

Destination Alternates:
EHEH/EIN EINDHOVEN
SA 141355 AUTO 25010KT 190V310 9999 FEW075 26/16 Q1015 BLU TEMPO
4000 SHRA SCT025CB
FT 141150 1412/1518 25007KT 9999 SCT032
PROB30 TEMPO 1413/1415 27012G22KT 4000 SHRA TSRA
SCT025CB
TEMPO 1500/1503 27015G25KT SCT030CB
PROB30 TEMPO 1515/1518 27012G25KT SCT030CB

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2507141455 - 2507141922 STD(EOBT)+TRIP+ALTN+3HRS
154 /14JUL OFP-NR: 1
ROUTE: EDDV - EHAM ALTN: EHEH
N0446F240 VAXEV1S VAXEV Y347 WEZTE DCT BLUFA BLUFA1A

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

EDDV/HAJ HANNOVER

+++++ AIRPORT +++++

A4555/18LEINE **VOR/DME** DLE FREQ 115.2MHZ CH99X **OUT OF SERVICE**.

+++++ SID +++++

A3016/25SID **RWY 27R/L** CHANGED DUE TO INSUFFICIENT NAV AID COVERAGE OF HLZ
VOR:MULDO 6S AND MULDO 8F ADD RMK: AFTER CROSSING R118 NIE BRNAV EQPT
NECESSARY.REF AIP **AD 2** EDDV 5-7-1, 5-7-5 BOTH EFF 07 SEP 2023, 5-7-3, 5-7-7
BOTH EFF 25 JAN 2024.**A2047/25**SID **RWY 27R** CHANGED DUE TO INSUFFICIENT NAV AID COVERAGE OF NIE
VOR:CEL6S, MULDO6S AND NIE9S AMEND R132 NIE TO READ 0.8 **DME** HBD.REF **AD 2** EDDV 5-7-1 EFF 07 SEP 2023, 5-7-3 DATED 22 FEB 2024.**A6625/24**CHANGES TO SID DUE TO DECOMMISSIONING OF DLE **DVOR/DME:**

GPS (FMS) RNAV OVERLAY REMAINS UNCHANGED.

RWY 09L/R:WERRA 3Y/3G AND WRB 3Y/1G: CLIMB WITH 6.9 PERCENT (420FT PER NM)
OR MORE UNTIL PASSING 2500. ADD REMARK: AFTER PASSING 2500FT BRNAV
EQPT NECESSARY.REF **AD 2** EDDV 5-7-11, 5-7-15 BOTH EFFECTIVE 07 SEP 2023, 5-7-13,
5-7-17 BOTH DATED 22 FEB 2024.**RWY 27L/R:**

POVEL 3F/3S AFTER PASSING 2000 BRNAV EQPT NECESSARY.

REF **AD 2** EDDV 5-7-1, 5-7-5, BOTH EFFECTIVE 07 SEP 2023, 5-7-3,
5-7-7 BOTH DATED 22 FEB 2024.

+++++ APPROACH PROCEDURES +++++

A2793/25MISSED APCH **RWY 27R** CHANGED DUE TO LIMITED NAVAID COVERAGE CEL
NDB: CLIMB WITH 4.3PCT (260FT/NM) TIL PASSING 3000.

RNP APCH REMAINS UNCHANGED.

REF **AD 2** EDDV 4-2-2, 4-2-6, 4-4-1 ALL EFF 28 NOV 2024.**A2388/25**APCH PROC CHANGED DUE TO COVERAGE OF SAS **DVOR/DME,****ILS Y/Z OR LOC Y/Z RWY 27L:**

DELETE R333 SAS AT MM.

REF **AD 2** EDDV 4-2-1 AND 4-2-5 BOTH EFF 28 NOV 2024.

**A2046/25**

APCH PROC CHANGED DUE TO INSUFFICIENT NAV AID COVERAGE OF NIE **VOR:**
RWY 09L LOC AND **NDB:** AMEND R132 NIE TO READ 0.8 **DME** HBD.
REF **AD 2** EDDV 4-2-3, 4-4-2 BOTH EFF 28 NOV 2024.

A0677/25

RNP APCH **RWY 27L**, AMEND TABULAR DESCRIPTION FM IAF NIE ALT AT DV600 TO READ AT OR ABV 4000. ALT AT ODINI AT OR ABV 3000. CHG PERM.
REF **AD 2** EDDV 4-6-2 EFF 23 MAY 2019.
RNP APCH **RWY 27R**, AMEND TABULAR DESCRIPTION FM IAF NIE ALT AT DV610 TO READ AT OR ABV 4000. ALT AT XAVER AT OR ABV 3000. CHG PERM. REF **AD 2** EDDV 4-6-4 EFF 23 MAY 2019.

+++++ STAR +++++

A1902/24

CHANGES TO STAR DUE TO INSUFFICIENT NAVAID COVERAGE OF SAS **DVOR:**
WRB 8P ADD RMK: BRNAV EQPT NECESSARY.
REF AIP **AD 2** EDDV 3-1-1 EFFECTIVE 24 MAR 2022, 3-1-2 EFFECTIVE 07 SEP 2023.

=====

DESTINATION AIRPORT - DETAILED INFO

=====

EHAM/AMS SCHIPHOL

+++++ AIRPORT +++++

A1629/25

0500-1600
REF AIP NETHERLANDS PAGE **AD 2**.EHAM-AOC-04-22. CRANE ERECTED AT PSN 521704.7N0044550.6E, 2090M BEYOND TORA. **RWY 22** AND 40M LEFT OF EXTD RCL, 165FT AMSL, MARKED AND LGTD.

A1630/25

0500-1600
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 36C** DUE TO CRANE.
LOC ACFT **CAT A-D** INCREASED TO 411(422).
REF AIP **AD 2**.EHAM-IAC-36C.1.

A1631/25

0500-1600
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 06** DUE TO CRANE
LNAV/VNAV **CAT A** INCREASED TO 296(307), **CAT B** INCREASED TO 306(318), **CAT C** INCREASED TO 315(327), **CAT D-DL** INCREASED TO 325(338).
REF AIP **AD2** EHAM-IAC-06.2

A1633/25

0500-1600
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 04** DUE TO CRANE LNAV ACFT **CAT A-DL** INCREASED TO 411(422) LPV **CAT A** INCREASED TO 296(308), **CAT B** INCREASED TO 306(318), **CAT C** INCREASED TO 315(327), **CAT D-DL** INCREASED TO 325(338).
REF AIP **AD 2**.EHAM-IAC-04.1

A1346/25

FRI-SUN 2100-0400
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 06** DUE TO CRANE.
LNAV/VNAV ACFT **CAT C** INCREASED TO 306(317).
LNAV/VNAV ACFT **CAT D** INCREASED TO 332(343).
REF AIP **AD 2**.EHAM-IAC-06.2.

**A1347/25**

FRI-SUN 2100-0400

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 04** DUE TO CRANE.LNAV ACFT **CAT A-D** INCREASED TO 520(531).LNAV/VNAV ACFT **CAT A** INCREASED TO 397(410),ACFT **CAT B** INCREASED TO 407(420),ACFT **CAT C** INCREASED TO 417(431),ACFT **CAT D** INCREASED TO 427(440).REF AIP **AD 2.EHAM-IAC-04.1**.**A1452/25**

THU 0500-1600

CRANE ERECTED AT PSN 521804.8N 0044737.4E. 541M BEYOND THR 04 AND 270M RIGHT OF RCL, 119FT AMSL, MARKED AND LGTD.

A1606/25

MON-FRI 0500-1300

CONSTRUCTION EQUIPMENT ON STRIP **RWY 18C/36C**, BTN PSN 521811.8N

0044408.3E AND 521802.2N 0044407.4E, BTN 160M BEFORE AND 139M

BEYOND **RWY** END 18C AND 123M RIGHT OF RCL, 8FT AMSL. CLOSE-IN OBST FOR IFR DEP **RWY 18C**. OCA/H NOT AFFECTED.**A1485/25****TWY R CLSD.****A1533/25****TWY W**, HOLDING P4 AND P5 AND **RWY** EXITS W11 AND W12 **CLSD**.**A1562/25**REF AIP NETHERLANDS PAGE **AD 2.EHAM-AOC-18C-36C**

OBSTACLES ERECTED BTN PSN 521746.9N 0044416.0E AND

521743.4N 0044410.9E, 1050M BEYOND TORA **RWY 36C** ON EXTD RCL, 27FT AMSL, MARKED AND LGTD.**A1579/25**

OBSTACLES ERECTED BTN PSN 522014.8N 0045016.9E AND 522016.0N

0045057.0E. 3540M BEYOND TORA **RWY 04** AND 60M RIGHT OF EXTD RCL.

153FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.

A1486/25START OF CONSTRUCTION PHASE 25.2. SEVERAL **TWYS**, ACFT STANDS AND HOLDING POSITIONS **CLSD**. FOR DETAILS SEE AIP SUP 02/2025.**A1541/25**MOBILE CRANE ON STRIP **RWY 09/27** BTN PSN 521900.4N 0044653.7E AND521900.5N 0044638.8E. BTN 1053M AND 1335M BEYOND THR **RWY 27** AND100M LEFT OF RCL. 14FT AMSL, MARKED AND LGTD. CLOSE-IN OBST FOR IFR DEP **RWY 09** AND **RWY 27**. OCA/H NOT AFFECTED.**A1365/25**

MON-FRI 0500-1500

MOBILE CRANE ALONG STRIP **RWY 18R/36L** BTN PSN 522154.3N 0044235.1EAND 522036.7N 0044228.0E, BTN 530M BEFORE AND 1873M BEYOND THR **RWY 18R** AND 150M RIGHT OF RCL, 24FT AMSL.CLOSE-IN OBST FOR IFR DEP **RWY 36L**.**A1366/25**

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 18R** DUE TO MOBILE CRANE.**ILS CAT I CAT A-DL** INCREASED TO: **CAT A** 154 (167), **CAT B** 167 (180), **CAT C** 175 (188), **CAT D** 185 (198), **CAT DL** 185 (198).**ILS CAT II CAT A-DL** INCREASED TO: **CAT A** (79), **CAT B** (97), **CAT C** (108), **CAT D** (123), **CAT DL** (123).REF AIP **AD2.EHAM-IAC-18R.1**.**A1515/25**2 CRANES ERECTED PSN 522127.6N 0043914.6E. TRUE BEARING FROM ARP 307DEG AND DISTANCE 9210M. 243FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED. REF AIP **EHAM AD 2.10**.**A0967/25****TWY B** BTN **TWY A15** AND **TWY A19 CLSD**.

**A1479/25**

TWY A BTN **TWY A28** AND **TWY A29** PROHIBITED FOR A380 ACFT
DUE TO **TWY** WEIGHT RESTRICTIONS.

A1367/25

CRANE ERECTED AT PSN 522126.9N 0043912.5E.
TRUE BEARING FROM ARP 306DEG AND DISTANCE 9335M.
158FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.
REF AIP EHAM **AD** 2.10.

A1327/25

OBST LIGHT **U/S** CONCRETE TOWER HAARLEM,
PSN 522317.0N 0044010.9E. ELEVATION 479FT AMSL.
REF AIP THE NETHERLANDS ENR 5.4 ID 066.

A1309/25

ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH
ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO
BY ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS
APPLICABLE.

A1248/25

INCREASED BIRD ACTIVITY ON AND AROUND **AD**. AN INCREASED
POTENTIAL FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.

A1219/25

TWO CRANES ERECTED BTN PSN 521808.8N0044146.6E AND
521809.7N0044152.9E. TRUE BEARING FROM ARP 263DEG AND
DISTANCE 4555M. UP TO 250FT AMSL, MARKED AND LGTD, OCA/H NOT
AFFECTED. REF AIP EHAM **AD** 2.10.

A1062/25

MON-FRI 0400-1600
CRANES ERECTED AT PSN 521701.7N 0044619.9E. 741M BEFORE THR **RWY**
36R AND 209M LEFT OF EXT D RCL. 69FT AMSL, MARKED AND LGTD.
CLOSE-IN OBST FOR IFR DEP **RWY 18L**. OCA/H NOT AFFECTED.

A0978/25

0400-SR 1800-2100
LIGHTSHOW AT AMSTERDAM, PSN 522204N 0045359E.
F) GND G) UNL

+++++ RUNWAY +++++

A1540/25

RWY 09/27 CLSD.

A1075/25

RWY 18L/36R REDUCED LENGTH: **RWY 36R** LDA REDUCED TO 2582M, **RWY 18L**
LDG PROHIBITED, TKOF INT E6 **NOT AVBL**. REF AIP SUP 04/2025.

+++++ SID +++++

A1345/25

FRI-SUN 2100-0400
SIDS **RWY 22** VALK03G AND BERGI2G CHANGED DUE TO CRANE.
A MINIMUM OF 5.1 PERCENT CLIMB GRADIENT REQUIRED UNTIL PASSING
600FT. CRANE ERECTED BTN PSN 521702.1N 0044619.4E AND
521659.6N 0044624.1E, 1890M BEYOND TORA **RWY 22** AND 585M LEFT OF
EXTD RCL, 266FT AMSL, MARKED AND LGTD.

A1348/25

FRI-SUN 2100-0400
RWY 22, DEVIATION FROM SID STRICTLY PROHIBITED UP TO 600FT AMSL
DUE TO CRANES, PSN BTN 521702.1N 0044619.4E AND 521659.6N
0044624.1E, 1890M BEYOND TORA **RWY 22** AND 585M LEFT OF EXT D RCL,
266FT AMSL, MARKED AND LGTD.

**A1129/25**

RWY 04, DEVIATION FROM SIDS VOLLA2F, BERGI2F AND ANDIK3F STRICTLY PROHIBITED UP TO 600FT AMSL DUE TO CRANE, PSN 522023.0N 0044917.0E, 2850M BEYOND TORA **RWY 04** AND 840M LEFT OF EXTD RCL, 250FT AMSL, MARKED AND LGTD.

A2097/24

SUPPLEMENTARY SIDS **RWY 36L**: DUE TO NEW CONTROLLING OBSTACLES, THE FOLLOWING PROCEDURE DESIGN GRADIENTS (PDG) APPLY:
ARNEM2Z, BERGI2Z, LOPIK2Z, VOLLA2Z 3.4 PCT TO 700FT AMSL.
REF AIP NETHERLANDS EHAM **AD 2.22** PARA 1.5.15.

A2096/24

SIDS **RWY 36L**: DUE TO NEW CONTROLLING OBSTACLES, THE FOLLOWING PROCEDURE DESIGN GRADIENTS (PDG) APPLY:
ARNEM2V 3.8 PCT TO 600FT AMSL,
BERGI5V 4.1 PCT TO 500FT AMSL,
KUDAD2V 4.6 PCT TO 500FT AMSL,
LOPIK4V 4.6 PCT TO 500FT AMSL,
RENDI2V 3.8 PCT TO 600FT AMSL,
VOLLA3V 4.1 PCT TO 500FT AMSL.
REF AIP NETHERLANDS EHAM **AD 2.22** PARA 1.5.14.

+++++ APPROACH PROCEDURES +++++

A1555/25

MON-FRI 0500-1600

ILS RWY 06 DOWNGRADED TO II/T/4 (SUPPORTS **CAT II** OPERATIONS).

A1459/25

ILS RWY 36C DOWNGRADED TO III/E/3 (SUPPORTS **CAT III** OPERATIONS).

A1059/25

ILS RWY 27 OUT OF SERVICE.

A1025/25

ILS RWY 36R U/S.

=====
DESTINATION ALTERNATE AIRPORT(S)
=====

EHEH/EIN EINDHOVEN

+++++ AIRPORT +++++

A1353/25

CHANGE OF OPERATING MINIMA OCA(OCH) RNP Y **RWY 21** DUE TO CRANE.
LNAV ACFT **CAT A-D** INCREASED TO 480(413).
LNAV/VNAV **CAT A-D** INCREASED TO:
CAT A 360(293), **CAT B** 372(305),
CAT C 380(313), **CAT D** 491(424)
REF AIP **AD 2.EHEH-IAC-21.3.**



=====

EXTENDED AREA AROUND DEPARTURE

=====

EDWW BREMEN FIR

+++++ FIR/UIR +++++

B0510/25

BREMEN FIR (EDWW), LANGEN FIR (EDGG) AND MUENCHEN FIR (EDMM)
LATERAL LIMITS CHANGED:

BREMEN FIR (EDWW):

550000N 0063000E - 550000N 0080000E - 550400N 0082000E -
550409N 0082331E - ALONG THE GERMAN-DANISH-BORDER TO
544554N 0100313E - 544435N 0101000E - 544200N 0102000E -
543930N 0103000E - 543920N 0104000E - 543910N 0105000E -
543840N 0110000E - 543610N 0111000E - 543315N 0112000E -
543000N 0113000E - 542750N 0114000E - 542645N 0115000E -
542700N 0120000E - 545500N 0125100E - 545500N 0142127E -
540738N 0141517E - 540734N 0141205E - 535916N 0141432E -
535540N 0141334E - ALONG THE GERMAN-POLISH BORDER TO
514154N 0144245E - 513030N 0134500E - 513030N 0130600E -
513730N 0123825E - 515235N 0121206E - 515424N 0120000E -
515028N 0111230E - 513400N 0104200E - 512002N 0102315E -
512001N 0100334E - 512000N 0095610E - 512000N 0093500E -
512000N 0093102E - 512000N 0091000E - 512000N 0085428E -
512502N 0085351E - 514000N 0085200E - 515255N 0085200E -
515400N 0085200E - 520539N 0084545E - 520800N 0084429E -
520749N 0083510E - 520700N 0080000E - 522211N 0080000E -
522138N 0073640E - 522112N 0071938E - 522053N 0070820E -
522045N 0070355E - ALONG THE GERMAN-DUTCH-BORDER TO
534000N 0063000E - 550000N 0063000E.

LANGEN FIR (EDGG):

522045N 0070355E - 522053N 0070820E - 522112N 0071938E -
522138N 0073640E - 522211N 0080000E - 520700N 0080000E -

520749N 0083510E - 520800N 0084429E - 520539N 0084545E -
515400N 0085200E - 515255N 0085200E - 514000N 0085200E -
512502N 0085351E - 512000N 0085428E - 512000N 0091000E -
512000N 0093102E - 512000N 0093500E - 512000N 0095610E -
512001N 0100334E - 512002N 0102315E - 512000N 0102934E -
503927N 0104210E - 501150N 0101650E - 492630N 0105800E -
491043N 0103516E - 490640N 0102845E - 485655N 0100549E -
484838N 0094635E - 483717N 0093728E - 483140N 0093300E -
474800N 0093300E - 474730N 0091400E - 474700N 0085200E -
475300N 0085100E - 473400N 0074100E ALONG THE GERMAN-SWISS,
GERMAN-FRENCH, GERMAN-LUXEMBOURG, GERMAN-BELGIAN AND
GERMAN-DUTCH BORDER TO 522045N 0070355E.

MUENCHEN FIR (EDMM):

473930N 0091400E - 474730N 0091400E - 474800N 0093300E -
483140N 0093300E - 483717N 0093728E - 484838N 0094635E -
485655N 0100549E - 490640N 0102845E - 491043N 0103516E -
492630N 0105800E - 501150N 0101650E - 503927N 0104210E -
512000N 0102934E - 512002N 0102315E - 513400N 0104200E -
515028N 0111230E - 515424N 0120000E - 515235N 0121206E -
513730N 0123825E - 513030N 0130600E - 513030N 0134500E -
514154N 0144245E - ALONG THE GERMAN-POLISH, GERMAN-CZECH,
GERMAN-AUSTRIAN AND UND GERMAN-SWISS BORDER TO
473930N 0091400E.

**B0415/25**

DAILY 2100-0400

IN AN EFFORT TO MINIMIZE THE IMPACT OF AVIATION ON THE ENVIRONMENT, MAASTRICHT UAC WILL BE RUNNING A CONTRAIL PREVENTION TRIAL. DURING NIGHTTIME FLIGHTS MAY BE TACTICALLY REQUESTED TO DEVIATE FROM THE PLANNED/REQUESTED FLIGHT LEVEL BY THE SECTOR CONTROLLER USING PHRASEOLOGY: FOR CONTRAIL PREVENTION CLIMB/DESCEND. ANY FLIGHT FLYING VIA MAASTRICHT UAC MAY BE CHOSEN. THE TRIAL WILL GO AHEAD DEPENDENT ON THE WEATHER CONDITIONS. FOR TACTICAL ENQUIRIES CONTACT MAASTRICHT UAC 0031 43 366 1428.

B0403/25

SECURITY - HAZARDOUS SITUATION IN IRAN

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR TEHRAN (OIIX). POTENTIAL RISK FROM ESCALATING CONFLICT AND ANTI-AVIATION WEAPONRY.

THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN CURRENTLY APPLICABLE AIC.

B0388/25

GPS UNRELIABLE AND POSSIBLY **NOT AVBL** IN EASTERN PART OF BREMEN FIR.

B0355/25

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.

REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.

IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL.

B0348/25

NO APP BY BREMEN ACC FOR OAT ARR AND DEP WO PPR TO/FM SCHLESWIG (ETNS), NORDHOLZ (ETMN) AND HOHN (ETNH) WHEN CORRESPONDING MIL APP IS NOT ACT. PPR CAN BE RECEIVED ON DAY BEFORE FLT FM LOCAL MIL ATC.

B0256/25

KARLSRUHE UAC USES THE EUROCONTROL LOGON LIST TO STABILIZE CPDLC PERFORMANCE. ALL LOGON LISTED ACFT SHALL LOG ON TO KARLSRUHE UAC. DATA LINK ADDRESS OF KARLSRUHE UAC IS EDUU. NOT LOGON LISTED ACFT SHALL NOT TRY TO LOGON TO EDUU. LOGON FORWARDING FOR NOT LOGON LISTED ACFT WILL NOT BE PERFORMED. ALL OPERATORS ARE INVITED TO APPLY FOR LOGON LIST ENTRY VIA THE PUBLISHED EUROCONTROL PROCESS (AIP GERMANY PAGES GEN 3.4-71 THRU GEN 3.4-76 REFER).

B0249/25

SECURITY - HAZARDOUS SITUATION IN LEBANON

CIVIL GERMAN AIR OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WITHIN FIR BEIRUT (OLBB).

POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS.

B0213/25

BREMEN ACC SECTOR FRIESLAND FREQUENCY 124.800MHZ TEMPORARY LIMITED RADIO COVERAGE IN SOME AREAS. IF NO CONTACT USE 120.225MHZ.

+++++ WAYPOINT +++++

B0370/25

TRENT **DME** TRT CH21Y/108.45MHZ **OUT OF SERVICE**.



+++++ RESTRICTED AIRSPACE +++++

B0430/25

MON-THU 0630-1530, FRI 0630-1100
RESTRICTED AREA EDR10C (TODENDORF-PUTLOS) UPPER LIMIT RAISED TO
40000FT AMSL.
F) GND G) 40000FT AMSL

B0431/25

MON-THU 0630-1530, FRI 0630-1100
DANGER AREA EDD19 (TODENDORF-PUTLOS) UPPER LIMIT RAISED TO 40000FT
AMSL.
F) GND G) 40000FT AMSL

B0488/25

RESTRICTED AREA EDR32A MUNSTER DEACTIVATED.
F) GND G) 14000FT AMSL

B0490/25

RESTRICTED AREA EDR32B (MUNSTER) DEACTIVATED.
F) GND G) 10500FT AMSL

B0491/25

DAILY 1600-1800
PJE 2NM RADIUS CENTERED ON 535704N 0141035E, OSTSEEBAD HERINGS DORF
(24.5NM ENE FRIEDLAND **DVOR/DME** FLD).
F) GND G) FL135

B0426/25

RESTRICTED AREA EDR71 KLIETZ DEACTIVATED.
F) GND G) 16600FT AMSL

=====

EXTENDED AREA AROUND DESTINATION

=====

EHAA AMSTERDAM FIR

+++++ FIR/UIR +++++

A1628/25

AMSTERDAM INFORMATION 124.300MHZ, EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT BETWEEN EHRD CTR AND EHSE.

A1251/25

TRIGGER NOTAM - AIRAC AIP AMDT 07/2025 WEF 10 JUL 2025:
NIL. CONTAINS NON AIRAC INFORMATION ONLY.

B0701/25

OBSTACLE LIGHTS **U/S** ON WINDTURBINES AT NUMANS DORP ON A LINE PSN
5144N 00423E TO 5144N 00424E, HGT 653FT AGL.
AIP NETHERLANDS ENR 5.4 ID 550.

B0692/25

SEVERAL OBST LIGHTS NOORDZEE RIFFGAT **U/S**. 487FT AMSL.
REF AIP NETHERLANDS ENR 5.4 ID 415.

B0689/25

OBST LIGHTS **U/S** SEVERAL WINDTURBINES AT MAASVLAKTE,
PSN 515603N 0040003E, 515529N 0035928E, 515517N 0035928E, 515504N
0040005E TO 515519N 0040121E. ELEV 512FT AMSL, HEIGHT 577FT AGL.
REF AIP THE NETHERLANDS ENR 5.4 ID 522.

B0650/25

NIGHT OBST LIGHTING OF MOST WIND TURBINES AT WINDFARM GT 1 **U/S**.
REF AIP NETHERLANDS ENR 5.4 ID 419.

B0645/25

SEVERAL OBSTACLE LIGHTS **U/S** AT WINDPARK NOORDZEE HOLLANDSE KUST
ZUID. 738 AMSL. REF AIP ENR 5.4 (ID 595).

**A1460/25**

2100-0400

DEPENDING WX CONDITIONS MAASTRICHT UAC RUNS A CONTRAIL PREVENTION TRIAL FM 16 JUN 2025 TO 30 NOV 2025. FLTS MAY BE REQ TO DEVIATE FROM PLANNED/REQ FL USING PHRASEOLOGY: FOR CONTRAIL PREVENTION CLIMB/DESCEND.

FOR MORE INFO CTC MAASTRICHT UAC TEL 0031 43 366 1428.

B0603/25

SEVERAL OBSTACLE LGTS **U/S** AT NOORDZEE TRIANEL WINDPARK BORKUM, PSN 5403N 00624E, RADIUS 5NM. ELEV 584FT AMSL.

REF AIP THE NETHERLANDS ENR 5.4 ID 420.

B0598/25

SEVERAL OBSTACLE LIGHTS **U/S** AT WINDPARK VEJA MATE.

PSN 5420N 00553E, 590FT AMSL.

REF AIP ENR 5.4 (ID 498).

B0581/25

OBST LIGHTS WIND FARM BARD OFFSHORE 1 PARTLY **U/S**.

ELEVATION 492FT AMSL. REF AIP THE NETHERLANDS ENR 5.4 ID 333.

B0567/25

SEVERAL OBSTACLE LIGHTS **U/S** AT NOORDZEE WINDPARK BORKUM RIFFGRUND 2, PSN 5357N 00628E RADIUS 3NM. ELEV 649FT AMSL.

REF AIP THE NETHERLANDS ENR 5.4 ID 518.

A1087/25

POSSIBLE DEGRADING OF RADIO ALTIMETER IN VICINITY OF MAASVLAKTE DUE TO EXPERIMENTAL TRANSMISSIONS.

F) GND G) FL055

B0536/25

WHEN EXPERIENCING REDUCED RADIO COVERAGE IN NORTH SEA AREA AMSTERDAM SOUTH ON AMSTERDAM INFORMATION FREQ. 128.500 MHZ, REVERT TO 124.300 MHZ.

+++++ RESTRICTED AIRSPACE +++++

B0715/25

0600-1500

UAS ACT WI 1000M RADIUS CENTRED ON 515938N 0044303E (GOUDERAK). F)

GND G) 400FT AGL

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)**EHAA AMSTERDAM FIR**

Please see section EXTENDED AREA AROUND DESTINATION

AREA ENROUTE DEPARTURE - DESTINATION**EHAA AMSTERDAM FIR**

Please see section EXTENDED AREA AROUND DESTINATION

**[Company NOTAM]**

=====

CREW ALERT

=====

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.


=====


CREW BULLETIN


=====


NIL


===== END OF LIDO-NOTAM-BULLETIN =====



















End of Document: Total Number of Pages: 27