



# Git Patcher: Release Notes GP-0.1.11

Tuesday, 2 April 2019 9:39 AM

## GP-0.1.11

### Enhancements


Moved 2 items from CreatePatch workflow to RebaseBranch workflow.



### Standalone Rebases

Due to the way files are merged during a rebase, it is important that you always rebase your feature branches using the provided workflows. Otherwise changes can be lost.

If you have made changes to both DB objects and Apex Apps (or you are unsure) please use the original workflow.




### Alternative Rebase workflows

- 2 Advanced (cut-down) rebase options are now also provided.


#### DB changes only

Cut-down rebase for when you have only made DB changes.



#### Apex changes Only

Cut-down rebase for when you have only made Apex App changes.



### PopStash iff SaveStash

Workflows that include Save Stash now use Pop Stash too, but only if Save Stash was used.

### Pull before PatchRunner and ApexAppInstaller - master branch only.


A pull is performed automatically before using the PatchRunner and ApexAppInstaller dialogs, but only when the current branch is master. This is because a feature branch may not have a tracking branch to pull from.

### Run-Config scripts

Calls a run-config (define) script as part of every SQL script run.

- + Patch installs (Patch Builder and Patch Runner)
- + Apex App imports and exports

These new scripts are stored at this location.



### Apex App Export - Commits FXXX.unclean.sql

Committing Fxxx.unclean.sql - Added extra commit step to the Apex App Export workflow

