


Tump Farm Water Project

Visitor Q&A draft. Prepared 16 August 2026.

This is a simple explanation of the project: using spring water carefully, while also helping the land hold more winter rain so water reaches streams and rivers more slowly through the year.



LiDAR mapping helps us see slope, flow paths and possible places where water could be slowed and encouraged to soak in.

Questions Visitors Might Ask

Is it okay to take water from the spring?

Yes, if it is small, measured, agreed with the landowner, and kept within environmental rules. Natural Resources Wales says abstractions of 20 cubic metres a day or less generally do not need an abstraction licence; larger amounts may need one.

The spring appears to be a steady flow where more porous, leaky rock meets less porous ground. Water moving through the leaky side is forced back to the surface where the ground conditions change. That kind of boundary can explain why springs appear in places like this.

So why work on the land as well?

Any water taken from the spring is water that does not continue straight on to the River Usk at that moment. The project should therefore aim to give something back: helping the farm hold more rainfall, reduce fast runoff, and support steadier water movement through the land.

Doesn't all the water end up in the river anyway?

Mostly, yes. The important question is timing.

If rain rushes off compacted ground in winter, it can add to high flows and flooding when the river already has plenty of water. If more rain soaks into soil and moves slowly underground, it can support streams, springs and the river later, when dry weather matters more.

Why do steadier water levels matter?

Wildlife is better supported by steadier conditions than by sharp swings between winter floods and summer lows. Slowing runoff can also reduce erosion, keep more soil on the land, improve water quality, and reduce flood risk downstream.

Why trees first?

Trees are low-tech, low-impact and useful in many ways at once. Leaves slow raindrops. Roots open soil channels. Tree belts can give shelter, habitat, shade, carbon storage and better soil structure, while also helping water soak in rather than racing away.

Mechanical earthworks can be useful in some places, but on heavy or compacted ground they may seal up, need maintenance, or create new risks. Trees are a safer first conversation.

What are we trying to measure?

The first aim is not to prove a perfect number. It is to build confidence step by step: measure the spring flow, observe wet and dry weather, test how fast water soaks into different soils, and record where runoff concentrates after rain.

What would success look like?

Success would mean a small, respectful spring use alongside visible land improvements: more water soaking in, less muddy runoff, healthier soils, more trees, better habitat, and a project that visitors and young people can understand by walking the land.

Simple story: take a little water carefully, then help the land hold more rain. The goal is not just bottled water. The goal is a water story people can see, measure and improve.

Useful References

- [Natural Resources Wales: abstraction and impoundment licensing](#)
- [DataMapWales: LiDAR Data Download](#)
- [Pontbren summary: tree planting and reduced runoff](#)
- [Forest Research: forestry and water resources](#)