

Live Match Clock for vMix and the Production Team

One interface. Precise match time. Direct graphics control.

The main interface combines score, match clock, and graphics control

02



MATCH CONTROL

Goals, match time, halves, extra time, and graphics are controlled centrally.

Direct · clear · live

Team names, colors, and the score remain immediately accessible throughout production.

Teams and production settings are fully prepared before kick-off

tiny little soccer clock client 1.0.2.1 settings | Peter Aellig - © 2024

↓ click on label, to choose vmix template files

GT scorebug title

vMix scorebug GT Title

C:\VMIX\soccerclock\titles\scorebug.gtzip

install gtzip inputs

sample data

GT Title Pause

vMix Title GT Title

C:\VMIX\soccerclock\titles\title.gtzip

additional public display

vMix public display GT

C:\VMIX\soccerclock\titles\public_display.gtzip

☐ Public Display (fullscreen on additional vMix Out)

vMix GT Title Fields

GT Text Field Clock

time.Text

GT Text Field Overtime

overtime.Text

GT BG Clock

bg_clock.Source

GT BG Result

bg_result.Source

GT BG Overtime

bg_ot.Source

GT Text Field Overtime to play

overtime_toplay.Text

GT BG Overtime to Play

bg_ot_toplay.Source

GT Text Field Home Club short

home_short.Text

GT Text Field Away Club short

away_short.Text

GT Text Field Home Club LONG

home_long.Text

GT Text Field Away Club LONG

away_long.Text

GT Textfield Home Score

home_score.Text

GT Textfield Away Score

away_score.Text

GT divider result

divider.Text

GT Color field Home Club 1

home_color1.Fill.Color

GT Color field Home Club 2

home_color2.Fill.Color

GT Color field Away Club 1

away_color1.Fill.Color

GT Color field Away Club 2

away_color2.Fill.Color

GT Title field text1

text_1.Text

GT Title field text2

text_2.Text

GT Title field text3

text_3.Text

GT Title field result

result.Text

sponsor1

nike

sponsor2

rivella

club name

↓ click on label to enable manual edit

Home Club Name*

FC Aarau

Away Club Name*

FC Basel

Home Club Short*

FCA

Away Club Short*

FCB

*HELP club names

select home club

select away club

miscellaneous

Minuter per Halftime

45

Minutes Overtime

15

*Text 1st pause

pause 1st half

*Text 2nd pause

pause 2nd half

*Text 3rd pause

pause 3rd half

*Text game over

end of match

Divider Result

-

Text1 Title

Your League

Text2 Title

University Stadium

Text3 Title

*text_3.Text shows pause and game over

choose overlay

Which overlay should be used for the captions? Only the vMix 4K/PRO/MAX have 8 overlays

Scorebug Overlay

1

Title Overlay

2

Sponsor Overlay

3

time extension

☐ NO overtime split

the time simply continues to run after the regul

autostop clock

☐ Autostop clock for Title

stops the clock if a pause title is inserted

vMix IP

IP

localhost

☐ connection test at startup

TCP Port

8099

☐ use HTTP instead of TCP

HTTP Port

8088

save settings

exit

JSON file output

☒ JSON Data

C:\vmix\soccerclock\data\soccerclock_live.json

MATCH PREPARATION

Select home and away teams, verify short names, and save the production settings.

- Club names from the logo directory
- Short and long names stored separately
- Team colors can be selected directly
- Configuration stored in soccerclock.xml

Settings connect match rules, vMix, and broadcast design

GT divider result

divider.Text

GT Color field Home Club 1

home_color1.Fill.Color

GT Color field Home Club 2

home_color2.Fill.Color

GT Color field Away Club 1

away_color1.Fill.Color

GT Color field Away Club 2

away_color2.Fill.Color

GT Title field text1

text_1.Text

GT Title field text2

text_2.Text

GT Title field text3

text_3.Text

GT Title field result

result.Text

sponsor1

nike

sponsor2

rivella

JSON file output

☒ JSON Data

C:\vmix\soccerclock\data\soccerclock_live.json

Text 3rd pause

pause 3rd half

*Text game over

end of match

Divider Result

-

Text1 Title

Your League

Text2 Title

University Stadium

Text3 Title

*text_3.Text shows pause and game over

vMix IP

IP

localhost

☐ connection test at startup

TCP Port

8099

☐ use HTTP instead of TCP

HTTP Port

8088

autoplay clock

☐ Autostop clock for Title

stops the clock if a pause title is inserted

save settings

exit

vMIX

IP address, HTTP/TCP ports, protocol, and overlay channels

MATCH

Half duration, extra time, auto-stop, and time display

CONTENT

Club names, abbreviations, interval, full-time, and sponsor text

FILE EXPORT

Enable live JSON and freely choose the complete destination path


The configuration is saved and loaded automatically on the next start.

The operator controls the entire match from one interface

05

LIVE OPERATION

Enter goals, start or stop the clock, and switch graphics without changing applications.



Reset Score · Reset Clock · Reset All

Opening, intervals, full-time, and sponsors are directly accessible.

The time logic covers the complete football match sequence

MATCH TIME

First and second half
Adjust minutes and seconds
Start, stop, and reset

1

EXTRA TIME

Two extra-time periods
Separate stoppage time
Optional continuous clock

2

AUTOMATION


Auto-stop for title cards
Automatic period changes
Status sent directly to vMix

3

Every time or score change updates the interface and the connected GT titles.

GT titles cover the complete broadcast workflow

07



Scorebug




Match Title



Public Display



Teams & Colors



Clock & Status




Sponsors

SoccerClock updates text, colors, logos, and visibility directly through the vMix API.

SoccerClock synchronizes vMix and a local JSON file export

08



The export writes directly to the file system—without a web server, HTTP endpoint, or additional process.

The logo directory replaces a separate club database

DIRECTORY · FIXED PATH

C:\vMix\soccerclock\logos

Transparent PNG · 500 × 500 pixels

Only existing logos can be selected

Manual club details are supported

No matching file means no logo

FILE NAME = CLUB DATA

ShortName-LongName.png

FCB-Bayern Munich.png

RMCF-Real Madrid.png

FCZ-FC Zurich.png

No hyphen in the long name



FCA-FC
Aarau.png



FCB-FC
Basel.png



FCL-FC
Luzern.png



FCSG-FC
St.Gallen.png



FCZ-FC
Zürich.png



GC-Grasshoppers
Club Zürich.png



LUG-FC
Lugano.png



LUZ-FC
Luzern.png

SoccerClock reads the short name, long name, and logo directly from the file name—without a database.

The Public Display makes the score visible on a large screen



ADDITIONAL DISPLAY

Match time, stoppage time, goals, club logos, and sponsors appear in a dedicated full-screen graphic.

- Dedicated GT title in vMix
- Team colors and logos included
- Can be enabled and disabled separately
- **For stadium, venue, or control monitor**

Resource: public_display.gtzip

One controller supplies graphics and a freely placed JSON file

11



The file can be read directly by vMix JSON Data Source or other software—without a server.

Connection checks and recovery are built in for live operation

12

RESPONSIVENESS

The persistent TCP connection avoids a new HTTP handshake for every command.

PROTOCOL SWITCHING

HTTP and TCP use the same interface and can be switched in Settings.

RELIABILITY


A dedicated connection timer checks vMix every second and updates the status.

JSON FILE

Atomic writing, a selectable path, and a heartbeat keep the file reliably up to date.

The production workflow remains linear—from preparation to full-time

13



The operator focuses on the match while technical distribution runs in the background.

One match clock for the entire live production system

1

Operator

1

JSON file

2

vMix protocols

Ready for vMix graphics and local JSON data exchange—without a server.