Speechtimer API

Can your rundown software send commands via HTTP? Speechtimer can also be controlled via HTTP API. A Streamdeck can also be used to control the timer. (API Request Plugin)

The API does not support a running time display for your rundown software or Streamdeck/Companion.

Example calls Set time to 12 minutes: http://127.0.0.1:55055/api?Function=SetTime&Value=12 Start timer: http://127.0.0.1:55055/api?Function=Start Stop timer: http://127.0.0.1:55055/api?Function=Stop Reset timer: http://127.0.0.1:55055/api?Function=Reset Adjust time (e.g., +30 seconds): http://127.0.0.1:55055/api?Function=Adjust&Value=30 Adjust time (e.g., -30 seconds):

http://127.0.0.1:55055/api?Function=Adjust&Value=-30

To keep things simple, the API is not password protected. However, the API can be disabled. To do this, you need to edit app.py.

```
If the API is disabled, a command sent via http returns messages: {
    "message": "API access is disabled.",
    "status": "error"
}
```

Speechtimer API

Kann deine Rundown Software Kommandos via http senden? Speechtimer lässt sich auch via HTTP-API steuern. Auch ein Streamdeck lässt sich so einfach zur Steuerung des Timers verwenden. (API Request Plugin) Die API unterstützt keine laufende Zeitanzeige für deine Rundown Software oder Streamdeck/Companion.

Beispiel-Aufrufe

Zeit setzen auf 12 Minuten:

http://127.0.0.1:55055/api?Function=SetTime&Value=12

Timer starten

http://127.0.0.1:55055/api?Function=Start

Timer stoppen:

http://127.0.0.1:55055/api?Function=Stop

Timer zurücksetzen:

http://127.0.0.1:55055/api?Function=Reset

Zeit anpassen (z. B. +30 Sekunden):

http://127.0.0.1:55055/api?Function=Adjust&Value=30

Zeit anpassen (z. B. -30 Sekunden):

http://127.0.0.1:55055/api?Function=Adjust&Value=-30

Um dies einfach zu halten, ist die API nicht per Passwort abgesichert. Die API lässt sich aber ausschalten. Dazu ist es nötig, die app.py zu editieren.

Ist API deaktiviert, schickt ein per http gesendeter Befehl Meldungen zurück:

```
{
  "message": "API-Zugriff ist deaktiviert.",
  "status": "error"
}
```