

Characteristic	Pre N = 108	Post N = 108	p-hat	95% CI	t	p-value	q-value
CVTRQ (total score)			0.562	0.518, 0.606	2.78	0.0060	0.084
Mean (SD)	84 (7)	86 (8)					
Median (Q1, Q3)	85 (79, 90)	87 (80, 92)					
Min, Max	63, 97	64, 100					
RCQ (total score)			0.471	0.405, 0.537	-0.875	0.38	>0.99
Mean (SD)	25.7 (4.0)	25.2 (4.0)					
Median (Q1, Q3)	26.0 (23.0, 28.5)	25.0 (23.5, 28.0)					
Min, Max	15.0, 33.0	12.0, 33.0					
F-Soz-U (total score)			0.517	0.481, 0.553	0.934	0.35	>0.99
Mean (SD)	3.83 (0.92)	3.85 (1.04)					
Median (Q1, Q3)	4.00 (3.14, 4.57)	4.00 (3.29, 4.86)					
Min, Max	1.00, 5.00	1.00, 5.00					
Missing	17	17					
OQMPR (total score)			0.464	0.424, 0.505	-1.75	0.084	0.84
Mean (SD)	29 (9)	28 (9)					
Median (Q1, Q3)	29 (23, 35)	29 (21, 35)					
Min, Max	12, 52	12, 47					
Missing	17	17					
UCLA (total score)			0.457	0.41, 0.503	-1.86	0.066	0.79
Mean (SD)	28.5 (3.9)	28.0 (4.1)					
Median (Q1, Q3)	28.0 (25.0, 31.0)	27.0 (24.0, 31.0)					
Min, Max	22.0, 37.0	21.0, 36.0					
Missing	17	17					
BIS-15 (total score)			0.493	0.459, 0.527	-0.395	0.69	>0.99
Mean (SD)	30 (7)	30 (8)					
Median (Q1, Q3)	30 (24, 34)	29 (24, 35)					
Min, Max	15, 48	15, 48					
Missing	36	36					
CUSI (total score)			0.487	0.434, 0.54	-0.493	0.62	>0.99
Mean (SD)	29 (9)	29 (10)					
Median (Q1, Q3)	28 (25, 32)	28 (21, 35)					
Min, Max	16, 66	16, 63					
Missing	36	36					
DEERS (subscale impulsivity)			0.595	0.529, 0.66	2.88	0.0050	0.075
Mean (SD)	6.24 (2.26)	6.72 (2.25)					
Median (Q1, Q3)	5.00 (5.00, 6.50)	6.00 (5.00, 8.00)					
Min, Max	5.00, 17.00	5.00, 15.00					
Missing	36	36					
NARQ (subscale externalizing strategies)			0.535	0.489, 0.581	1.54	0.13	>0.99
Mean (SD)	1.94 (2.74)	2.11 (2.50)					
Median (Q1, Q3)	1.00 (0.00, 3.00)	1.00 (0.00, 3.50)					
Min, Max	0.00, 14.00	0.00, 11.00					
Missing	36	36					
SPSI-R (total score)			0.498	0.458, 0.539	-0.090	0.93	>0.99
Mean (SD)	13.4 (3.2)	13.5 (3.3)					
Median (Q1, Q3)	13.8 (10.4, 16.0)	13.5 (11.4, 15.6)					
Min, Max	6.2, 19.8	7.4, 19.8					
Missing	46	46					
BMS (total score)			0.525	0.473, 0.577	0.954	0.35	>0.99
Mean (SD)	51 (14)	53 (16)					
Median (Q1, Q3)	46 (40, 57)	47 (39, 63)					

Abbreviation: 95% CI = Confidence interval of the estimated relative effect, BIS-15 = Barratt Impulsiveness Scale-15, BMS = Bumby Molest Scale, CUSI = Coping Using Sex Inventory, CVTRQ = Corrections Victoria Treatment Readiness Questionnaire, DEERS = Difficulties in Emotion Regulation Scale, EKK-R = Questionnaire on Emotional Congruence with Children-Revised, ESIQ = Explicit Sexual Interest Questionnaire, F-Soz-U = Seven-item short version of the Social Support Questionnaire, HBI-19 = Hypersexual Behavior Inventory-19, NARQ = Negative Affect Repair Questionnaire, OQMPR = Questionnaire for the Measurement of Psychological Reactance, Q1 = 25th percentile, Q3 = 75th percentile, RCQ = Readiness to Change Questionnaire - German version, SD = Standard deviation, SOL-R = Sexual Outlet Inventory revised, subscale desire for sexual activity with children, SPSI-R = Social Problem-Solving Inventory Revised, SSIC = Specific self-efficacy for modifying Sexual Interest in Children, UCLA = UCLA Loneliness Scale - German short version, p-hat = estimated relative effect, q-value = Holm-Bonferroni adjusted p-value, t = Brunner-Munzel test statistic for paired samples.

Characteristic	Pre N = 108	Post N = 108	p-hat	95% CI	t	p-value	q-value
Min, Max	38, 86	38, 99					
Missing	55	55					
ESIQ (total score)			0.407	0.357, 0.457	-3.75	0.0010	0.016
Mean (SD)	90 (12)	87 (12)					
Median (Q1, Q3)	87 (80, 98)	85 (80, 90)					
Min, Max	66, 127	66, 127					
Missing	66	66					
SOI-R (subscale desire for sexual activity with children)			0.454	0.404, 0.504	-1.86	0.071	0.79
Mean (SD)	11 (20)	9 (21)					
Median (Q1, Q3)	1 (0, 10)	1 (0, 5)					
Min, Max	0, 100	0, 100					
Missing	66	66					
SSIC (total score)			0.579	0.5, 0.657	2.03	0.049	0.64
Mean (SD)	26.5 (4.6)	27.1 (4.3)					
Median (Q1, Q3)	28.0 (26.0, 30.0)	30.0 (25.0, 30.0)					
Min, Max	11.0, 30.0	15.0, 30.0					
Missing	66	66					
EKK-R (total score)			0.497	0.432, 0.561	-0.106	0.92	>0.99
Mean (SD)	30 (8)	29 (7)					
Median (Q1, Q3)	28 (24, 35)	29 (24, 32)					
Min, Max	20, 54	20, 55					
Missing	66	66					
HBI-19 (total score)			0.495	0.433, 0.557	-0.166	0.87	>0.99
Mean (SD)	30 (12)	29 (10)					
Median (Q1, Q3)	25 (20, 40)	27 (19, 32)					
Min, Max	19, 57	19, 60					
Missing	66	66					

Abbreviation: 95% CI = Confidence interval of the estimated relative effect, BIS-15 = Barratt Impulsiveness Scale-15, BMS = Bumby Molest Scale, CUSI = Coping Using Sex Inventory, CVTRQ = Corrections Victoria Treatment Readiness Questionnaire, DERS = Difficulties in Emotion Regulation Scale, EKK-R = Questionnaire on Emotional Congruence with Children-Revised, ESIQ = Explicit Sexual Interest Questionnaire, F-Soz-U = Seven-item short version of the Social Support Questionnaire, HBI-19 = Hypersexual Behavior Inventory-19, NARQ = Negative Affect Repair Questionnaire, OQMPR = Questionnaire for the Measurement of Psychological Reactance, Q1 = 25th percentile, Q3 = 75th percentile, RCQ = Readiness to Change Questionnaire - German version, SD = Standard deviation, SOI-R = Sexual Outlet Inventory revised, subscale desire for sexual activity with children, SPSI-R = Social Problem-Solving Inventory Revised, SSIC = Specific self-efficacy for modifying Sexual Interest in Children, UCLA = UCLA Loneliness Scale - German short version, p-hat = estimated relative effect, q-value = Holm-Bonferroni adjusted p-value, t = Brunner-Munzel test statistic for paired samples.