

Characteristic	Pre N = 113	Post N = 113	p-hat	95% CI	t	p-value	q-value
CVTRQ (total score)			0.531	0.492, 0.569	1.56	0.12	>0.99
Mean (SD)	85 (7)	86 (8)					
Median (Q1, Q3)	86 (81, 91)	87 (81, 91)					
Min, Max	67, 100	61, 100					
RCQ (total score)			0.528	0.461, 0.595	0.819	0.41	>0.99
Mean (SD)	25.7 (3.8)	26.1 (3.5)					
Median (Q1, Q3)	26.0 (24.0, 28.0)	26.0 (24.0, 28.0)					
Min, Max	16.0, 38.0	15.0, 32.0					
F-Soz-U (total score)			0.552	0.519, 0.586	3.10	0.0030	0.048
Mean (SD)	3.74 (0.84)	3.88 (0.89)					
Median (Q1, Q3)	3.86 (3.14, 4.43)	4.00 (3.29, 4.71)					
Min, Max	1.71, 5.00	1.71, 5.00					
Missing	19	19					
OQMPR (total score)			0.474	0.431, 0.518	-1.17	0.25	>0.99
Mean (SD)	29 (7)	28 (8)					
Median (Q1, Q3)	29 (24, 34)	28 (22, 33)					
Min, Max	15, 43	12, 47					
Missing	19	19					
UCLA (total score)			0.484	0.434, 0.533	-0.657	0.51	>0.99
Mean (SD)	28.2 (3.8)	28.1 (4.7)					
Median (Q1, Q3)	27.0 (25.0, 30.0)	27.0 (25.0, 31.0)					
Min, Max	20.0, 39.0	12.0, 42.0					
Missing	19	19					
BIS-15 (total score)			0.499	0.457, 0.541	-0.051	0.96	>0.99
Mean (SD)	29 (6)	29 (6)					
Median (Q1, Q3)	28 (25, 32)	28 (25, 32)					
Min, Max	16, 50	17, 47					
Missing	35	35					
CUSI (total score)			0.538	0.49, 0.586	1.59	0.12	>0.99
Mean (SD)	27 (8)	28 (8)					
Median (Q1, Q3)	26 (22, 30)	28 (23, 32)					
Min, Max	16, 60	16, 59					

Characteristic	Pre N = 113	Post N = 113	p-hat	95% CI	t	p-value	q-value
Missing	35	35					
DEERS (subscale impulsivity)			0.486	0.437, 0.536	-0.548	0.59	>0.99
Mean (SD)	6.08 (1.75)	5.92 (1.55)					
Median (Q1, Q3)	5.00 (5.00, 7.00)	5.00 (5.00, 6.00)					
Min, Max	5.00, 13.00	5.00, 10.00					
Missing	35	35					
NARQ (subscale externalizing strategies)			0.491	0.433, 0.549	-0.308	0.76	>0.99
Mean (SD)	1.88 (2.75)	1.59 (2.12)					
Median (Q1, Q3)	1.00 (0.00, 3.00)	1.00 (0.00, 2.00)					
Min, Max	0.00, 16.00	0.00, 11.00					
Missing	35	35					
SPSI-R (total score)			0.505	0.463, 0.546	0.233	0.82	>0.99
Mean (SD)	13.54 (2.56)	13.56 (2.78)					
Median (Q1, Q3)	13.70 (12.10, 15.20)	13.80 (11.90, 15.20)					
Min, Max	6.40, 20.00	6.40, 20.00					
Missing	41	41					
BMS (total score)			0.480	0.427, 0.532	-0.775	0.44	>0.99
Mean (SD)	49 (14)	48 (14)					
Median (Q1, Q3)	43 (38, 54)	42 (39, 53)					
Min, Max	38, 102	38, 102					
Missing	54	54					
ESIQ (total score)			0.487	0.437, 0.538	-0.500	0.62	>0.99
Mean (SD)	82 (16)	82 (17)					
Median (Q1, Q3)	82 (80, 90)	81 (77, 91)					
Min, Max	46, 127	48, 121					
Missing	60	60					
SOI-R (subscale desire for sexual activity with children)			0.507	0.459, 0.556	0.295	0.77	>0.99
Mean (SD)	3 (7)	4 (9)					
Median (Q1, Q3)	0 (0, 2)	0 (0, 1)					
Min, Max	0, 39	0, 47					
Missing	60	60					
SSIC (total score)			0.509	0.448, 0.571	0.307	0.76	>0.99
Mean (SD)	27.4 (4.5)	27.5 (4.4)					

Characteristic	Pre N = 113	Post N = 113	p-hat	95% CI	t	p-value	q-value
Median (Q1, Q3)	30·0 (26·0, 30·0)	30·0 (27·0, 30·0)					
Min, Max	10·0, 30·0	10·0, 30·0					
Missing	60	60					
EKK-R (total score)			0·516	0·464, 0·568	0·622	0·54	>0·99
Mean (SD)	30 (8)	30 (8)					
Median (Q1, Q3)	27 (25, 35)	28 (25, 35)					
Min, Max	20, 54	20, 56					
Missing	60	60					
HBI-19 (total score)			0·493	0·417, 0·569	-0·188	0·85	>0·99
Mean (SD)	26 (8)	26 (8)					
Median (Q1, Q3)	23 (20, 28)	23 (20, 28)					
Min, Max	19, 55	19, 51					
Missing	60	60					

Abbreviations: 95% CI = Confidence interval of the estimated relative effect, *BIS-15* = Barratt Impulsiveness Scale-15 [pattonFactorStructureBarratt1995], *BMS* = Bumby Molest Scale [bumbyAssessingCognitiveDistortions], *CUSI* = Coping Using Sex Inventory [cortoniSexCopingStrategy2001], *CVTRQ* = Corrections Victoria Treatment Readiness Questionnaire [caseyAssessingSuitabilityOffender2007], *DEERS* = Difficulties in Emotion Regulation Scale [gratzMultidimensionalAssessmentEmotion2003], *EKK-R* = Questionnaire on Emotional Congruence with Children-Revised [mackEmotionaleKongruenzMit2012], *ESIQ* = Explicit Sexual Interest Questionnaire [banseIndirectMeasuresSexual2010], *F-Soz-U* = Seven-item short version of the Social Support Questionnaire [dunkelEvaluationShortformSocial2005], *HBI-19* = Hypersexual Behavior Inventory-19 [kleinValidierungsstudieDeutschenVersion2013], *NARQ* = Negative Affect Repair Questionnaire [schererNegativeAffectRepair2013], *OQMPR* = Questionnaire for the Measurement of Psychological Reactance [merzQuestionnaireMeasurementPsychological1983], *Q1* = 25th percentile, *Q3* = 75th percentile, *RCQ* = Readiness to Change Questionnaire [rollnickDevelopmentShortReadiness1992] - German version [hannoverReadinessChangeQuestionnaire2002] adapted for individuals who committed sexual offenses against children by project team, *SOI-R* = Sexual Outlet Inventory revised, subscale desire for sexual activity with children [bbrikenSexualOutletInventory2010], *SPSI-R* = Social Problem-Solving Inventory Revised [dzurillaManualSocialProblemSolving2002], *SSIC* = Specific self-efficacy for modifying Sexual Interest in Children [tozdanSpezifischeSelbstwirksamkeitZur2015], *UCLA* = UCLA Loneliness Scale [russell_ucla_1996] - German short version [bilskySocialSupportLoneliness1998], *p-hat* = estimated relative effect, *q-value* = Holm-Bonferroni adjusted p-value, *t* = Brunner-Munzel test statistic for paired samples