

<b>Module</b>	<b>pre N = 106</b>	<b>post N = 106</b>	<b>p-hat</b>	<b>95% CI</b>	<b>t</b>	<b>p-value</b>	<b>q-value</b>
<b>Module 1 (post)</b>			0·421	0.387, 0.456	-4·57	<0·0001	<0·0001
Mean (SD)	25 (12)	22 (12)					
Median (Q1, Q3)	22 (16, 32)	19 (13, 27)					
Min, Max	5, 58	5, 70					
<b>Module 2 (post)</b>			0·507	0.473, 0.542	0·414	0·68	>0·99
Mean (SD)	22 (13)	22 (13)					
Median (Q1, Q3)	19 (12, 27)	19 (14, 31)					
Min, Max	5, 70	5, 66					
Missing	15	15					
<b>Module 3 (post)</b>			0·454	0.41, 0.498	-2·09	0·040	0·20
Mean (SD)	23 (14)	20 (12)					
Median (Q1, Q3)	19 (14, 31)	18 (11, 27)					
Min, Max	5, 66	2, 58					
Missing	31	31					
<b>Module 4 (post)</b>			0·500	0.463, 0.537	0·012	>0·99	>0·99
Mean (SD)	20 (11)	20 (12)					
Median (Q1, Q3)	18 (11, 26)	17 (12, 24)					
Min, Max	2, 47	3, 64					
Missing	38	38					
<b>Module 5 (post)</b>			0·512	0.457, 0.566	0·423	0·67	>0·99
Mean (SD)	19 (12)	20 (13)					
Median (Q1, Q3)	15 (11, 24)	16 (10, 26)					
Min, Max	3, 64	6, 63					
Missing	51	51					
<b>Module 6 (post)</b>			0·505	0.467, 0.543	0·253	0·80	>0·99
Mean (SD)	20 (13)	20 (13)					
Median (Q1, Q3)	16 (10, 26)	17 (10, 26)					
Min, Max	6, 63	5, 65					
Missing	53	53					

Abbreviations: , 95% CI = Confidence interval of the estimated relative effect, Q1 = 25th percentile, Q3 = 75th percentile, p-hat = estimated relative effect, q-value = Holm-Bonferroni adjusted p-value, t = Brunner–Munzel test statistic for paired samples