

| Characteristic | Placebo N = 113 | Intervention N = 108 | p | q-value |
|--|-----------------|----------------------|------|---------|
| Module 1 | | | 0·31 | >0·99 |
| Mean (SD) | 1 (18) | 4 (20) | | |
| Median (Q1, Q3) | 0 (-8, 12) | 4 (-4, 12) | | |
| Min, Max | -68, 64 | -60, 76 | | |
| Module 2 | | | 0·86 | >0·99 |
| Mean (SD) | 1 (12) | 0 (16) | | |
| Median (Q1, Q3) | 0 (-4, 8) | 0 (-8, 8) | | |
| Min, Max | -40, 40 | -48, 36 | | |
| Missing | 19 | 17 | | |
| Module 3 | | | 0·26 | >0·99 |
| Mean (SD) | 1 (19) | -2 (19) | | |
| Median (Q1, Q3) | 0 (-8, 12) | 0 (-12, 6) | | |
| Min, Max | -48, 72 | -100, 48 | | |
| Missing | 35 | 36 | | |
| Module 4 | | | 0·15 | 0·89 |
| Mean (SD) | 4 (18) | -1 (17) | | |
| Median (Q1, Q3) | 0 (-2, 8) | 0 (-12, 8) | | |
| Min, Max | -44, 64 | -36, 48 | | |
| Missing | 41 | 46 | | |
| Module 5 | | | 0·95 | >0·99 |
| Mean (SD) | -1 (18) | -2 (15) | | |
| Median (Q1, Q3) | 0 (-4, 4) | 0 (-8, 8) | | |
| Min, Max | -100, 40 | -60, 28 | | |
| Missing | 54 | 55 | | |
| Module 6 | | | 0·63 | >0·99 |
| Mean (SD) | 2 (12) | 2 (13) | | |
| Median (Q1, Q3) | 0 (-4, 8) | 0 (0, 8) | | |
| Min, Max | -24, 32 | -40, 28 | | |
| Missing | 60 | 66 | | |
| Abbreviation: Q1 = 25th percentile, Q3 = 75th percentile, p _{adj} = Holm-Bonferroni adjusted p. | | | | |