

Characteristic	Placebo N = 113	Intervention N = 108	p	q-value
CVTRQ (total score)			0.19	>0.99
Mean (SD)	0.5 (4.9)	1.5 (5.7)		
Median (Q1, Q3)	0.0 (-3.0, 3.0)	1.0 (-2.0, 5.0)		
Min, Max	-11.0, 15.0	-12.0, 28.0		
RCQ (total score)			0.21	>0.99
Mean (SD)	0.3 (4.5)	-0.5 (4.6)		
Median (Q1, Q3)	0.0 (-3.0, 3.0)	-1.0 (-4.0, 3.0)		
Min, Max	-14.0, 14.0	-12.0, 13.0		
F-Soz-U (total score)			0.22	>0.99
Mean (SD)	0.14 (0.46)	0.01 (0.56)		
Median (Q1, Q3)	0.14 (-0.14, 0.43)	0.00 (-0.29, 0.43)		
Min, Max	-0.86, 1.14	-2.29, 1.29		
Missing	19	17		
OQMPR (total score)			0.94	>0.99
Mean (SD)	-0.9 (5.4)	-1.3 (5.9)		
Median (Q1, Q3)	-1.0 (-5.0, 2.0)	-1.0 (-4.0, 3.0)		
Min, Max	-15.0, 18.0	-21.0, 20.0		
Missing	19	17		
UCLA (total score)			0.28	>0.99
Mean (SD)	-0.11 (3.23)	-0.54 (2.98)		
Median (Q1, Q3)	0.00 (-2.00, 2.00)	0.00 (-2.00, 1.00)		
Min, Max	-13.00, 10.00	-12.00, 11.00		
Missing	19	17		
BIS-15 (total score)			0.92	>0.99
Mean (SD)	0.0 (3.9)	0.0 (3.4)		
Median (Q1, Q3)	-0.5 (-2.0, 2.0)	0.0 (-2.0, 2.0)		
Min, Max	-19.0, 11.0	-10.0, 10.0		
Missing	35	36		
CUSI (total score)			0.55	>0.99
Mean (SD)	0.8 (5.3)	0.4 (6.5)		
Median (Q1, Q3)	0.0 (-2.0, 2.0)	0.0 (-3.0, 2.5)		
Min, Max	-8.0, 23.0	-11.0, 27.0		
Missing	35	36		
DERS (subscale impulsivity)			0.024	0.36
Mean (SD)	-0.15 (1.24)	0.49 (2.10)		
Median (Q1, Q3)	0.00 (0.00, 0.00)	0.00 (0.00, 1.00)		
Min, Max	-4.00, 5.00	-5.00, 7.00		
Missing	35	36		
NARQ (subscale externalizing strategies)			0.30	>0.99
Mean (SD)	-0.29 (2.53)	0.17 (2.22)		
Median (Q1, Q3)	0.00 (-1.00, 1.00)	0.00 (0.00, 1.00)		
Min, Max	-16.00, 4.00	-12.00, 5.00		
Missing	35	36		
SPSI-R (total score)			0.97	>0.99
Mean (SD)	0.02 (1.46)	0.08 (1.66)		
Median (Q1, Q3)	0.00 (-0.90, 0.80)	0.00 (-1.00, 1.20)		
Min, Max	-4.20, 4.60	-4.00, 4.40		
Missing	41	46		
BMS (total score)			0.14	>0.99
Mean (SD)	-1 (7)	2 (10)		
Median (Q1, Q3)	0 (-4, 1)	0 (-3, 5)		
Min, Max	-20, 23	-12, 39		
Missing	54	55		
EKK-R (total score)			0.49	>0.99
Mean (SD)	0.3 (3.8)	-0.6 (4.8)		
Median (Q1, Q3)	0.0 (-2.0, 3.0)	0.0 (-2.0, 2.0)		
Min, Max	-9.0, 9.0	-17.0, 9.0		
Missing	60	66		
ESIQ (total score)			0.0020	0.032
Mean (SD)	-0.1 (7.9)	-3.6 (5.4)		

Abbreviation: BIS-15 = Barratt Impulsiveness Scale-15, BMS = Bumby Molest Scale, CUSI = Coping Using Sex Inventory, CVTRQ = Corrections Victoria Treatment Readiness Questionnaire, DERS = Difficulties in Emotion Regulation Scale, EKK-R = Questionnaire on Emotional Congruence with Children-Revised, ESIQ = Explicit Sexual Interest Questionnaire, F-Soz-U = Seven-item short version of the Social Support Questionnaire, HBI-19 = Hypersexual Behavior Inventory-19, NARQ = Negative Affect Repair Questionnaire, OQMPR = Questionnaire for the Measurement of Psychological Reactance, Q1 = 25th percentile, Q3 = 75th percentile, RCQ = Readiness to Change Questionnaire - German version, SOI-R = Sexual Outlet Inventory revised, subscale desire for sexual activity with children, SPSI-R = Social Problem-Solving Inventory Revised, SSIC = Specific self-efficacy for modifying Sexual Interest in Children, UCLA = UCLA Loneliness Scale - German short version, p_{adj} = Holm-Bonferroni adjusted p.

Characteristic	Placebo N = 113	Intervention N = 108	p	q-value
Median (Q1, Q3)	0·0 (-1·0, 2·0)	-3·0 (-8·0, 0·0)		
Min, Max	-22·0, 31·0	-14·0, 11·0		
Missing	60	66		
HBI-19 (total score)			0·92	>0·99
Mean (SD)	0·0 (5·5)	-1·0 (6·9)		
Median (Q1, Q3)	0·0 (-2·0, 2·0)	0·0 (-4·0, 2·0)		
Min, Max	-11·0, 18·0	-23·0, 18·0		
Missing	60	66		
SSIC (total score)			0·077	>0·99
Mean (SD)	0·1 (4·5)	0·6 (3·6)		
Median (Q1, Q3)	0·0 (-1·0, 0·0)	0·0 (0·0, 2·0)		
Min, Max	-18·0, 20·0	-12·0, 9·0		
Missing	60	66		
SOI (Item 2a)			0·061	0·85
Mean (SD)	1 (6)	-1 (11)		
Median (Q1, Q3)	0 (0, 0)	0 (-1, 0)		
Min, Max	-19, 22	-43, 45		
Missing	60	66		

Abbreviation: BIS-15 = Barratt Impulsiveness Scale-15, BMS = Bumby Molest Scale, CUSI = Coping Using Sex Inventory, CVTRQ = Corrections Victoria Treatment Readiness Questionnaire, DERS = Difficulties in Emotion Regulation Scale, EKK-R = Questionnaire on Emotional Congruence with Children-Revised, ESIQ = Explicit Sexual Interest Questionnaire, F-Soz-U = Seven-item short version of the Social Support Questionnaire, HBI-19 = Hypersexual Behavior Inventory-19, NARQ = Negative Affect Repair Questionnaire, OQMPR = Questionnaire for the Measurement of Psychological Reactance, Q1 = 25th percentile, Q3 = 75th percentile, RCQ = Readiness to Change Questionnaire - German version, SOI-R = Sexual Outlet Inventory revised, subscale desire for sexual activity with children, SPSI-R = Social Problem-Solving Inventory Revised, SSIC = Specific self-efficacy for modifying Sexual Interest in Children, UCLA = UCLA Loneliness Scale - German short version, p_{adj} = Holm-Bonferroni adjusted p.