

<b>Characteristic</b>	<b>Overall N = 221<sup>1</sup></b>	<b>Intervention N = 108<sup>1</sup></b>	<b>Placebo N = 113<sup>1</sup></b>
<b>Major depressive syndrome</b>			
No	209 (95%)	102 (94%)	107 (95%)
Yes	12 (5·4%)	6 (5·6%)	6 (5·3%)
<b>Other depressive syndromes</b>			
No	201 (91%)	96 (89%)	105 (93%)
Yes	20 (9·0%)	12 (11%)	8 (7·1%)
<b>Panic syndrome</b>			
No	216 (98%)	106 (98%)	110 (97%)
Yes	5 (2·3%)	2 (1·9%)	3 (2·7%)
<b>Other anxiety syndromes</b>			
No	218 (99%)	105 (97%)	113 (100%)
Yes	3 (1·4%)	3 (2·8%)	0 (0%)
<b>Bulimia nervosa</b>			
No	221 (100%)	108 (100%)	113 (100%)
Yes	0 (0%)	0 (0%)	0 (0%)
<b>Binge eating</b>			
No	213 (96%)	105 (97%)	108 (96%)
Yes	8 (3·6%)	3 (2·8%)	5 (4·4%)
<b>Alcohol syndrome</b>			
No	210 (95%)	102 (94%)	108 (96%)
Yes	11 (5·0%)	6 (5·6%)	5 (4·4%)
<b>Somatoform syndrome</b>			
No	204 (92%)	100 (93%)	104 (92%)
Yes	17 (7·7%)	8 (7·4%)	9 (8·0%)
<b>Psychosocial functioning</b>			
Not difficult at all	0 (NA%)	0 (NA%)	0 (NA%)
Somewhat difficult	0 (NA%)	0 (NA%)	0 (NA%)
Very difficult	0 (NA%)	0 (NA%)	0 (NA%)
Extremely difficult	0 (NA%)	0 (NA%)	0 (NA%)
Missing	221	108	113

<sup>1</sup> n (%)