

Module	pre N = 107	post N = 107	p	P _{adj}
Module 1			<0·0001	<0·0001
Mean (SD)	12 (8)	11 (9)		
Median (Q1, Q3)	11 (7, 16)	9 (4, 16)		
Min, Max	0, 31	0, 50		
Module 2			0·050	0·24
Mean (SD)	11 (9)	12 (9)		
Median (Q1, Q3)	8 (4, 16)	10 (5, 15)		
Min, Max	0, 50	0, 50		
Missing	15	15		
Module 3			0·047	0·24
Mean (SD)	12 (10)	11 (10)		
Median (Q1, Q3)	10 (6, 18)	9 (5, 15)		
Min, Max	0, 50	0, 50		
Missing	30	30		
Module 4			0·98	>0·99
Mean (SD)	11 (10)	11 (10)		
Median (Q1, Q3)	8 (5, 14)	8 (5, 14)		
Min, Max	0, 50	0, 50		
Missing	37	37		
Module 5			0·78	>0·99
Mean (SD)	11 (11)	11 (11)		
Median (Q1, Q3)	7 (4, 14)	8 (4, 14)		
Min, Max	0, 50	1, 50		
Missing	50	50		
Module 6			0·54	>0·99
Mean (SD)	12 (11)	12 (12)		
Median (Q1, Q3)	8 (4, 15)	9 (4, 16)		
Min, Max	1, 50	1, 50		
Missing	51	51		
Abbreviation: Q1 = 25th percentile, Q3 = 75th percentile, p _{adj} = Holm-Bonferroni adjusted p.				