

## 五、BeagleBone Black的Putty使用

1、远程登录BeagleBone Black并且执行命令 (BeagleBone Black linux发行版运行宇哥限制在22端口的SSH服务器)。



- 2、使用SSH文件传输协议(SSH File Transfer Protocol, SFTP)向/从BeagleBone Black传输文件。
  - 2.1、在psftp界面,输入open root@192.168.7.2 连接则BeagleBone Black。



因为使用的是root用户登录,所以当前用户放在/root目录下。

2.2、用"put"和"get"传输文件,对于多个文件,可以使用mput和mget命令(注意:命令中前缀带有指的是针对本地计算机使用的命令)。

```
PSFTP PSFTP
                                                                     Support/FAQ: http://elinux.org/Beagleboard:BeagleBoneBlack_Debian
Remote working directory is /root
psftp>
psftp> lcd c:\temp
New local directory is c∶\temp
psftp> 11s
psftp: unknown command "lls"
psftp> ls
Listing directory /root
             5 root
                                     4096 Feb 27 07:50 .
drwx-
                        root
                                     4096 May 16 2014
drwxr-xr-x
            22 root
                        root
                                     2046 Feb 28 01:53 .bash_history
             1 root
                        root
-rw-
                                      570 Jan 31
                                                  2010 .bashrc
             1 root
                        root
-rw-r--r-
                                     4096 May 15
                                                  2014 .c9
drwxr-xr-x
             3 root
                        root
             3 root
                        root
                                     4096 May 15
                                                  2014 .gem
drwxr-xr-x
                                      119 May 15
                                                  2014 .npmrc
             1 debian
                        admin
-PW-
                                      247 Feb 27 01:28 .profile
-rw-r--r--
             1 root
                        root
             1 root
                        root
                                     4445 Feb 27 07:50 .viminfo
drwxr-xr-x
             2 root
                        root
                                     4096 May 15
                                                  2014 test
                                        5 May 15
                                                  2014 test.txt
             1 root
                        root
-rw-r--r-
psftp> cd test
Remote directory is now /root/test
psftp> ls
Listing directory /root/test
                                     4096 May 15 2014 .
drwxr-xr-x
             2 root
                        root
             5 root
                                     4096 Feb 27 07:50 ...
drwx-
                        root
psftp> put test.txt
local:test.txt => remote:/root/test/test.txt
psftp> ls
Listing directory /root/test
drwxr-xr-x
                                     4096 Feb 28 06:33 .
             2 root
                        root
             5 root
                        root
                                     4096 Feb 27 07:50 ...
             1 root
                        root
                                        5 Feb 28 06:33 test.txt
-rw-r--r
psftp>
```

3、正向X11连接,允许执行虚拟网络计算。