

QuestQuantum™

SCCIPA

LV: 4/24/26

Report Status: Final

CHEN, PETER

Patient Information	Specimen Information	Client Information
CHEN, PETER DOB: 07/23/1957 AGE: 68 Gender: M Fasting: Y Phone: 408.858.7657 Patient ID: 38060744 Health ID: 8573020750697565	Specimen: SZ615848Y Requisition: 0055444 Collected: 04/30/2026 / 09:54 PDT Received: 04/30/2026 / 23:53 PDT Reported: 05/01/2026 / 22:49 PDT	Client #: 70070137 MAIL001 LIN, ANDREW Y LIN, ANDREW MD /S'VALE 500 E REMINGTON DR STE 30 SUNNYVALE, CA 94087-2612

COMMENTS: FASTING: YES
COLLECTION KIT GIVEN TO PATIENT. PATIENT ADVISED TO RETURN.

Test Name	In Range	Out Of Range	Reference Range	Lab
LIPID PANEL WITH RATIOS				
CHOLESTEROL, TOTAL		248 H	<200 mg/dL	UL
HDL CHOLESTEROL	54		> OR = 40 mg/dL	UL
TRIGLYCERIDES	89		<150 mg/dL	UL
LDL-CHOLESTEROL		174 H	mg/dL (calc)	UL
Reference range: <100				
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.				
LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)				
CHOL/HDLC RATIO	4.6		<5.0 (calc)	UL
LDL/HDLC RATIO	3.2		(calc)	UL
	Below Average Risk:	<2.28		
	Average Risk:	2.29-4.90		
	Moderate Risk:	4.91-7.12		
	High Risk:	>7.13		
NON HDL CHOLESTEROL		194 H	<130 mg/dL (calc)	UL
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.				
COMPREHENSIVE METABOLIC PANEL				UL
GLUCOSE	99		65-99 mg/dL	
Fasting reference interval				
UREA NITROGEN (BUN)	20		7-25 mg/dL	
CREATININE	1.12		0.70-1.35 mg/dL	
For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.				
EGFR	72		> OR = 60 mL/min/1.73m2	
BUN/CREATININE RATIO	18		6-22 (calc)	
SODIUM	141		135-146 mmol/L	
POTASSIUM	4.2		3.5-5.3 mmol/L	
CHLORIDE	103		98-110 mmol/L	
CARBON DIOXIDE	29		20-32 mmol/L	
CALCIUM	9.1		8.6-10.3 mg/dL	
PROTEIN, TOTAL	7.0		6.1-8.1 g/dL	
ALBUMIN	4.5		3.6-5.1 g/dL	
GLOBULIN	2.5		1.9-3.7 g/dL (calc)	

CLIENT SERVICES: 866.697.8378

SPECIMEN: SZ615848Y

PAGE 1 OF 4

Quest, Quest Diagnostics, the associated logo and all associated Quest Diagnostics marks are the trademarks of Quest Diagnostics.

Printed by Quantum AutoReceive on 05/04/26 at 09:00am.



Patient Information	Specimen Information	Client Information
CHEN, PETER DOB: 07/23/1957 AGE: 68 Gender: M Fasting: Y Patient ID: 38060744 Health ID: 8573020750697565	Specimen: SZ615848Y Collected: 04/30/2026 / 09:54 PDT Received: 04/30/2026 / 23:53 PDT Reported: 05/01/2026 / 22:49 PDT	Client #: 70070137 LIN, ANDREW Y

Test Name	In Range	Out Of Range	Reference Range	Lab
ALBUMIN/GLOBULIN RATIO	1.8		1.0-2.5 (calc)	
BILIRUBIN, TOTAL	0.9		0.2-1.2 mg/dL	
ALKALINE PHOSPHATASE	59		35-144 U/L	
AST	17		10-35 U/L	
ALT	13		9-46 U/L	
HEMOGLOBIN A1C WITH MPG				UL
HEMOGLOBIN A1c	6.3 H		<5.7 %	
For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test. For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations. This assay result is consistent with an increased risk of diabetes. Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.				
MEAN PLASMA GLUCOSE	147		mg/dL (calc)	
URIC ACID	6.6		4.0-8.0 mg/dL	UL
Therapeutic target for gout patients: <6.0 mg/dL				
TSH	1.29		0.40-4.50 mIU/L	UL
T4, FREE	1.3		0.8-1.8 ng/dL	UL
SED RATE BY MODIFIED WESTERGREN	6		< OR = 20 mm/h	UL
CBC (INCLUDES DIFF/PLT)				UL
WHITE BLOOD CELL COUNT	6.3		3.8-10.8 Thousand/uL	
RED BLOOD CELL COUNT	4.90		4.20-5.80 Million/uL	
HEMOGLOBIN	15.4		13.2-17.1 g/dL	
HEMATOCRIT	48.7		39.4-51.1 %	
MCV	99.4		81.4-101.7 fL	
MCH	31.4		27.0-33.0 pg	
MCHC	31.6		31.6-35.4 g/dL	
RDW	14.2		11.0-15.0 %	
PLATELET COUNT	208		140-400 Thousand/uL	
MPV	11.9		7.5-12.5 fL	
ABSOLUTE NEUTROPHILS	4649		1500-7800 cells/uL	
ABSOLUTE LYMPHOCYTES	1121		850-3900 cells/uL	
ABSOLUTE MONOCYTES	391		200-950 cells/uL	
ABSOLUTE EOSINOPHILS	101		15-500 cells/uL	
ABSOLUTE BASOPHILS	38		0-200 cells/uL	
NEUTROPHILS	73.8		%	
LYMPHOCYTES	17.8		%	
MONOCYTES	6.2		%	
EOSINOPHILS	1.6		%	
BASOPHILS	0.6		%	
URINALYSIS, COMPLETE W/REFLEX TO CULTURE				UL
COLOR	YELLOW		YELLOW	



Patient Information	Specimen Information	Client Information
CHEN, PETER DOB: 07/23/1957 AGE: 68 Gender: M Fasting: Y Patient ID: 38060744 Health ID: 8573020750697565	Specimen: SZ615848Y Collected: 04/30/2026 / 09:54 PDT Received: 04/30/2026 / 23:53 PDT Reported: 05/01/2026 / 22:49 PDT	Client #: 70070137 LIN, ANDREW Y

Test Name	In Range	Out Of Range	Reference Range	Lab
APPEARANCE	CLEAR		CLEAR	
SPECIFIC GRAVITY	1.020		1.001-1.035	
PH	7.0		5.0-8.0	
GLUCOSE	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
KETONES		1+	NEGATIVE	
OCCULT BLOOD	NEGATIVE		NEGATIVE	
PROTEIN	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
LEUKOCYTE ESTERASE		3+	NEGATIVE	
WBC		20-40	< OR = 5 /HPF	
RBC	NONE SEEN		< OR = 2 /HPF	
SQUAMOUS EPITHELIAL CELLS	NONE SEEN		< OR = 5 /HPF	
BACTERIA	NONE SEEN		NONE SEEN /HPF	
HYALINE CAST	NONE SEEN		NONE SEEN /LPF	

This urine was analyzed for the presence of WBC, RBC, bacteria, casts, and other formed elements. Only those elements seen were reported.

REFLEXIVE URINE CULTURE

CULTURE INDICATED - RESULTS TO FOLLOW

UL

PSA, TOTAL
13.75 H

< OR = 4.00 ng/mL

UL

The total PSA value from this assay system is standardized against the WHO standard. The test result will be approximately 20% lower when compared to the equimolar-standardized total PSA (Beckman Coulter). Comparison of serial PSA results should be interpreted with this fact in mind.

This test was performed using the Siemens chemiluminescent method. Values obtained from different assay methods cannot be used interchangeably. PSA levels, regardless of value, should not be interpreted as absolute evidence of the presence or absence of disease.

RPR (DX) W/REFL TITER,

T.PALLIDUM AB, IA (TRAD)

RPR (DX) W/REFL TITER AND

CONFIRMATORY TESTING

NON-REACTIVE

NON-REACTIVE

UL

No laboratory evidence of syphilis. If recent exposure is suspected, submit a new sample in 2-4 weeks.

CULTURE, URINE, ROUTINE

Micro Number: 27751451


Test Status: Final

Specimen Source: Urine

Specimen Quality: Adequate

Result: Mixed genital flora isolated. These superficial bacteria are not indicative of a urinary tract infection. No further organism identification is

UL



Patient Information	Specimen Information	Client Information
CHEN, PETER DOB: 07/23/1957 AGE: 68 Gender: M Fasting: Y Patient ID: 38060744 Health ID: 8573020750697565	Specimen: SZ615848Y Collected: 04/30/2026 / 09:54 PDT Received: 04/30/2026 / 23:53 PDT Reported: 05/01/2026 / 22:49 PDT	Client #: 70070137 LIN, ANDREW Y

Test Name

In Range Out Of Range Reference Range
warranted on this specimen. If clinically
indicated, recollect clean-catch, mid-stream
urine and transfer immediately to Urine Culture
Transport Tube.

Lab**PERFORMING SITE:**

UL QUEST DIAGNOSTICS SACRAMENTO, 3714 NORTHGATE BLVD, SACRAMENTO, CA 95834-1617 Laboratory Director: LORNE L. HOLLAND, MD, CLIA: 05D0644209