

# **Treatment for Post Trumatic Stress Disorder.**

**By  
Peter.J.Thompson.**

**A brain is nothing more than a electronic supercomputer running on a complex program call life.**

Memory is a big part of PTSD- erase the horrible memory, symptoms are erased and quality of life is restored.  
According to text on memory-

Deep inside the medial temporal lobe is the region of the **brain** known as the limbic system, which includes the hippocampus, the amygdala, the cingulate gyrus, the thalamus, the hypothalamus, the epithalamus, the mammillary body and other organs, many of which are of particular relevance to the processing of memory.



**Parts of the Brain - Memory & the  
Brain - The Human Memory**  
[www.human-memory.net/brain\\_parts.html](http://www.human-memory.net/brain_parts.html)

The term “processing of memory” is a function and the storage of long term memory is not actually in the brain. It is in fact stored in the cells all over the body with the main directory being stored in the brain, a lot like how computers work.

This fact is verified by a strange phenomena in some transplant cases, one case in particular a donor's heart produced memories of people, places and events in the recipient who has no previous knowledge or experience of in their lives previous to transplant of the heart, proving memories were stored inside the heart's cells.

Because a long term memory is split up into a directory in the brain and actual content (data) in a cell somewhere else in the body and only the brain knows where it, makes it virtually impossible to locate and remove. However it is possible to erase the main directory in the brain which prevents the memory from being accessed for processing, it has been erased from thought and most other brain functions and processes as a result. Ptsd victims can not process the horrors of events in deep thought the “Why” haunts them.

With the processes incomplete it causes errors in programs and functions causing dysfunctional behaviours.

If we go from event to processes it starts off in short term memory (electronically a computer RAM) a random access memory where conscious and subconscious functions begin to process it with thought to give a rational that becomes part of the core program and how we interpret the world during sleep cycles after REM sleep. With sleep the brains “RAM” downloads through cells that act like on/off switches to store the data (exactly like flash drives RAMS and ROMS) and then stores a “directory file” in the brains core program to locate the data when needed.

If events arise that a rational can not be assigned the memory follows the same pathways but doesn't clear from the short term memory because its still needed for other

processes it hasn't been dealt with, as a bi product sleep is disturbed and doesn't progress past REM sleep and forms a pattern that prevents deep sleep cycles.

Over a short period a overall pattern of sleep deprivation leads to "scattering effect" where things get mixed by the other processes to jumble the memory place things out of order and other dysfunctional behaviours.


In essence all high cognitive functions can be affected by problems in the new core program,

Clearly it is a cause and effect, removing the cause removes the effects so No memory of events means No symptoms.

As tempting as tearing peoples hearts out or tearing their limbs off is, it just isn't ethical even with the fact that those that can not live with events commit suicide.

We can however erase the directory removing it from processing, sleep is the key as it is a state where the core program can resort to a previous stable core program.

Oxazepam (benzodiazepine-  $C_{15}H_{11}ClN_2O_2$ )



## ^ Side effects



The side effects of oxazepam are similar to those of other benzodiazepines, and may include dizziness, drowsiness, headache, memory impairment, **paradoxical excitement**, and **anterograde amnesia**, but does not affect **transient global amnesia**.<sup>[*citation needed*]</sup>

Side effects due to rapid decrease in dose or abrupt withdrawal from oxazepam may include abdominal and muscle cramps, convulsions, depression, inability to fall asleep or stay asleep, sweating, tremors, or vomiting.<sup>[1]</sup>



en.m.wikipedia.org/w



The side effect of memory impairment and anterograde amnesia is of great value in treating PTSD..

Anterograde amnesia will stop the cycling processes between short term memory and thought processes etc. it will force a reset of the core program, this clears the brain to function normally again in sort of a previous state of health, the effect of memory impairment is related to dose and duration, the higher the dose and longer the period of administration the more impairment occurs to memory. It is a “sledgehammer” approach and starts affecting most recent memories first progressing to older memories with time. It works in two ways first it erases the memory from the directory in the brain leaving it blank ready for next

directory to form, second it disrupts the pathways to the cells responsible for storing that memory breaking the connection.

A dose of 25mg every 4hrs for a 60kg male was used in experimentation over a 40 day period-

the result was all post traumatic memories (listed in attached report) over a 20 year period were erased from conscious and subconscious functions as well as short term memory processes. The traumatic memories instantly appear back into processes, directories and functions when a new traumatic event occurs to the victim, the new event becomes compounded instantly with memories of past events, the course of treatment at same dose was administered again over 20 days to wipe the patients memory. The patient is put to sleep, and when wakes eats, toilets and next 25mgs administered sedating the patient for a further 4-6hrs where it is repeated again. A low stimulant environment in waking hours without any reminders of events at all is necessary to speed effects, reminders will impede functions and processes occurring as the person is basically always drugged and under the influence of sedation, never fully awake or thinking clearly. If event is brought up by a outside source it reconnects to the memory in the bodies cell and is restored, attempts of brainwashing by denial of event has a opposite effect and strengthens the communication of memory and is ill advised, a body and mind needs time to heal without further infection.

The liver breaks down the Oxazepam into diazepam which cycles through the body back to the liver where it is broken down to temazepam then flushed from the system through kidneys and bowels.

A single dose of 150mgs is toxic for a 60kg male however when 25mg is administered steadily over the course of 24hrs the total does in the system is less than the toxic dose required for organ damage or failure in the body, however damage is occurring to memory canterers in the brain which is the required result.

There are no residual effects to basic life support functions after treatment/s.