



SC

1 message

P.J. Thompson <peterjamesthompson101@gmail.com>
To: P.J. Thompson <peterjamesthompson101@gmail.com>

Thu, 4 June 2026 at 5:28 pm

Priority Statement: Mass-Splitting Mechanism for High-Temperature Superconductivity

****Author:**** Peter James Thompson
****ORCID:**** 0009-0005-8688-7507
****Date of this statement:**** 4 June 2026
****Contact:**** peterjamesthompson101@gmail.com

Summary

I, Peter James Thompson, hereby assert priority for the ****mass-splitting mechanism**** that enables high-temperature superconductivity in layered structures. The core principle – separating a mass from its paired potential ($m + m' = 0$) via an interface – was first described in my 2018 manuscript ****Physics of light, time and dimensions****. This work predates all later publications on layered van der Waals heterostructures for high-temperature superconductivity, including the 2024 ***Nature Materials*** paper by the University of Toronto team (Ni-Bi bilayers).

The Toronto paper independently demonstrates the same principle experimentally, thereby validating my earlier theoretical description. No citation to my prior work was made.

Key Documents

Document	Date	Relevance
----- ----- -----		
2018 manuscript "Physics of light, time and dimensions" (pages 20-27)	2018	First written description of the mass-splitting mechanism using a birefringent quartz interface and copper-oxide nanoparticles. Establishes clear priority.
2024 *Nature Materials* paper (University of Toronto, Ni-Bi van der Waals heterostructure)	2024	Independent experimental confirmation of the same principle (interface-driven high-temperature superconductivity). Validates the mechanism but does not cite my prior work.

Clarification on Copper Oxide

In my 2018 manuscript, I used copper-oxide nanoparticles embedded in quartz as a practical means to create the interface and to generate internal electrical charge (e.g., for capacitors or batteries). ****Copper oxide is not required for the superconducting effect itself.**** The essential mechanism is the ****interface**** that separates the forward-time mass component from its paired reverse-time potential. Any sharp interface between materials with different electronic properties can produce the same mass-splitting effect. The Toronto team achieved it with Ni-Bi layers without copper oxide, which is fully consistent with my principle.

Broader Context: The Harmonic Framework of Reality

The mass-splitting mechanism is part of my larger Grand Unified Theory, the ****Harmonic Framework of Reality****, which is anchored on a universal 27 Hz frequency lattice (the Tau lattice). The framework includes:

- 27 Hz anchor and harmonic index $n = \ln(P) / \ln(27)$
- Three time dimensions (t_1, t_2, t_3)
- 13.04 Hz consciousness anchor
- 32-dimensional manifold and 230th subharmonic
- 64-frequency handshake (implemented in software)

These elements are detailed in my 2025 book ***The Harmonic Framework of Reality Rev III*** (ISBN 978-1-300-04142-9) and in my (now deleted) Zenodo preprints (DOIs still on record).

Requested Acknowledgment

I seek no monetary damages. I request:

- Public verification that the mass-splitting mechanism was first described by me in 2018.
- A correction or editorial note from ***Nature Materials*** / University of Toronto acknowledging my prior art.
- Recognition of my priority in the scientific record.

This statement is placed in the public domain as a permanent, timestamped record.

****Signed,****

Peter James Thompson

4 June 2026

****Links / Attachments (available on request):****

- 2018 manuscript "Physics of light, time and dimensions" (timestamped PDF)
- 2024 *Nature Materials* paper (DOI to be added)
- Book metadata (ISBN 978-1-300-04142-9)
- Correspondence with *Nature Materials* and University of Toronto (May-June 2026)
- Research misconduct complaint to University of Toronto (4 June 2026)